



	Dr. Vinay Cl MD (Pathology & Chairman & Col	nopra & Microbiology) nsultant Pathologist	Dr. Yugam MD CEO & Consultant	(Pathology)	
NAME	: Mrs. RAMANPREET				
AGE/ GENDER	: 27 YRS/FEMALE	PATI	ENT ID	: 1539650	
COLLECTED BY	:	REG.	NO./LAB NO.	:012407050051	
REFERRED BY	:	REGI	STRATION DATE	: 05/Jul/2024 05:26 PM	
BARCODE NO.	:01512590	COLL	ECTION DATE	: 05/Jul/2024 05:28PM	
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPO	RTING DATE	: 05/Jul/2024 06:55PM	
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,	AMBALA CANTT			
Test Name		Value	Unit	Biological Reference	interval
SERUM by CLIA (CHEMILUMIN	REGNANCY MATERNAL:	3282.81 ^H	mIU/mL	< 5.0	
INTERPRETATION:	MEN:		mIU/mI	< 2.0	
NON PREGNANT PRE-MENOPAUSAL WOMEN:			mIU/ml	< 5.0	
MENOPAUSAL WOMEN:			mIU/mI	< 7.0	
	BETA HCG EXPECTED VALUES	IN ACCORDANCE TO WE	EKS OF GESTATIONAL	AGE	
	WEEKS OF GESTATION		Unit	Value	
	4-5		mIU/ml	1500 -23000	
	5-6		mIU/ml	3400 - 135300	
	6-7		mIU/ml	10500 - 161000	
	7-8		mIU/mI	18000 - 209000	
	8-9		mIU/ml	37500 - 219000	
	9-10		mIU/mI	42800 - 218000	
	10-11		mIU/ml	33700 - 218700	
	11 10		mIU/mI	21800 - 193200	
	11-12				
	12-13		mIU/mI	20300 - 166100	
	12-13 13-14		mIU/mI mIU/mI	20300 - 166100 15400 - 190000	
	12-13		mIU/mI	20300 - 166100	





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com







	Dr. Vinay Chopra MD (Pathology & Micro Chairman & Consultant	obiology) MD	n Chopra 9 (Pathology) t Pathologist			
NAME	: Mrs. RAMANPREET					
AGE/ GENDER	: 27 YRS/FEMALE	PATIENT ID	: 1539650			
COLLECTED BY	:	REG. NO./LAB NO.	: 012407050051			
REFERRED BY	:	REGISTRATION DATE	: 05/Jul/2024 05:26 PM			
BARCODE NO.	:01512590	COLLECTION DATE	: 05/Jul/2024 05:28PM			
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 05/Jul/2024 06:55PM			
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT					
Test Name		Value Unit	Biological Reference interval			

s a Glycoprotein with alpha and beta chains. Beta subunit is specific to hCG

2.1t is largely secreted by trophoblastic tissue. Small amounts may be secreted by fetal tissues and by the adult ant pituitary.

INCREASED :

1.Pregnancy

2.Gestationalsite & Non gestational trophoblastic neoplasia.

3.In mixed germ cell tumors.

SIGNIFICANTLY HIGHER THAN EXPECTED LEVEL:

1.Multiple pregnancies & High risk molar pregnancies are usually associated with levels in excess of one lac mIU/mI. 2.Erythroblastosis fetalis & Downs syndrome.

DECREASED:

1. Ectopic pregnancy.

2.Intra-uterine fetal death.

NOTE:

1. The test becomes positive 7-9 days after the midcycle surge that precedes ovulation (time of blastocyst implantation). Blood levels rise rapidly after this and double every 1.4 - 2 days. 2. Peak values are usually seen at 60-80 days of LMP. The levels then begin to taper and ebb out around the 20th week. These low levels are then

maintained throughout pregnancy.

3. Doubling time: In intra-uterine pregnancy, serum hCG levels increase by approximately 66% every 48 hrs. Inappropriately rising serum hCG levels are suggestive of dying or ectopic pregnancy.

CAUTION:

Spuriously high levels (Phantom hCG) may be seen in presence of heterophilic antibodies (found in some normal people). If persistently raised levels are seen in a non-pregnant patient with no evidence of other obvious causes for such an increase a urine hCG assay may help confirm presence of the heterophile antibodies.

* End Of Report ***





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com

