

Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mr. MANISH	PATIENT ID	: 1543188
AGE/ GENDER	: 31 YRS/MALE	REG. NO./LAB NO.	: 012407090041
COLLECTED BY	:	REGISTRATION DATE	: 09/Jul/2024 12:22 PM
REFERRED BY	:	COLLECTION DATE	: 09/Jul/2024 12:24PM
BARCODE NO.	: 01512813	REPORTING DATE	: 09/Jul/2024 04:56PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

CLINICAL PATHOLOGY SEMEN ANALYSIS/SEMINOGRAM

PHYSICAL EXAMINATION

TIME OF SPECIMEN COLLECTION	09-07-2024	AM/PM	
DURATION OF ABSTINENCE	3 DAYS	DAYS	2 - 7
TYPE OF STONE	FRESH		
LIQUIFACTION TIME AT 37°C	< 30 MINS	MINS	30 - 60
VOLUME	1	ML	
COLOUR	WHITISH OPAQUE		WHITISH OPAQUE
VISCOSITY	VISCOUS		VISCOUS
pH	gH		5.0 - 7.5

AUTOMMATED SEMEN ANALYSIS, GOLD STANDARD, WHO APPROVED (SQA GOLD)

TOTAL SPERM CONCENTRATION	56.9	Millions/mL	12 - 16
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
TOTAL MOTILITY (GRADE A + GRABE B + GRADE C)	22	%	> = 42.0
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
RAPIDLY PROGRESSIVE MOTILITY (GRADE A)	2	%	> = 30.0
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
SLOWLY PROGRESSIVE MOTILITY (GRADE B)	11	%	>= 30
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
NON PROGRESSIVE MOTILITY (GRADE C)	9	%	<= 1
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
IMMOTILE	78	%	
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
MORPHOLOGY NORMAL	2	%	> = 4.0
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
MOTILE SPERM CONCENTRATION	12.4	Millions/mL	> = 6.0
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
RAPIDLY PROGRESSIVE MOTILE SPERM CONCENTRATION	1.3	Millions/mL	> = 5.0
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
SLOWLY PROGRESSIVE MOTILE SPERM CONCENTRATION	6.4	Millions/mL	
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			




DR.VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


DR.YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mr. MANISH	PATIENT ID	: 1543188
AGE/ GENDER	: 31 YRS/MALE	REG. NO./LAB NO.	: 012407090041
COLLECTED BY	:	REGISTRATION DATE	: 09/Jul/2024 12:22 PM
REFERRED BY	:	COLLECTION DATE	: 09/Jul/2024 12:24PM
BARCODE NO.	: 01512813	REPORTING DATE	: 09/Jul/2024 04:56PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
FUNCTIONAL SPERM CONCENTRATION <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	0.4	Millions/mL	
VELOCITY (AVERAGE PATH VELOCITY) <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	25	Mic/sec	> = 5
SPERM MOTILE INDEX (SMI) <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	27		> = 80
<u>TOTAL PER EJACULATION</u>			
TOTAL SPERM NUMBER <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	56.9	Millions/ejc.	> = 39.0
TOTAL MOTILE SPERM <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	12.4	Millions/ejc.	> = 16.0
TOTAL PROGRESSIVE MOTILE SPERM <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	7.6	Millions/ejc.	> = 12.0
TOTAL FUNCTIONAL SPERM <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	0.4	Millions/ejc.	
TOTAL MORPHOLOGY NORMAL SPERM <i>by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM</i>	1.1	Millions/ejc.	> = 2.0
<u>MANUAL MICROSCOPY AND MORPHOLOGY</u>			
VITALITY <i>by MICROSCOPY</i>	64	%	
RED BLOOD CELLS (RBCs) <i>by MICROSCOPY</i>	NOT DETECTED	/HPF	NOT DETECTED
PUS CELLS <i>by MICROSCOPY</i>	0-3	/HPF	0 - 5
EPITHELIAL CELLS <i>by MICROSCOPY</i>	2-4	/HPF	ABSENT
AGGLUTINATES <i>by MICROSCOPY</i>	NOT DETECTED		NOT DETECTED
AMORPHOUS DEPOSITS/ROUND CELLS/DEBRIS <i>by MICROSCOPY</i>	NOT DETECTED		NOT DETECTED
BACTERIA <i>by MICROSCOPY</i>	NEGATIVE (-ve)		NEGATIVE (-ve)
HEAD DEFECTS <i>by MICROSCOPY</i>	38	%	
PIN HEADS <i>by MICROSCOPY</i>	9	%	




 DR.VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


 DR.YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mr. MANISH	PATIENT ID	: 1543188
AGE/ GENDER	: 31 YRS/MALE	REG. NO./LAB NO.	: 012407090041
COLLECTED BY	:	REGISTRATION DATE	: 09/Jul/2024 12:22 PM
REFERRED BY	:	COLLECTION DATE	: 09/Jul/2024 12:24PM
BARCODE NO.	: 01512813	REPORTING DATE	: 09/Jul/2024 04:56PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
NECK AND MID-PIECE DEFECTS by MICROSCOPY	27	%	
TAIL DEFECTS by MICROSCOPY	21	%	
CYTOPLASMIC DROPLETS by MICROSCOPY	2	%	
ACROSOME/NUCLEUS DEFECTS by MICROSCOPY	1	%	

CHEMICAL EXAMINATION

SEMEN FRUCTOSE (QUALITATIVE)

by QUALITATIVE METHOD USING RESORCINOL

POSITIVE (+ve)

POSITIVE (+ve)

INTERPRETATION:

1. Fructose is the energy source for sperm motility. A positive fructose is considered normal.
2. Azoospermia and fructose negative results may indicate an absence of seminal vesicles / vas deferens in the area of seminal vesicles / obstruction of seminal vesicles.

*** End Of Report ***




 DR. VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


 DR. YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)

