



	Dr. Vinay Cl MD (Pathology Chairman & Col		Dr. Yugam MD CEO & Consultant	(Pathology)						
NAME	NAME : Mr. VIVEK JAIN									
AGE/ GENDER	: 38 YRS/MALE	PATIENT ID		: 1544722						
COLLECTED BY	:	REG. NO./LAB NO.		: 012407100058						
REFERRED BY	:	REGI	STRATION DATE	: 10/Jul/2024 03:19 PM						
BARCODE NO.	:01512886	COLI	LECTION DATE	: 10/Jul/2024 03:21PM						
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REP	DRTING DATE	: 10/Jul/2024 05:18PM						
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,	, AMBALA CANTT								
Test Name		Value	Unit	Biological Reference interval						
		CLINICAL PAT	HOLOGY							
	URINE F	ROUTINE & MICROS	COPIC EXAMINAT	ION						
PHYSICAL EXAMINA	TION									
QUANTITY RECIEVED		10	ml							
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY										
COLOUR by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		AMBER YELLOW		PALE YELLOW						
TRANSPARANCY		CLEAR		CLEAR						
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY										
SPECIFIC GRAVITY by DIP STICK/REFLECTANCE SPECTROPHOTOMETF		1.01		1.002 - 1.030						
CHEMICAL EXAMINA										
REACTION		ACIDIC								
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		Newster								
PROTEIN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		Negative		NEGATIVE (-ve)						
SUGAR		Negative		NEGATIVE (-ve)						
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		6.5		5.0 - 7.5						
pH by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		0.0		5.0 - 7.5						
BILIRUBIN		Negative		NEGATIVE (-ve)						
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY NITRITE		Negative		NEGATIVE (-ve)						
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY.		Negative								
UROBILINOGEN		Normal	EU/dL	0.2 - 1.0						
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY KETONE BODIES		Negative		NEGATIVE (-ve)						
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY										
		TRACE		NEGATIVE (-ve)						
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY ASCORBIC ACID		NEGATIVE (-ve)		NEGATIVE (-ve)						
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY				- (/						

MICROSCOPIC EXAMINATION



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com







Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME	: Mr. VIVEK JAIN							
AGE/ GENDER	: 38 YRS/MALE	PATIENT ID REG. NO./LAB NO. REGISTRATION DATE COLLECTION DATE REPORTING DATE		: 1544722 : 012407100058 : 10/Jul/2024 03:19 PM : 10/Jul/2024 03:21PM				
COLLECTED BY	:							
REFERRED BY	:							
BARCODE NO.	:01512886							
CLIENT CODE.	: KOS DIAGNOSTIC LAB			: 10/Jul/2024 05:18PM				
CLIENT ADDRESS	ENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT							
Test Name		Value	Unit	Biological Reference interval				
RED BLOOD CELLS (RBCs)		0-2	/HPF	0 - 3				
PUS CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT		5-7	/HPF	0 - 5				
EPITHELIAL CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT		1-2	/HPF	ABSENT				
CRYSTALS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT		NEGATIVE (-ve)		NEGATIVE (-ve)				
CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT		NEGATIVE (-ve)		NEGATIVE (-ve)				
		NEGATIVE (-ve)		NEGATIVE (-ve)				

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT OTHERS

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT TRICHOMONAS VAGINALIS (PROTOZOA)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

** End Of Report ***

NEGATIVE (-ve)

ABSENT





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com



NEGATIVE (-ve)

ABSENT