



	Chairman & Co	nsultant Pathologist	CEO & Consultant	: Pathologist
NAME	: Mr. YASHPAL			
AGE/ GENDER	: 56 YRS/MALE	P	PATIENT ID	: 1546485
COLLECTED BY	:	F	REG. NO./LAB NO.	: 012407120032
REFERRED BY	:	F	REGISTRATION DATE	: 12/Jul/2024 10:46 AM
BARCODE NO.	: 01512980	(	COLLECTION DATE	: 12/Jul/2024 12:01PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	F	REPORTING DATE	: 12/Jul/2024 12:01PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD	, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	CLIN		RY/BIOCHEMISTR	Y
		GLUCOSE POST	PRANDIAL (PP)	
	CLIN NDIAL (PP): PLASMA SE - PEROXIDASE (GOD-POD)			Y NORMAL: < 140.00 PREDIABETIC: 140.0 - 200.0 DIABETIC: > 0R = 200.0
by GLUCOSE OXIDA INTERPRETATION IN ACCORDANCE WIT 1. A post-prandial pl 2. A post-prandial gl test (after consumpt 3. A post-prandial pl	NDIAL (PP): PLASMA SE - PEROXIDASE (GOD-POD) TH AMERICAN DIABETES ASSOCIA asma glucose level below 140 m ucose level between 140 - 200 n ion of 75 gms of glucose) is reco asma glucose level of above 200	GLUCOSE POST 201.85 <sup>H</sup> TION GUIDELINES: ng/dl is considered a mmended for all suc ma/dl is highly sug	PRANDIAL (PP) mg/dL normal. as glucose intolerant or p ch patients. gestive of diabetic state.	NORMAL: < 140.00 PREDIABETIC: 140.0 - 200.0





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

V DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



Page 1 of 1