

Dr. Vinay Chopra  
MD (Pathology & Microbiology)  
Chairman & Consultant Pathologist

Dr. Yugam Chopra  
MD (Pathology)  
CEO & Consultant Pathologist

NAME : Mr. RAM SINGH  
AGE/ GENDER : 33 YRS/MALE  
COLLECTED BY :  
REFERRED BY :  
BARCODE NO. : 01512997  
CLIENT CODE. : KOS DIAGNOSTIC LAB  
CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

PATIENT ID : 1546875  
REG. NO./LAB NO. : 012407120049  
REGISTRATION DATE : 12/Jul/2024 02:45 PM  
COLLECTION DATE : 12/Jul/2024 02:50 PM  
REPORTING DATE : 12/Jul/2024 05:00 PM

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

## CLINICAL PATHOLOGY

### SEMEN ANALYSIS/SEMINOGRAM

#### PHYSICAL EXAMINATION

TIME OF SPECIMEN COLLECTION	12-07-2024	AM/PM	
DURATION OF ABSTINENCE	3 DAYS	DAYS	2 - 7
TYPE OF STONE	FRESH		
LIQUIFACTION TIME AT 37°C	< 30 MINS	MINS	30 - 60
VOLUME	1	ML	
COLOUR	WHITISH OPAQUE		WHITISH OPAQUE
VISCOSITY	MODERATELY VISCOUS		VISCOUS
pH	g <sup>H</sup>		5.0 - 7.5

#### AUTOMATED SEMEN ANALYSIS, GOLD STANDARD, WHO APPROVED (SQA GOLD)

TOTAL SPERM CONCENTRATION	20	Millions/mL	12 - 16
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
TOTAL MOTILITY (GRADE A + GRADE B + GRADE C)	55	%	> = 42.0
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
RAPIDLY PROGRESSIVE MOTILITY (GRADE A)	6	%	> = 30.0
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
SLOWLY PROGRESSIVE MOTILITY (GRADE B)	25	%	> = 30
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
NON PROGRESSIVE MOTILITY (GRADE C)	24	%	< = 1
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
IMMOTILE	45	%	
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
MORPHOLOGY NORMAL	5	%	> = 4.0
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
MOTILE SPERM CONCENTRATION	11.2	Millions/mL	> = 6.0
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
RAPIDLY PROGRESSIVE MOTILE SPERM CONCENTRATION	1.2	Millions/mL	> = 5.0
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			
SLOWLY PROGRESSIVE MOTILE SPERM CONCENTRATION	5.1	Millions/mL	
by ELECTRO-OPTICS SIGNAL & COMPUTER ALOGRITHM			



DR. VINAY CHOPRA  
CONSULTANT PATHOLOGIST  
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR. YUGAM CHOPRA  
CONSULTANT PATHOLOGIST  
MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

Dr. Yugam Chopra  
 MD (Pathology)  
 CEO & Consultant Pathologist

<b>NAME</b>	: Mr. RAM SINGH	<b>PATIENT ID</b>	: 1546875
<b>AGE/ GENDER</b>	: 33 YRS/MALE	<b>REG. NO./LAB NO.</b>	: 012407120049
<b>COLLECTED BY</b>	:	<b>REGISTRATION DATE</b>	: 12/Jul/2024 02:45 PM
<b>REFERRED BY</b>	:	<b>COLLECTION DATE</b>	: 12/Jul/2024 02:50PM
<b>BARCODE NO.</b>	: 01512997	<b>REPORTING DATE</b>	: 12/Jul/2024 05:00PM
<b>CLIENT CODE.</b>	: KOS DIAGNOSTIC LAB		
<b>CLIENT ADDRESS</b>	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
FUNCTIONAL SPERM CONCENTRATION <i>by ELECTRO-OPTICS SIGNAL &amp; COMPUTER ALOGRITHM</i>	0.8	Millions/mL	
VELOCITY (AVERAGE PATH VELOCITY) <i>by ELECTRO-OPTICS SIGNAL &amp; COMPUTER ALOGRITHM</i>	22	Mic/sec	> = 5
SPERM MOTILE INDEX (SMI) <i>by ELECTRO-OPTICS SIGNAL &amp; COMPUTER ALOGRITHM</i>	26		> = 80
<b><u>TOTAL PER EJACULATION</u></b>			
TOTAL SPERM NUMBER <i>by ELECTRO-OPTICS SIGNAL &amp; COMPUTER ALOGRITHM</i>	20.2	Millions/ejc.	> = 39.0
TOTAL MOTILE SPERM <i>by ELECTRO-OPTICS SIGNAL &amp; COMPUTER ALOGRITHM</i>	11.2	Millions/ejc.	> = 16.0
TOTAL PROGRESSIVE MOTILE SPERM <i>by ELECTRO-OPTICS SIGNAL &amp; COMPUTER ALOGRITHM</i>	6.3	Millions/ejc.	> = 12.0
TOTAL FUNCTIONAL SPERM <i>by ELECTRO-OPTICS SIGNAL &amp; COMPUTER ALOGRITHM</i>	0.8	Millions/ejc.	
TOTAL MORPHOLOGY NORMAL SPERM <i>by ELECTRO-OPTICS SIGNAL &amp; COMPUTER ALOGRITHM</i>	1	Millions/ejc.	> = 2.0
<b><u>MANUAL MICROSCOPY AND MORPHOLOGY</u></b>			
VITALITY <i>by MICROSCOPY</i>	78	%	
RED BLOOD CELLS (RBCs) <i>by MICROSCOPY</i>	NOT DETECTED	/HPF	NOT DETECTED
PUS CELLS <i>by MICROSCOPY</i>	0-2	/HPF	0 - 5
EPITHELIAL CELLS <i>by MICROSCOPY</i>	0-1	/HPF	ABSENT
AGGLUTINATES <i>by MICROSCOPY</i>	NOT DETECTED		NOT DETECTED
AMORPHOUS DEPOSITS/ROUND CELLS/DEBRIS <i>by MICROSCOPY</i>	NOT DETECTED		NOT DETECTED
BACTERIA <i>by MICROSCOPY</i>	NEGATIVE (-ve)		NEGATIVE (-ve)
HEAD DEFECTS <i>by MICROSCOPY</i>	36	%	
PIN HEADS <i>by MICROSCOPY</i>	9	%	



*[Signature]*

DR.VINAY CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

*[Signature]*

DR.YUGAM CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

Dr. Yugam Chopra  
 MD (Pathology)  
 CEO & Consultant Pathologist

<b>NAME</b>	: Mr. RAM SINGH	<b>PATIENT ID</b>	: 1546875
<b>AGE/ GENDER</b>	: 33 YRS/MALE	<b>REG. NO./LAB NO.</b>	: 012407120049
<b>COLLECTED BY</b>	:	<b>REGISTRATION DATE</b>	: 12/Jul/2024 02:45 PM
<b>REFERRED BY</b>	:	<b>COLLECTION DATE</b>	: 12/Jul/2024 02:50PM
<b>BARCODE NO.</b>	: 01512997	<b>REPORTING DATE</b>	: 12/Jul/2024 05:00PM
<b>CLIENT CODE.</b>	: KOS DIAGNOSTIC LAB		
<b>CLIENT ADDRESS</b>	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
NECK AND MID-PIECE DEFECTS by MICROSCOPY	26	%	
TAIL DEFECTS by MICROSCOPY	20	%	
CYTOPLASMIC DROPLETS by MICROSCOPY	2	%	
ACROSOME/NUCLEUS DEFECTS by MICROSCOPY	2	%	

#### CHEMICAL EXAMINATION

#### SEMEN FRUCTOSE (QUALITATIVE)

by QUALITATIVE METHOD USING RESORCINOL

POSITIVE (+ve)

POSITIVE (+ve)

#### INTERPRETATION:

1. Fructose is the energy source for sperm motility. A positive fructose is considered normal.

2. Azoospermia and fructose negative results may indicate an absence of seminal vesicles / vas deferens in the area of seminal vesicles / obstruction of seminal vesicles.

\*\*\* End Of Report \*\*\*



  
 DR. VINAY CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

  
 DR. YUGAM CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)

