

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



COLLECTED BY       :       REG. NO./LAB NO.       : 012407140053         REFERRED BY       :       REGISTRATION DATE       : 14/Jul/2024 07:47 PM         BARCODE NO.       : 01513146       COLLECTION DATE       : 14/Jul/2024 07:49 PM         CLIENT CODE.       : KOS DIAGNOSTIC LAB       REPORTING DATE       : 14/Jul/2024 09:15 PM         CLIENT CODE.       : KOS DIAGNOSTIC LAB       REPORTING DATE       : 14/Jul/2024 09:15 PM         CLIENT ADDRESS       : 6349/1, NICHOLSON ROAD, AMBALA CANTT       :       .         Test Name       Value       Unit       Biological Reference interval         CLINICAL CHEMISTRY/BIOCHEMISTRY         GLUCOSE RANDOM (R): PLASMA       98.68       mg/dL       NORMAL: < 140.00         by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)       98.68       mg/dL       NORMAL: < 140.00         PREDIABETIC: 140.0 - 200.0       DIABETIC: 140.0 - 200.0       DIABETIC: > 0R = 200.0         INTERPRETATION       INA candom plasma glucose level below 140 mg/dl is considered normal.       .       .       A random plasma glucose level below 140 mg/dl is considered normal.       .         2. A random glucose level of albowe 200 mg/dl is considered normal.       .       .       A random glucose level of albowe 200 mg/dl is indistrow gaugestive of diabetic. State. A repeat post-prnadial blood test (after consumption of 75 gms of glucos	Dr. Vinay Cho MD (Pathology & N Chairman & Consu			Dr. Yugan MD CEO & Consultant	thology)	
COLLECTED BY       :       REG. NO./LAB NO.       : 012407140053         REFERRED BY       :       REGISTRATION DATE       : 14/Jul/2024 07:47 PM.         BARCODE NO.       : 01513146       COLLECTION DATE       : 14/Jul/2024 07:49 PM.         CLIENT CODE.       : KOS DIAGNOSTIC LAB       REPORTING DATE       : 14/Jul/2024 07:49 PM.         CLIENT ADDRESS       : 6349/1, NICHOLSON ROAD, AMBALA CANTT       :       :         Test Name       Value       Unit       Biological Reference interval         CLINICAL CHEMISTRY/BIOCHEMISTRY       GLUCOSE RANDOM (R)       :       :         GLUCOSE RANDOM (R): PLASMA       98.68       mg/dL       NORMAL: < 140.00         by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)       98.68       mg/dL       NORMAL: < 140.00         THERPRETATION       98.68       mg/dL       NORMAL: < 140.00       PREDIABETIC: 140.0 - 200.00         DIABETIC: > 0R = 200.0       DIABETIC: > 0R = 200.0       DIABETIC: > 0R = 200.0       :         INTERPRETATION       14.7 andom plasma glucose level below 140 mg/dl is considered normal.       :       :       :         . A random plasma glucose level below 140 mg/dl is considered normal.       :       :       :       :         . A random glucose level of above 200 mg/dl is considered normal.       :       : <th>NAME</th> <th>: Mr. PARAMJEET</th> <th></th> <th></th> <th></th>	NAME	: Mr. PARAMJEET				
REFERRED BY       :       REGISTRATION DATE       : 14/Jul/2024 07:47 PM         BARCODE NO.       : 01513146       COLLECTION DATE       : 14/Jul/2024 07:49 PM         CLIENT CODE.       : KOS DIAGNOSTIC LAB       REPORTING DATE       : 14/Jul/2024 07:49 PM         CLIENT CODE.       : KOS DIAGNOSTIC LAB       REPORTING DATE       : 14/Jul/2024 09:15 PM         CLIENT ADDRESS       : 6349/1, NICHOLSON ROAD, AMBALA CANTT       Biological Reference interval         CLINICAL CHEMISTRY/BIOCHEMISTRY         GLUCOSE RANDOM (R):       PLASMA       98.68       mg/dL       NORMAL: < 140.00         by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)       98.68       mg/dL       NORMAL: < 140.00       PREDIABETIC: 140.0 - 200.0         DIABETIC: > 0R = 200.0       INTERPRETATION       INACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:       Interval       Interval         1. A random plasma glucose level below 140 mg/dl is considered normal.       Is considered as glucose intolerant or prediabetic. A fasting and post-prinadial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.       3. random glucose level below 200 mg/dl is inghily suggestive of diabetic state. A repeat post-prinadial is strongly recommended for all such patients.       3. random glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.	AGE/ GENDER	: 44 YRS/MALE	PATI	ENT ID	: 1549054	
BARCODE NO. : 01513146 COLLECTION DATE : 14/Jul/2024 07:49PM CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 14/Jul/2024 09:15PM CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT Test Name Value Unit Biological Reference interval CLINICAL CHEMISTRY/BIOCHEMISTRY GLUCOSE RANDOM (R): PLASMA 98.68 mg/dL NORMAL: < 140.00 PREDIABETIC: 140.0 - 200.0 DIABETIC: 10R = 200.0 NTERPRETATION IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES: 1. A random plasma glucose level below 140 ng/dl is considered normal. 2. A random glucose level below 140 - 200 mg/dl is considered normal. 3. A random glucose level below 140 - 200 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prnadial blood test (after consumption of 75 gms of glucose) is recommended for all such patients. 3. A random glucose level below 200 mg/dl is highly suggestive of diabetic state. A repeat post-prnadial is strongly recommended for all such patients. 3. A random glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.	COLLECTED BY	:	REG.	NO./LAB NO.	: 012407140053	
CLIENT CODE.       : KOS DIAGNOSTIC LAB       REPORTING DATE       : 14/Jul/2024 09:15PM         CLIENT ADDRESS       : 6349/1, NICHOLSON ROAD, AMBALA CANTT       Biological Reference interval         Test Name       Value       Unit       Biological Reference interval         CLINICAL CHEMISTRY/BIOCHEMISTRY       GLUCOSE RANDOM (R)       Reporting the state of the state.         INTERPRETATION       1. A random glucose level below 140 mg/dl is considered anormal.       2. A random glucose level below 140 mg/dl is considered anormal.         2. A random glucose level below 140 mg/dl is considered anormal.       3. A random glucose level of above 200 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients.         3. A random glucose level of above 200 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory or diabetic state.	<b>REFERRED BY</b>	:	REGI	STRATION DATE	: 14/Jul/2024 07:47 PM	
CLIENT ADDRESS       : 6349/1, NICHOLSON ROAD, AMBALA CANTT         Test Name       Value       Unit       Biological Reference interval         CLINICAL CHEMISTRY/BIOCHEMISTRY         BUCOSE RANDOM (R):       PLASMA       98.68       mg/dL       NORMAL: < 140.00         by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)       98.68       mg/dL       NORMAL: < 140.00         MACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:       DIABETIC: > 0R = 200.0       DIABETIC: > 0R = 200.0         MACCORDANCE level between 140 - 200 mg/dl is considered normal.       2. A random plasma glucose level between 140 - 200 mg/dl is considered normal.       3. A random glucose level of above 200 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients.       3. Frandom glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.	BARCODE NO.	:01513146	COLI	ECTION DATE	: 14/Jul/2024 07:49PM	
Test Name       Value       Unit       Biological Reference interval         CLINICAL CHEMISTRY/BIOCHEMISTRY         GLUCOSE RANDOM (R):         GLUCOSE RANDOM (R):         GLUCOSE RANDOM (R):         Mage and the second se	CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPO	DRTING DATE	: 14/Jul/2024 09:15PM	
CLINICAL CHEMISTRY/BIOCHEMISTRY         GLUCOSE RANDOM (R)         GLUCOSE RANDOM (R): PLASMA       98.68       mg/dL       NORMAL: < 140.00	CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD	, AMBALA CANTT			
GLUCOSE RANDOM (R): PLASMA         98.68       mg/dL       NORMAL: < 140.00	Test Name		Value	Unit	Biological Reference interval	
<ul> <li>IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:</li> <li>A random plasma glucose level below 140 mg/dl is considered normal.</li> <li>A random glucose level between 140 - 200 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prnadial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.</li> <li>A random glucose level of above 200 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.</li> </ul>			98.68	mg/dL	PREDIABETIC: 140.0 - 200.0	
*** End Of Report ***	<b>IN ACCORDANCE WIT</b>	glucose level below 140 mg/dl i level between 140 - 200 mg/dl i	s considered normal. is considered as glucose	its.	<b>5 1 1</b>	
	2. A random glucose (after consumption of 3. A random glucose	level of above 200 mg/dl is high lasma glucose level in excess of	nly suggestive of diabetion 125 mg/dl on both occa	sions is confirmatory	-prandial is strongly recommended for all such for diabetic state.	





**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

