



	Dr. Vinay Chopr MD (Pathology & Micr Chairman & Consultar	robiology)	M	m Chopra D (Pathology) nt Pathologist	
NAME	: Mrs. TRIPTI RASTOGI				
AGE/ GENDER	: 40 YRS/FEMALE		PATIENT ID	: 1549119	
COLLECTED BY	: SURJESH		REG. NO./LAB NO.	:01240715001	8
REFERRED BY	:		REGISTRATION DATE	: 15/Jul/2024 08:	52 AM
BARCODE NO.	:01513164		COLLECTION DATE	: 15/Jul/2024 09:	26AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 15/Jul/2024 09:	59AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMB	ALA CANTT			
Test Name		Value	Unit	Biologica	al Reference interval
	SWAS ⁻	THYA WEI	LLNESS PANEL: 1.0)	
	COM	API FTF BI C	OOD COUNT (CBC)		
RED BLOOD CELLS (F	RBCS) COUNT AND INDICES				
HAEMOGLOBIN (HB)		7.8 ^L	gm/dL	12.0 - 10	5.0
by CALORIMETRIC RED BLOOD CELL (RE		4.03	Millions	/cmm 3.50 - 5.	00
by HYDRO DYNAMIC F PACKED CELL VOLUN	OCUSING, ELECTRICAL IMPEDENCE	27.8 ^L	%	37.0 - 50	0.0
by CALCULATED BY A MEAN CORPUSCULA	AUTOMATED HEMATOLOGY ANALYZER R VOLUME (MCV)	68.9 ^L	fL	80.0 - 10	00.0
by CALCULATED BY A	AUTOMATED HEMATOLOGY ANALYZER R HAEMOGLOBIN (MCH)			27.0 - 34	
by CALCULATED BY A	AUTOMATED HEMATOLOGY ANALYZER	19.4 ^L	pg a (di		
by CALCULATED BY A	R HEMOGLOBIN CONC. (MCHC) AUTOMATED HEMATOLOGY ANALYZER	28.1 ^L	g/dL	32.0 - 36	
	TION WIDTH (RDW-CV) AUTOMATED HEMATOLOGY ANALYZER	17.6 ^H	%	11.00 - 1	16.00
RED CELL DISTRIBUT	ION WIDTH (RDW-SD)	45.3	fL	35.0 - 56	5.0
MENTZERS INDEX	OTOMATED TEMATOLOGT ANALTZER	17.1	RATIO		IALASSEMIA TRAIT: < 13.0 FICIENCY ANEMIA: >13.0
GREEN & KING INDE	X	30.16	RATIO	BETA TH	IALASSEMIA TRAIT: < =
by CALCOLATED				65.0 Iron de	FICIENCY ANEMIA: > 65.0
WHITE BLOOD CELLS	<u>S (WBCS)</u>				
TOTAL LEUCOCYTE C	OUNT (TLC) y by sf cube & microscopy	8450	/cmm	4000 - 1	1000
NUCLEATED RED BLO		NIL		0.00 - 20	0.00
NUCLEATED RED BLC	DOD CELLS (nRBCS) % NUTOMATED HEMATOLOGY ANALYZER &	NIL	%	< 10 %	
DIFFERENTIAL LEUCO	<u> DCYTE COUNT (DLC)</u>				

KOS Diagnostic Lab (A Unit of KOS Healthcare)

DIFFERENTIAL LEUCOCYTE COUNT (DLC)



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.

Page 1 of 23







	Dr. Vinay Chop MD (Pathology & Mi Chairman & Consult	crobiology)		(Pathology)	
NAME	: Mrs. TRIPTI RASTOGI				_
AGE/ GENDER	: 40 YRS/FEMALE		PATIENT ID	: 1549119	
COLLECTED BY	: SURJESH		REG. NO./LAB NO.	: 012407150018	
REFERRED BY			REGISTRATION DATE	: 15/Jul/2024 08:52 AM	
BARCODE NO.	:01513164		COLLECTION DATE	: 15/Jul/2024 09:26AM	
	: KOS DIAGNOSTIC LAB				
CLIENT CODE. CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM		REPORTING DATE	: 15/Jul/2024 09:59AM	
Test Name		Value	Unit	Biological Reference interval	
NEUTROPHILS		72 ^H	%	50 - 70	
	Y BY SF CUBE & MICROSCOPY				
LYMPHOCYTES	Y BY SF CUBE & MICROSCOPY	22	%	20 - 40	
EOSINOPHILS		1	%	1 - 6	
	Y BY SF CUBE & MICROSCOPY				
MONOCYTES		5	%	2 - 12	
•	Y BY SF CUBE & MICROSCOPY	0	0/	0.1	
BASOPHILS	Y BY SF CUBE & MICROSCOPY	0	%	0 - 1	
ABSOLUTE LEUKOCY					
ABSOLUTE NEUTRO	PHIL COUNT	6084	/cmm	2000 - 7500	
	Y BY SF CUBE & MICROSCOPY				
ABSOLUTE LYMPHO		1859	/cmm	800 - 4900	
ABSOLUTE EOSINOP	Y BY SF CUBE & MICROSCOPY	84	/cmm	40 - 440	
	Y BY SF CUBE & MICROSCOPY	04	/спш	40 - 440	
ABSOLUTE MONOCY		422	/cmm	80 - 880	
•	Y BY SF CUBE & MICROSCOPY				
ABSOLUTE BASOPHI	L COUNT Y BY SF CUBE & MICROSCOPY	0	/cmm	0 - 110	
	HER PLATELET PREDICTIVE MARKE	RS.			
PLATELET COUNT (P		322000	/cmm	150000 - 450000	
PLATELETCRIT (PCT)		0.35 ^H	%	0.10 - 0.36	
	FOCUSING, ELECTRICAL IMPEDENCE				
MEAN PLATELET VO	LUME (MPV) FOCUSING, ELECTRICAL IMPEDENCE	13 ^H	fL	6.50 - 12.0	
PLATELET LARGE CEI		140000 ^H	/cmm	30000 - 90000	
PLATELET LARGE CE	LL RATIO (P-LCR) FOCUSING, ELECTRICAL IMPEDENCE	53.8 ^H	%	11.0 - 45.0	
PLATELET DISTRIBU	· · · · · ·	16	%	15.0 - 17.0	
BY HYDRO DYNAMIC F	FOCUSING, ELECTRICAL IMPEDENCE		ORRELATE CLINICALLY		
		KINDLI CU			

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com
 www.koshealthcare.com







	Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Patholo		(Pathology)
NAME	: Mrs. TRIPTI RASTOGI		
AGE/ GENDER	: 40 YRS/FEMALE	PATIENT ID	: 1549119
COLLECTED BY	: SURJESH	REG. NO./LAB NO.	: 012407150018
REFERRED BY	:	REGISTRATION DATE	: 15/Jul/2024 08:52 AM
BARCODE NO.	: 01513164	COLLECTION DATE	: 15/Jul/2024 09:26AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 15/Jul/2024 09:59AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CAN	TT	
Test Name	Value	Unit	Biological Reference interval

RECHECKED



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com







TM

ISO 9001 : 2008 CERTIFIE	ED LAB	EXCELLENCE IN HEALTHCAR	E & DIAGNOSTICS
	Dr. Vinay Chopra MD (Pathology & Microbiolo Chairman & Consultant Path	ogy) MD nologist CEO & Consultant	(Pathology)
AGE/ GENDER: 4COLLECTED BY: 5REFERRED BY:BARCODE NO.: 6CLIENT CODE.: 1	Mrs. TRIPTI RASTOGI 40 YRS/FEMALE SURJESH 01513164 KOS DIAGNOSTIC LAB 6349/1, NICHOLSON ROAD, AMBALA C	PATIENT ID REG. NO./LAB NO. REGISTRATION DATE COLLECTION DATE REPORTING DATE	: 1549119 : 012407150018 : 15/Jul/2024 08:52 AM : 15/Jul/2024 09:26AM : 15/Jul/2024 09:39AM
Test Name	Valu	le Unit	Biological Reference interval
ABO GROUP by SLIDE AGGLUTINATION TH FACTOR TYPE by SLIDE AGGLUTINATION	и POS	ABO) AND RH FACTOR TYP	
	CONSULTANT PATHOLOGIST	V DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)	
KOS Molecular Lab: IInd Floo	cholson Road, Ambala Cantt -133 001, Haryan or, Parry Hotel, Staff Road, Opp. GPO, Ambala 398 care@koshealthcare.com www.kosh	Cantt -133 001, Haryana	Page 4 of 23





	Dr. Vinay Ch MD (Pathology & Chairman & Cons		Dr. Yugam MD (CEO & Consultant	Pathology)
NAME	: Mrs. TRIPTI RASTOGI			
AGE/ GENDER	: 40 YRS/FEMALE	PATI	ENT ID	: 1549119
COLLECTED BY	: SURJESH	REG.	NO./LAB NO.	: 012407150018
REFERRED BY	:	REGI	STRATION DATE	: 15/Jul/2024 08:52 AM
BARCODE NO.	: 01513164	COLI	ECTION DATE	: 15/Jul/2024 09:26AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPO	ORTING DATE	: 15/Jul/2024 10:16AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	ERYTH	ROCYTE SEDIMEN	TATION RATE (ESF	()
	MENTATION RATE (ESR)	34 ^H	mm/1st h	r 0-20
	RGREN AUTOMATED METHOD			

A low ESR can be seen with conditions that inhibit the normal sedimentation of red blood cells, such as a high red blood cell count (polycythaemia), significantly high white blood cell count (leucocytosis), and some protein abnormalities. Some changes in red cell shape (such as sickle cells in sickle cell anaemia) also lower the ESR.

NOTE:

ESR and C - reactive protein (C-RP) are both markers of inflammation.
 Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves.
 CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation.
 If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
 Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.
 Drugs such as devicen, methylicity and contracentives.

KOS Diagnostic Lab (A Unit of KOS Healthcare)

6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while aspirin, cortisone, and quinine may decrease it



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com





TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



NAME	Chairman & Cor	nsultant Pathologist	CEO & Consultant	: Pathologist
AME AGE/ GENDER	: 40 YRS/FEMALE	PATIEN	TID	: 1549119
COLLECTED BY	: SURJESH	REG. NO)./LAB NO.	: 012407150018
REFERRED BY	:		RATION DATE	: 15/Jul/2024 08:52 AM
BARCODE NO.	:01513164	COLLEC	TION DATE	: 15/Jul/2024 09:26AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORT	TING DATE	: 15/Jul/2024 11:32AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,	AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
		BLEEDING TIME	(BT)	
BLEEDING TIME (BT) by DUKE METHOD		3 MIN 10 SEC	MINS	1 - 5



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com







NAME	: Mrs. TRIPTI RASTOGI			
AGE/ GENDER	: 40 YRS/FEMALE	PATIEN	ГID	: 1549119
COLLECTED BY	: SURJESH	REG. NO	./LAB NO.	: 012407150018
REFERRED BY	:	REGISTI	RATION DATE	: 15/Jul/2024 08:52 AM
BARCODE NO.	: 01513164	COLLEC	FION DATE	: 15/Jul/2024 09:26AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORT	ING DATE	: 15/Jul/2024 11:32AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,	AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
Test Name		Value CLOTTING TIME		Biological Reference interval



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com







		& Microbiology) nsultant Pathologist	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mrs. TRIPTI RASTOGI			
AGE/ GENDER	: 40 YRS/FEMALE	P	ATIENT ID	: 1549119
COLLECTED BY	: SURJESH	R	EG. NO./LAB NO.	: 012407150018
REFERRED BY	:	R	EGISTRATION DATE	: 15/Jul/2024 08:52 AM
BARCODE NO.	:01513164	C	DLLECTION DATE	: 15/Jul/2024 09:26AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	R	EPORTING DATE	: 15/Jul/2024 10:04AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD	, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	PR	OTHROMBIN TIM	E STUDIES (PT/INR)	
PT TEST (PATIENT) by PHOTO OPTICAL C		OTHROMBIN TIM 11.5	E STUDIES (PT/INR) Secs	11.5 - 14.5
by PHOTO OPTICAL C	CLOT DETECTION			
by PHOTO OPTICAL C PT (CONTROL)	CLOT DETECTION	11.5	SECS	
РТ (CONTROL) by PHOTO OPTICAL C ISI by PHOTO OPTICAL C	CLOT DETECTION CLOT DETECTION CLOT DETECTION DRMALISED RATIO (INR)	11.5 12	SECS	

INTERPRETATION:-

1.INR is the parameter of choice in monitoring adequacy of oral anti-coagulant therapy. Appropriate therapeutic range varies with the disease and treatment intensity.

2. Prolonged INR suggests potential bleeding disorder /bleeding complications

3. Results should be clinically correlated.

4. Test conducted on Citrated Plasma

RECOMMENDED THERAPEUTIC RANGE FOR	ORAL ANTI-CO	AGULANT THE	RAPY (INR)
INDICATION		INTERNATIO	NAL NORMALIZED RATIO (INR)
Treatment of venous thrombosis			
Treatment of pulmonary embolism			
Prevention of systemic embolism in tissue heart valves			
Valvular heart disease	Low Intensity		2.0 - 3.0
Acute myocardial infarction			
Atrial fibrillation			
Bileaflet mechanical valve in aortic position			
Recurrent embolism			
Mechanical heart valve	High Intensity		2.5 - 3.5
Antiphospholipid antibodies ⁺			
COMMENTS:			

KOS Diagnostic Lab (A Unit of KOS Healthcare)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







	Dr. Vinay Chopra MD (Pathology & Microb Chairman & Consultant P	iology) MD	m Chopra D (Pathology) ht Pathologist
NAME	: Mrs. TRIPTI RASTOGI		
AGE/ GENDER	: 40 YRS/FEMALE	PATIENT ID	: 1549119
COLLECTED BY	: SURJESH	REG. NO./LAB NO.	: 012407150018
REFERRED BY	:	REGISTRATION DATE	: 15/Jul/2024 08:52 AM
BARCODE NO.	: 01513164	COLLECTION DATE	: 15/Jul/2024 09:26AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 15/Jul/2024 10:04AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBAL/	A CANTT	
Test News	W	alua Unit	Diele vieel Defensee interval
Test Name	Va	alue Unit	Biological Reference interva

The prothrombin time (PT) and its derived measures of prothrombin ratio (PR) and international normalized ratio (INR) are measures of the efficacy of the extrinsic pathway of coagulation. PT test reflects the adequacy of factors I (fibrinogen), II (prothrombin), V, VII, and X. It is used in conjunction with the activated partial thromboplastin time (aPTT) which measures the intrinsic pathway. The common causes of prolonged prothrombin time are :

1.Oral Anticoagulant therapy.

2.Liver disease.

3.Vit K. deficiency.

4.Disseminated intra vascular coagulation. 5.Factor 5, 7, 10 or Prothrombin dificiency



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) V DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com





TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT



		hopra y & Microbiology) onsultant Pathologist	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mrs. TRIPTI RASTOGI			
AGE/ GENDER	: 40 YRS/FEMALE	PAT	IENT ID	: 1549119
COLLECTED BY	: SURJESH	REG	. NO./LAB NO.	: 012407150018
REFERRED BY	:	REG	ISTRATION DATE	: 15/Jul/2024 08:52 AM
BARCODE NO.	:01513164	COL	LECTION DATE	: 15/Jul/2024 09:26AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REP	ORTING DATE	: 15/Jul/2024 10:35AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAI	D, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	CLI	NICAL CHEMISTRY	/BIOCHEMISTR	Y
		GLUCOSE FAS	STING (F)	
GLUCOSE FASTING (F): PLASMA E - peroxidase (god-pod)	98.95	mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0

KOS Diagnostic Lab (A Unit of KOS Healthcare)

A fasting plasma glucose level below 100 mg/dl is considered normal.
 A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
 A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients.
 A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com





TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



		Chopra y & Microbiology) Consultant Pathologist	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME AGE/ GENDER	: Mrs. TRIPTI RASTOGI : 40 YRS/FEMALE	PATIE	NT ID	: 1549119
COLLECTED BY	: SURJESH		IO./LAB NO.	: 012407150018
REFERRED BY	. SUMEST		TRATION DATE	: 15/Jul/2024 08:52 AM
BARCODE NO.	: 01513164		CTION DATE	: 15/Jul/2024 09:26AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		RTING DATE	: 15/Jul/2024 11:17AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROA	D, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
		LIPID PROFILE :	BASIC	
CHOLESTEROL TOTA by CHOLESTEROL OX		156.48	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239. HIGH CHOLESTEROL: > OR = 240
TRIGLYCERIDES: SER by GLYCEROL PHOSP	UM HATE OXIDASE (ENZYMATIC)	124.68	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199. HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTEROL (by SELECTIVE INHIBITI		48.83	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 - 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTEROL: S by CALCULATED, SPE		82.71	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129.0 BORDERLINE HIGH: 130.0 - 159. HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLESTE by CALCULATED, SPE		107.65	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159.0 BORDERLINE HIGH: 160.0 - 189. HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTEROL:		24.94	mg/dL	0.00 - 45.00
by CALCULATED, SPE TOTAL LIPIDS: SERUN by CALCULATED, SPE	N	437.64	mg/dL	350.00 - 700.00
CHOLESTEROL/HDL F by CALCULATED, SPE	RATIO: SERUM	3.2	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0
LDL/HDL RATIO: SER by calculated, spe		1.69	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0

KOS Diagnostic Lab (A Unit of KOS Healthcare)



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt - 133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com



Page 11 of 23





		Chopra & Microbiology) onsultant Pathologist	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mrs. TRIPTI RASTOGI			
AGE/ GENDER	: 40 YRS/FEMALE	PATI	ENT ID	: 1549119
COLLECTED BY	: SURJESH	REG.	NO./LAB NO.	: 012407150018
REFERRED BY	:	REGI	STRATION DATE	: 15/Jul/2024 08:52 AM
BARCODE NO.	:01513164	COLL	ECTION DATE	: 15/Jul/2024 09:26AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPO	DRTING DATE	: 15/Jul/2024 11:17AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAI	D, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
TRIGLYCERIDES/HD		2.55 ^L	RATIO	3.00 - 5.00

INTERPRETATION:

1. Measurements in the same patient can show physiological & analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues. 4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com







	Dr. Vinay Chop MD (Pathology & M Chairman & Consult	icrobiology)		(Pathology)
NAME	: Mrs. TRIPTI RASTOGI			
AGE/ GENDER	: 40 YRS/FEMALE		PATIENT ID	: 1549119
COLLECTED BY	: SURJESH		REG. NO./LAB NO.	: 012407150018
REFERRED BY			REGISTRATION DATE	: 15/Jul/2024 08:52 AM
BARCODE NO.	:01513164		COLLECTION DATE	: 15/Jul/2024 09:26AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 15/Jul/2024 11:17AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM			. 13/ Jul/ 2024 11.17AW
CLIENT ADDRESS	. 0349/1, MCHOLSON ROAD, AM	IDALA CANT I		
Test Name		Value	Unit	Biological Reference interval
	LIVE	R FUNCTIO	N TEST (COMPLETE)	
BILIRUBIN TOTAL: SI		1.09	mg/dL	INFANT: 0.20 - 8.00
	PECTROPHOTOMETRY			ADULT: 0.00 - 1.20
	CONJUGATED): SERUM	0.35	mg/dL	0.00 - 0.40
	SPECTROPHOTOMETRY	0.74	mg/dL	0.10 - 1.00
by CALCULATED, SPE	CTROPHOTOMETRY	0.74	Thy/uL	0.10 - 1.00
SGOT/AST: SERUM		17.72	U/L	7.00 - 45.00
	RIDOXAL PHOSPHATE			
SGPT/ALT: SERUM	RIDOXAL PHOSPHATE	10.15	U/L	0.00 - 49.00
AST/ALT RATIO: SER		1.75	RATIO	0.00 - 46.00
by CALCULATED, SPE				
ALKALINE PHOSPHA		68.3	U/L	40.0 - 150.0
by PARA NITROPHEN PROPANOL	YL PHOSPHATASE BY AMINO METHYL			
	TRANSFERASE (GGT): SERUM	131 ^H	U/L	0.00 - 55.0
TOTAL PROTEINS: SE		7.42	gm/dL	6.20 - 8.00
by BIURET, SPECTRO	PHOTOMETRY		J. J	
ALBUMIN: SERUM		3.99	gm/dL	3.50 - 5.50
by BROMOCRESOL G. GLOBULIN: SERUM	REEN	3.43	gm/dL	2.30 - 3.50
by CALCULATED, SPE	CTROPHOTOMETRY	3.43	gill/dL	2.30 - 3.30
A : G RATIO: SERUM		1.16	RATIO	1.00 - 2.00
by CALCULATED, SPE	CTROPHOTOMETRY			

INTERPRETATION

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range.

USE:- Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Increased)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com





	Dr. Vinay Chopr MD (Pathology & Mic Chairman & Consulta	robiology) ME	m Chopra D (Pathology) It Pathologist
NAME	: Mrs. TRIPTI RASTOGI		
AGE/ GENDER	: 40 YRS/FEMALE	PATIENT ID	: 1549119
COLLECTED BY	: SURJESH	REG. NO./LAB NO.	:012407150018
REFERRED BY	:	REGISTRATION DATE	: 15/Jul/2024 08:52 AM
BARCODE NO.	:01513164	COLLECTION DATE	: 15/Jul/2024 09:26AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 15/Jul/2024 11:17AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AME	BALA CANTT	
Test Name		Value Unit	Biological Reference interval

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

PROGNOSTIC SIGNIFICANCE:

GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

MBBS, MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com
 www.koshealthcare.com







Dr. Vinay C MD (Pathology Chairman & Co					
NAME	: Mrs. TRIPTI RASTOGI				
AGE/ GENDER	: 40 YRS/FEMALE	P	ATIENT ID	: 1549119	
COLLECTED BY	: SURJESH	R	EG. NO./LAB NO.	: 012407150018	
REFERRED BY	:	R	EGISTRATION DATE	: 15/Jul/2024 08:52 AM	
BARCODE NO.	: 01513164	C	OLLECTION DATE	: 15/Jul/2024 09:26AM	
CLIENT CODE.	: KOS DIAGNOSTIC LAB	R	EPORTING DATE	: 15/Jul/2024 11:17AM	
CLIENT ADDRESS					
Test Name		Value	Unit	Biological Reference interval	
	KI	ONEY FUNCTION	I TEST (COMPLETE)		
UREA: SERUM		20.69	mg/dL	10.00 - 50.00	
by UREASE - GLUTAN	NATE DEHYDROGENASE (GLDH)		, and the second s		
CREATININE: SERUN by ENZYMATIC, SPEC		0.64	mg/dL	0.40 - 1.20	
	DGEN (BUN): SERUM	9.67	mg/dL	7.0 - 25.0	
by CALCULATED, SPE					
BLOOD UREA NITRO RATIO: SERUM	OGEN (BUN)/CREATININE	15.11	RATIO	10.0 - 20.0	
by CALCULATED, SPE	ECTROPHOTOMETRY				
UREA/CREATININE F		32.33	RATIO		
by CALCULATED, SPE	ECTROPHOTOMETRY	4.03	mg/dL	2.50 - 6.80	
by URICASE - OXIDAS	SE PEROXIDASE	1.00	ing, de		
CALCIUM: SERUM by ARSENAZO III, SPE		8.66	mg/dL	8.50 - 10.60	
PHOSPHOROUS: SEF		3.51	mg/dL	2.30 - 4.70	
by PHOSPHOMOLYBL	DATE, SPECTROPHOTOMETRY				
<u>ELECTROLYTES</u>					
SODIUM: SERUM by ISE (ION SELECTIV		138.1	mmol/L	135.0 - 150.0	
POTASSIUM: SERUM		4.35	mmol/L	3.50 - 5.00	
by ISE (ION SELECTIV					
CHLORIDE: SERUM by ISE (ION SELECTIV	/F ELECTRODE)	103.57	mmol/L	90.0 - 110.0	
, ,	RULAR FILTERATION RATE				
	RULAR FILTERATION RATE	114.5			
(eGFR): SERUM					
by CALCULATED					

INTERPRETATION:

To differentiate between pre- and post renal azotemia.

INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





	MD (Pat	n ay Chopra :hology & Microbiology) an & Consultant Patholo	gy & Microbiology) MD (Pathology)			
NAME	: Mrs. TRIPTI RAST()GI				
AGE/ GENDER	: 40 YRS/FEMALE		PATIENT ID	: 154911	9	
COLLECTED BY	: SURJESH		REG. NO./LAB NO.	· 01940	7150018	
	. 50101511					r
REFERRED BY	:		REGISTRATION DA		2024 08:52 AM	
BARCODE NO.	:01513164		COLLECTION DATE		2024 09:26AM	
CLIENT CODE.	: KOS DIAGNOSTIC LA	AB	REPORTING DATE	: 15/Jul/	2024 11:17AM	
CLIENT ADDRESS	: 6349/1, NICHOLSON	N ROAD, AMBALA CAN'	ΓT			
Test Name		Value	Uni	t	Biological Refe	erence interval
7. Urine reabsorption 8. Reduced muscle m 9. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia 2. Prerenal azotemia	xia, high fever). (e.g. ureter colostomy) ass (subnormal creatini tetracycline, glucocorti (0:1) WITH ELEVATED CR (BUN rises disproportio superimposed on renal (0:1) WITH DECREASED E	ne production) coids) EATININE LEVELS: onately more than crea [:] disease.		otoxicosis, Cushinı uropathy).	g's syndrome, n	ngn protein diet,
7. Urine reabsorption 8. Reduced muscle m 9. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia DECREASED RATIO (1. Acute tubular necr 2. Low protein diet ar 3. Severe liver disease 4. Other causes of de 5. Repeated dialysis (6. Inherited hyperam 7. SIADH (syndrome of 8. Pregnancy. DECREASED RATIO (6. Inherited hyperam 7. SIADH (syndrome of 8. Pregnancy. DECREASED RATIO (1. Phenacimide thera 2. Rhabdomyolysis (r 3. Muscular patients INAPPROPIATE RATIO 1. Diabetic ketoacido should produce an in 2. Cephalosporin ther ESTIMATED GLOMER	(e.g. ureter colostomy) ass (subnormal creatini tetracycline, glucocorti- tetracycline, glucocorti- tetracycline, glucocorti- tetracycline, glucocorti- tetracycline, glucocorti- superimposed on renal to:1) WITH DECREASED E osis. d starvation. e. creased urea synthesis. urea rather than creati- monemias (urea is virtu- of inappropiate antidiure to:1) WITH INCREASED C py (accelerates convers eleases muscle creatini- who develop renal failu : sis (acetoacetate cause creased BUN/creatinine tapy (interferes with cre JLAR FILTERATION RATE:	ne production) coids) EATININE LEVELS: phately more than creat disease. BUN : sun : tally absent in blood). etic harmone) due to tu REATININE: ion of creatine to creat ne). re. s false increase in creat e ratio). atinine measurement).	tinine) (e.g. obstructive racellular fluid). bular secretion of urea. inine).	uropathy). nodologies,resultir	ng in normal ra	
7. Urine reabsorption 8. Reduced muscle m 9. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia 2. Prerenal azotemia DECREASED RATIO (1. Acute tubular necr 2. Low protein diet ar 3. Severe liver disease 4. Other causes of de 5. Repeated dialysis (6. Inherited hyperam 7. SIADH (syndrome of 8. Pregnancy. DECREASED RATIO (1. Phenacimide thera 2. Rhabdomyolysis (r 3. Muscular patients INAPPROPIATE RATIO 1. Diabetic ketoacido should produce an in 2. Cephalosporin ther ESTIMATED GLOMERL OKD STAGE	(e.g. ureter colostomy) ass (subnormal creatini tetracycline, glucocorti- tetracycline, glucocorti- tetracycline, glucocorti- tetracycline, glucocorti- tetracycline, glucocorti- superimposed on renal (0:1) WITH DECREASED E osis. Ind starvation. E. creased urea synthesis. urea rather than creati- monemias (urea is virtu- of inappropiate antidiure (0:1) WITH INCREASED C py (accelerates convers eleases muscle creatini- who develop renal failu creased BUN/creatinine rapy (interferes with creation the converse of the converse creased BUN/creatinine trapy (interferes with creation the converse of the converse tetration the converse of the converse trapy (interferes with creation) DESCE	ne production) coids) EATININE LEVELS: onately more than creat disease. BUN : SUN : hine diffuses out of ext ally absent in blood). etic harmone) due to tu REATININE: ion of creatine to creat ne). re. s false increase in creat e ratio). atinine measurement).	tinine) (e.g. obstructive racellular fluid). bular secretion of urea. inine). tinine with certain meth	uropathy). nodologies,resultir ASSOCIATED FI	ng in normal ra NDINGS	
A. Urine reabsorption Reduced muscle m Certain drugs (e.g. NCREASED RATIO (>2 Prerenal azotemia DECREASED RATIO (< Acute tubular necr Acute tubular necr Severe liver disease Other causes of de Severe liver disease Severe liver Severe liver disease Severe liver disease Severe li	(e.g. ureter colostomy) ass (subnormal creatini tetracycline, glucocorti- tetracycline, glucocorti- tetracycline, glucocorti- tetracycline, glucocorti- tetracycline, glucocorti- superimposed on renal (0:1) WITH DECREASED E osis. Ind starvation. E. creased urea synthesis. urea rather than creati- monemias (urea is virtu- of inappropiate antidiure (0:1) WITH INCREASED C py (accelerates convers eleases muscle creatini- who develop renal failu creased BUN/creatinine apy (interferes with creati- sis (acetoacetate cause creased BUN/creatinine apy (interferes with creati- tetration content of the synthesis) (interferes with creation content of the synthesis) (interferes	ne production) coids) EATININE LEVELS: onately more than creat disease. BUN : hine diffuses out of ext ally absent in blood). etic harmone) due to tu REATININE: ion of creatine to creat ne). re. s false increase in creat e ratio). atinine measurement). IPTION GFR ney function	tinine) (e.g. obstructive racellular fluid). bular secretion of urea. inine). tinine with certain meth (mL/min/1.73m2) >90	uropathy). nodologies,resultir <u>ASSOCIATED FI</u> No protein	ng in normal ra NDINGS uria	
A. Urine reabsorption Reduced muscle m Certain drugs (e.g. NCREASED RATIO (>2 Postrenal azotemia Postrenal azotemia DECREASED RATIO (< Acute tubular necr Low protein diet ar Severe liver disease Other causes of de Repeated dialysis (Diabetic ketoacido hould produce an in Cephalosporin ther STIMATED GLOMERL CKD STAGE	(e.g. ureter colostomy) ass (subnormal creatini tetracycline, glucocorti- tetracycline, glucocorti- tetracycline, glucocorti- tetracycline, glucocorti- tetracycline, glucocorti- superimposed on renal (0:1) WITH DECREASED E osis. Ind starvation. e. creased urea synthesis. urea rather than creati- monemias (urea is virtu- of inappropiate antidiure (10:1) WITH INCREASED C py (accelerates convers eleases muscle creatini- who develop renal failu : sis (acetoacetate cause creased BUN/creatinine apy (interferes with cre- pular FILTERATION RATE: DESCE Normal kid Kidney da	ne production) coids) EATININE LEVELS: onately more than creat disease. BUN : SUN : taily absent in blood). etic harmone) due to tu REATININE: ion of creatine to creat ne). re. s false increase in creat e ratio). atinine measurement). IPTION GFR ney function mage with	tinine) (e.g. obstructive racellular fluid). bular secretion of urea. inine). tinine with certain meth	uropathy). nodologies,resultin <u>ASSOCIATED FI</u> <u>No protein</u> Presence of Pr	ng in normal ra NDINGS uria rotein ,	
7. Urine reabsorption 3. Reduced muscle m 4. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia 2. Prerenal azotemia DECREASED RATIO (< 1. Acute tubular necr 2. Low protein diet ar 3. Severe liver disease 4. Other causes of de 5. Repeated dialysis (6. Inherited hyperam 7. SIADH (syndrome of 8. Pregnancy. DECREASED RATIO (< 3. Pregnancy. DECREASED RATIO (< 3. Phenacimide thera 2. Rhabdomyolysis (r 3. Muscular patients INAPPROPIATE RATIO 1. Diabetic ketoacido should produce an in 2. Cephalosporin ther ESTIMATED GLOMERL CKD STAGE G1	(e.g. ureter colostomy) ass (subnormal creatini tetracycline, glucocorti- tetracycline, glucocorti- tetracycline, glucocorti- tetracycline, glucocorti- tetracycline, glucocorti- superimposed on renal (0:1) WITH DECREASED E osis. Ind starvation. e. creased urea synthesis. urea rather than creati- monemias (urea is virtu- of inappropiate antidiure (10:1) WITH INCREASED C py (accelerates convers eleases muscle creatini- who develop renal failu : sis (acetoacetate cause creased BUN/creatinine apy (interferes with cre- puter filteration RATE: DESCE Normal kid Kidney da normal o	ne production) coids) EATININE LEVELS: onately more than creat disease. BUN : hine diffuses out of ext ally absent in blood). etic harmone) due to tu REATININE: ion of creatine to creat ne). re. s false increase in creat e ratio). atinine measurement). IPTION GFR ney function	tinine) (e.g. obstructive racellular fluid). bular secretion of urea. inine). tinine with certain meth (mL/min/1.73m2) >90	uropathy). nodologies,resultir <u>ASSOCIATED FI</u> No protein	ng in normal ra NDINGS uria rotein ,	
7. Urine reabsorption 3. Reduced muscle m 4. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia DECREASED RATIO (2. Prerenal azotemia DECREASED RATIO (3. Acute tubular necr 4. Acute tubular necr 5. Low protein diet ar 6. Severe liver disease 4. Other causes of de 5. Repeated dialysis (6. Inherited hyperam 7. SIADH (syndrome of 8. Pregnancy. DECREASED RATIO (6. Inherited hyperam 7. SIADH (syndrome of 8. Pregnancy. DECREASED RATIO (6. Inherited hyperam 7. SIADH (syndrome of 8. Pregnancy. DECREASED RATIO (6. Inherited hyperam 7. SIADH (syndrome of 8. Nuscular patients INAPPROPIATE RATIO 1. Diabetic ketoacido should produce an in 2. Cephalosporin ther ESTIMATED GLOMERU G1 G2	(e.g. ureter colostomy) ass (subnormal creatini tetracycline, glucocorti- tetracycline, glucocorti- tetracycline, glucocorti- tetracycline, glucocorti- tetracycline, glucocorti- tetracycline, glucocorti- superimposed on renal to:1) WITH ELEVATED CR osis. Ind starvation. e. creased urea synthesis. furea rather than creati- monemias (urea is virtu- of inappropiate antidiure finappropiate antidiure to:1) WITH INCREASED C py (accelerates convers eleases muscle creatini- who develop renal failu : sis (acetoacetate cause creased BUN/creatinine apy (interferes with cre <u>JLAR FILTERATION RATE:</u> <u>DESCR</u> Normal kid Kidney da normal o Mild decreation	ne production) coids) EATININE LEVELS: onately more than creat disease. BUN : hine diffuses out of ext ally absent in blood). etic harmone) due to tu REATININE: ion of creatine to creat ne). re. s false increase in creat e ratio). atinine measurement). IPTION GFR	tinine) (e.g. obstructive racellular fluid). bular secretion of urea. inine). tinine with certain meth (mL/min/1.73m2) >90 >90	uropathy). nodologies,resultin <u>ASSOCIATED FI</u> <u>No protein</u> Presence of Pr	ng in normal ra NDINGS uria rotein ,	

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)









	Dr. Vinay Chopra MD (Pathology & Microbiology Chairman & Consultant Patholo		(Pathology)
NAME	: Mrs. TRIPTI RASTOGI		
AGE/ GENDER	: 40 YRS/FEMALE	PATIENT ID	: 1549119
COLLECTED BY	: SURJESH	REG. NO./LAB NO.	: 012407150018
REFERRED BY	:	REGISTRATION DATE	: 15/Jul/2024 08:52 AM
BARCODE NO.	: 01513164	COLLECTION DATE	: 15/Jul/2024 09:26AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 15/Jul/2024 11:17AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CAN	ITT	
Test Name	Value	Unit	Biological Reference interval

COMMENTS:

Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney.
 eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012
 In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure of CFD with the commended to measure

3. In patients, with eGFR cleaning between 45-59 minimit 1.73 m2 (G3) and without any marker of Kidney damage, it is recommended to measure eGFR with Cystatin C for confirmation of CKD
4. eGFR category G1 OR G2 does not fulfill the criteria for CKD, in the absence of evidence of Kidney Damage
5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure
6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C
7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com







		gy & Microbiology) Consultant Patholog		(Pathology)
NAME	: Mrs. TRIPTI RASTOGI			
AGE/ GENDER	: 40 YRS/FEMALE		PATIENT ID	: 1549119
COLLECTED BY	: SURJESH		REG. NO./LAB NO.	:012407150018
REFERRED BY	:		REGISTRATION DATE	: 15/Jul/2024 08:52 AM
BARCODE NO.	:01513164		COLLECTION DATE	: 15/Jul/2024 09:26AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 15/Jul/2024 10:49AM
CLIENT ADDRESS	: 6349/1, NICHOLSON RO	AD, AMBALA CANT	Т	
Test Name		Value	Unit	Biological Reference interval
			HOLOGY/SEROLOGY 5 (HCV) ANTIBODY: TOT	AL
	DY (HCV) TOTAL: SERUM	0.11 voassay)	S/CO	NEGATIVE: < 1.00 POSITIVE: > 1.00
HEPATITIS C ANTIBC RESULT	DDY (HCV) TOTAL	NON - R	EACTIVE	
	IESCENT MICROPARTICLE IMMUI	VOASSAY)		
INTERPRETATION:-				
R	ESULT (INDEX)		REMARKS NON - REACTIVE/NOT - DE	TECTED
< 1.00 > =1.00 REACTIVE.			ASYMPTOMATIC/INFECTIVE S	
				ntation, injection drug abusers, accidental of new cases show sexual transmission. As gh risk population, the predictive value of An

1. Indicator of past or present infection, but does not differentiate between Acute/ Chronic/Resolved Infection. 2. Routine screening of low and high prevelance population including blood donors.

KOS Diagnostic Lab (A Unit of KOS Healthcare)

NOTE:

1. False positive results are seen in Auto-immune disease, Rheumatoid Factor, HYpergammaglobulinemia, Paraproteinemia, Passive antibody transfer, Anti-idiotypes and Anti-superoxide dismutase.

2. False negative results are seen in early Acute infection, Immunosuppression and Immuno-incompetence.

3. HCV-RNĂ PCR recommended in all reactive results to differentiate between past and present infection.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







	Dr. Vinay Cho MD (Pathology & Chairman & Cons	Microbiology)	Dr. Yugan MD CEO & Consultant	(Pathology)
NAME	: Mrs. TRIPTI RASTOGI			
AGE/ GENDER	: 40 YRS/FEMALE	PA	FIENT ID	: 1549119
COLLECTED BY	: SURJESH	RE	G. NO./LAB NO.	: 012407150018
REFERRED BY	:	RE	GISTRATION DATE	: 15/Jul/2024 08:52 AM
BARCODE NO.	:01513164	CO	LECTION DATE	: 15/Jul/2024 09:26AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	RE	PORTING DATE	: 15/Jul/2024 10:49AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	MBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
ANT	I HUMAN IMMUNODEFICIEI	NCY VIRUS (HIV)	DUO ULTRA WITH	(P-24 ANTIGEN DETECTION)
HIV 1/2 AND P24 AN	ITIGEN: SERUM	0.11 SAY)	S/CO	NEGATIVE: < 1.00 POSITIVE: > 1.00
by CMIA (CHEMILUMI			15	
HIV 1/2 AND P24 AN by CMIA (CHEMILUMII	ITIGEN RESULT IESCENT MICROPARTICLE IMMUNOAS	NON - REACTI' SAY)	VE	
HIV 1/2 AND P24 AN by CMIA (CHEMILUMII INTERPRETATION:-	NESCENT MICROPARTICLE IMMUNOAS			
HIV 1/2 AND P24 AN by CMIA (CHEMILUMI INTERPRETATION:- RESU			REMARKS	

KOS Diagnostic Lab (A Unit of KOS Healthcare)

exposed to HIV 1/2 infection or the sample has been tested during the "window phase" i.e. before the development of detectable levels of antibodies. Hence a Non Reactive result does not exclude the possibility of exposure or infection with HIV 1/2. **RECOMMENDATIONS:**

Results to be clinically correlated
 Rarely falsenegativity/positivity may occur.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







		hopra & Microbiology) onsultant Pathologist	Dr. Yugan MD CEO & Consultant	(Pathology)	
NAME	: Mrs. TRIPTI RASTOGI				
AGE/ GENDER	: 40 YRS/FEMALE	Р	ATIENT ID	: 1549119	
COLLECTED BY	: SURJESH	R	EG. NO./LAB NO.	: 012407150018	
REFERRED BY	:	R	EGISTRATION DATE	: 15/Jul/2024 08:52 AM	
BARCODE NO.	: 01513164	C	OLLECTION DATE	: 15/Jul/2024 09:26AM	
CLIENT CODE.	: KOS DIAGNOSTIC LAB	R	EPORTING DATE	: 15/Jul/2024 10:49AM	
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAI	6349/1, NICHOLSON ROAD, AMBALA CANTT			
Test Name		Value	Unit	Biological Reference interval	
		Value		biological Reference interval	
	НЕРАТ		NTIGEN (HBsAg) UL		
HEPATITIS B SURFAG	CE ANTIGEN (HBsAg):	TITIS B SURFACE A 0.18			
HEPATITIS B SURFA(SERUM <i>by CMIA (CHEMILUMII</i> HEPATITIS B SURFA(RESULT		DASSAY) NON - REAC	NTIGEN (HBsAg) UL S/CO	TRA NEGATIVE: < 1.0	
HEPATITIS B SURFA(SERUM <i>by CMIA (CHEMILUMII</i>) HEPATITIS B SURFA(RESULT <i>by CMIA (CHEMILUMII</i>) <u>INTERPRETATION:</u>	CE ANTIGEN (HBsAg): NESCENT MICROPARTICLE IMMUNC CE ANTIGEN (HBSAg) NESCENT MICROPARTICLE IMMUNC	DASSAY) NON - REAC	I NTIGEN (HBsAg) UL S/CO TIVE	TRA NEGATIVE: < 1.0	
HEPATITIS B SURFA(SERUM <i>by CMIA (CHEMILUMII</i> HEPATITIS B SURFA(RESULT <i>by CMIA (CHEMILUMII</i> <u>INTERPRETATION:</u> RESUL	CE ANTIGEN (HBsAg): <i>Nescent microparticle immunc</i> CE ANTIGEN (HBsAg)	DASSAY) NON - REAC	NTIGEN (HBsAg) UL S/CO	TRA NEGATIVE: < 1.0	

KOS Diagnostic Lab (A Unit of KOS Healthcare)

Hepatitis B Virus (HBV) is a member of the Hepadna virus family causing infection of the liver with extremely variable clinical features. Hepatitis B is transmitted primarily by body fluids especially serum and also spread effectively sexually and from mother to baby. In most individuals HBV hepatitis is self limiting, but 1-2 % normal adolescent and adults develop Chronic Hepatitis. Frequency of chronic HBV infection is 5-10% in immunocompromised patients and 80 % neonates. The initial serological marker of acute infection is HBsAg which typically appears 2-3 months after infection and disappears 12-20 weeks after onset of symtoms. Persistence of HBsAg for more than 6 months indicates carrier state or Chronic Liver disease.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



Page 20 of 23





		Chopra v & Microbiology) onsultant Pathologist	Dr. Yugan MD CEO & Consultant	(Pathology)
NAME	: Mrs. TRIPTI RASTOGI			
AGE/ GENDER	: 40 YRS/FEMALE	PATIE	NT ID	: 1549119
COLLECTED BY	: SURJESH	REG. N	O./LAB NO.	: 012407150018
REFERRED BY	:	REGIST	FRATION DATE	: 15/Jul/2024 08:52 AM
BARCODE NO.	:01513164	COLLE	CTION DATE	: 15/Jul/2024 09:26AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPOR	TING DATE	: 15/Jul/2024 10:05AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROA	D, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
		VDRL		
VDRL		NON REACTIVE		NON REACTIVE
by IMMUNOCHROMAT	OGRAPHY			
<u>INTERPRETATION:</u> 1 Does not become p	oositive until 7 - 10 days after a	opearance of chancre.		
2.High titer (>1:16) - a	active disease.			
	ological falsepositive test in 90 ary syphillis causes progressive			
5.Rising titer (4X) ind	icates relapse, reinfection, or tr	eatment failure and need for	or retreatment.	
	e in early primary, late latent,			and antibady abaam timetaat)
	iy reactive tests should always	be comirmedwith FTA-ABS (nuorescent trepon	emal antibody absorptiontest).
	DSITIVE TEST RESULTS (<6 MON		RIN:	
	s (e.g., hepatitis, measles, infe nlamydia; Malaria infection.	ctious mononucleosis)		
3.Some immunization				
4.Pregnancy (rare)				
LONGTERM FALSE PO	SITIVE TEST RESULTS (>6 MONT	HS DURATION) MAY OCCUR	IN:	

LONGTERM FALSE POSITIVE TEST RESULTS (>6 MONTHS DURATION) MAY OCCUR IN: 1.Serious underlying disease e.g., collagen vascular diseases, leprosy ,malignancy.

2.Intravenous drug users.

3. Rheumatoid arthritis, thyroiditis, AIDS, Sjogren's syndrome.

4.<10 % of patients older thanage 70 years.

5.Patients taking some anti-hypertensive drugs.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





	Dr. Vinay Chc MD (Pathology & I Chairman & Const	Microbiology)	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mrs. TRIPTI RASTOGI			
AGE/ GENDER	: 40 YRS/FEMALE	РАТ	TIENT ID	: 1549119
COLLECTED BY	: SURJESH		G. NO./LAB NO.	: 012407150018
	. 501012511			
REFERRED BY	. 01510104		SISTRATION DATE	: 15/Jul/2024 08:52 AM
BARCODE NO.	: 01513164		LECTION DATE	: 15/Jul/2024 09:26AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		PORTING DATE	: 15/Jul/2024 10:07AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	MBALA CANTI		
Test Name		Value	Unit	Biological Reference interval
L				
		CLINICAL PA		
	URINE RO	OUTINE & MICRO	SCOPIC EXAMINAT	ION
PHYSICAL EXAMINAT	ION			
QUANTITY RECIEVED		10	ml	
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY				
COLOUR by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		PALE YELLOW		PALE YELLOW
TRANSPARANCY	ANGE SI LOTTOI HOTOMETRI	HAZY		CLEAR
	TANCE SPECTROPHOTOMETRY			
SPECIFIC GRAVITY		1.02		1.002 - 1.030
CHEMICAL EXAMINA	TANCE SPECTROPHOTOMETRY TION			
REACTION		ACIDIC		
	TANCE SPECTROPHOTOMETRY	ACIDIC		
PROTEIN		Negative		NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		Newstree		
SUGAR by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		Negative		NEGATIVE (-ve)
pH		<=5.0		5.0 - 7.5
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY				
BILIRUBIN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		Negative		NEGATIVE (-ve)
NITRITE		Negative		NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY.				
UROBILINOGEN	TANCE SPECTROPHOTOMETRY	Normal	EU/dL	0.2 - 1.0
KETONE BODIES		Negative		NEGATIVE (-ve)
by DIP STICK/REFLECT	TANCE SPECTROPHOTOMETRY			
BLOOD		Negative		NEGATIVE (-ve)
ASCORBIC ACID	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)	NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY		,	

MICROSCOPIC EXAMINATION



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com
 www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





Dr. Vinay Chopra

MD (Pathology & Microbiology) Chairman & Consultant Pathologist



Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME	: Mrs. TRIPTI RASTOGI					
AGE/ GENDER	: 40 YRS/FEMALE	PATIENT	ID	: 1549119		
COLLECTED BY	: SURJESH	REG. NO./	/LAB NO.	: 012407150018		
REFERRED BY :		REGISTRATION DATE		: 15/Jul/2024 08:52 AM		
BARCODE NO.	:01513164			: 15/Jul/2024 09:26AM		
CLIENT CODE.	: KOS DIAGNOSTIC LAB			: 15/Jul/2024 10:07AM		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT					
Test Name		Value	Unit	Biological Reference interval		
RED BLOOD CELLS (F	RBCs)	Value NEGATIVE (-ve)	Unit /HPF	Biological Reference interval 0 - 3		
RED BLOOD CELLS (F by MICROSCOPY ON O PUS CELLS				ů		
RED BLOOD CELLS (F by MICROSCOPY ON O PUS CELLS by MICROSCOPY ON O EPITHELIAL CELLS	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)	/HPF	0 - 3		

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT BACTERIA

CASTS

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT OTHERS

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT TRICHOMONAS VAGINALIS (PROTOZOA)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

*** End Of Report ***

NEGATIVE (-ve)

NEGATIVE (-ve)

NEGATIVE (-ve)

ABSENT





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com



NEGATIVE (-ve)

NEGATIVE (-ve)

NEGATIVE (-ve)

ABSENT