



Dr. Vinay Ch MD (Pathology & Chairman & Cons		Dr. Yugam Cho MD (Patho CEO & Consultant Patho	ology)
NAME: Mr. ASHOK GARGAGE/ GENDER: 72 YRS/MALECOLLECTED BY: SURJESHREFERRED BY: CENTRAL PHOENIX CLUB (AIBARCODE NO.: 01513304CLIENT CODE.: KOS DIAGNOSTIC LABCLIENT ADDRESS: 6349/1, NICHOLSON ROAD, A	REG. 1 MBALA CANTT) REGIS COLLI REPO	NO./LAB NO. : 0 STRATION DATE : 1 ECTION DATE : 1	551710 1 2407170028 7/Jul/2024 10:34 AM 7/Jul/2024 10:45AM 7/Jul/2024 11:11AM
Test Name	Value	Unit	Biological Reference interval
SV	VASTHYA WELLN	ESS PANEL: G	
	COMPLETE BLOOD	COUNT (CBC)	
RED BLOOD CELLS (RBCS) COUNT AND INDICES			
HAEMOGLOBIN (HB)	12.6	gm/dL	12.0 - 17.0
by CALORIMETRIC RED BLOOD CELL (RBC) COUNT	3.97	Millions/cmm	3.50 - 5.00
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE PACKED CELL VOLUME (PCV)		%	40.0 - 54.0
by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZ			
MEAN CORPUSCULAR VOLUME (MCV) by calculated by automated hematology analyze	94.9 ER	fL	80.0 - 100.0
MEAN CORPUSCULAR HAEMOGLOBIN (MCH) by calculated by automated hematology analyze	31.7	pg	27.0 - 34.0
MEAN CORPUSCULAR HEMOGLOBIN CONC. (MCHC)	33.4	g/dL	32.0 - 36.0
by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZE RED CELL DISTRIBUTION WIDTH (RDW-CV)	ER 13.6	%	11.00 - 16.00
by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZE	ER		
RED CELL DISTRIBUTION WIDTH (RDW-SD) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZE	48.2 ER	fL	35.0 - 56.0
MENTZERS INDEX by CALCULATED	23.9	RATIO	BETA THALASSEMIA TRAIT: < 13.
GREEN & KING INDEX	32.47	RATIO	IRON DEFICIENCY ANEMIA: >13.0 BETA THALASSEMIA TRAIT: < =
by CALCULATED			65.0
WHITE BLOOD CELLS (WBCS)			IRON DEFICIENCY ANEMIA: > 65.
TOTAL LEUCOCYTE COUNT (TLC)	5170	/cmm	4000 - 11000
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY			
NUCLEATED RED BLOOD CELLS (nRBCS) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZI	NIL Er &		0.00 - 20.00
MICROSCOPY NUCLEATED RED BLOOD CELLS (nRBCS) % by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZI MICROSCOPY	NIL Er &	%	< 10 %



DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





	Dr. Vinay Cho MD (Pathology & N Chairman & Consu	1icrobiology)		(Pathology)
NAME	: Mr. ASHOK GARG			
AGE/ GENDER	: 72 YRS/MALE		PATIENT ID	: 1551710
COLLECTED BY	: SURJESH		REG. NO./LAB NO.	: 012407170028
REFERRED BY	: CENTRAL PHOENIX CLUB (AM	BALA CANTT)	REGISTRATION DATE	: 17/Jul/2024 10:34 AM
BARCODE NO.	:01513304		COLLECTION DATE	: 17/Jul/2024 10:45AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 17/Jul/2024 11:11AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	MBALA CANTI	ſ	
Test Name		Value	Unit	Biological Reference interval
DIFFERENTIAL LEUC	<u> DCYTE COUNT (DLC)</u>			
NEUTROPHILS by flow cytometry	Y BY SF CUBE & MICROSCOPY	62	%	50 - 70
•	Y BY SF CUBE & MICROSCOPY	26	%	20 - 40
EOSINOPHILS		4	%	1 - 6
MONOCYTES	Y BY SF CUBE & MICROSCOPY	8	%	2 - 12
	Y BY SF CUBE & MICROSCOPY			
BASOPHILS		0	%	0 - 1
ABSOLUTE LEUKOCY	Y BY SF CUBE & MICROSCOPY TES (WBC) COUNT			
ABSOLUTE NEUTRO		3205	/cmm	2000 - 7500
ABSOLUTE LYMPHO		1344	/cmm	800 - 4900
ABSOLUTE EOSINOP		207	/cmm	40 - 440
ABSOLUTE MONOCY	y by sf cube & microscopy TE COUNT y by sf cube & microscopy	414	/cmm	80 - 880
ABSOLUTE BASOPHI		0	/cmm	0 - 110
PLATELETS AND OTH	HER PLATELET PREDICTIVE MARK	ERS.		
PLATELET COUNT (P by hydro dynamic f	T)	153000	/cmm	150000 - 450000
PLATELETCRIT (PCT)	OCUSING, ELECTRICAL IMPEDENCE	0.2	%	0.10 - 0.36
MEAN PLATELET VO	LUME (MPV) Focusing, electrical impedence	13 ^H	fL	6.50 - 12.0
PLATELET LARGE CEL	· /	69000	/cmm	30000 - 90000
PLATELET LARGE CEI	OCUSING, ELECTRICAL IMPEDENCE LL RATIO (P-LCR) FOCUSING, ELECTRICAL IMPEDENCE	45.3 ^H	%	11.0 - 45.0
PLATELET DISTRIBU		16.7	%	15.0 - 17.0

by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898

 care@koshealthcare.com



Page 2 of 17





	Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologi		(Pathology)
NAME	: Mr. ASHOK GARG		
AGE/ GENDER	: 72 YRS/MALE	PATIENT ID	: 1551710
COLLECTED BY	: SURJESH	REG. NO./LAB NO.	: 012407170028
REFERRED BY	: CENTRAL PHOENIX CLUB (AMBALA CANTT)	REGISTRATION DATE	: 17/Jul/2024 10:34 AM
BARCODE NO.	: 01513304	COLLECTION DATE	: 17/Jul/2024 10:45AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 17/Jul/2024 11:11AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANT	Г	
Test Name	Value	Unit	Biological Reference interval





DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







	Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist		Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist	
NAME	: Mr. ASHOK GARG			
AGE/ GENDER	: 72 YRS/MALE	PAT	IENT ID	: 1551710
COLLECTED BY	: SURJESH	REG	. NO./LAB NO.	: 012407170028
REFERRED BY	: CENTRAL PHOENIX CLUB (AN	IBALA CANTT) REG	ISTRATION DATE	: 17/Jul/2024 10:34 AM
BARCODE NO.	:01513304	COL	LECTION DATE	: 17/Jul/2024 10:45AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REP	ORTING DATE	: 17/Jul/2024 02:36PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	MBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
Test Name	GL	Value YCOSYLATED HAEMO		Biological Reference interval
Test Name GLYCOSYLATED HAEM WHOLE BLOOD				Biological Reference interval
GLYCOSYLATED HAEM WHOLE BLOOD by HPLC (HIGH PERFORI ESTIMATED AVERAGE I by HPLC (HIGH PERFORI	OGLOBIN (HbA1c): mance liquid chromatography)	COSYLATED HAEMO	DGLOBIN (HBA1C)	
GLYCOSYLATED HAEM WHOLE BLOOD by HPLC (HIGH PERFOR ESTIMATED AVERAGE I	OGLOBIN (HbA1c): mance liquid chromatography) PLASMA GLUCOSE	YCOSYLATED HAEMO 7.6 ^H 171.42 ^H	DGLOBIN (HBA1C) % mg/dL	4.0 - 6.4
GLYCOSYLATED HAEM WHOLE BLOOD by HPLC (HIGH PERFORI ESTIMATED AVERAGE by HPLC (HIGH PERFORI INTERPRETATION: RE	OGLOBIN (HbA1c): MANCE LIQUID CHROMATOGRAPHY) PLASMA GLUCOSE MANCE LIQUID CHROMATOGRAPHY) AS PER AMERICAN DIABI	YCOSYLATED HAEMO 7.6 ^H 171.42 ^H ETES ASSOCIATION (ADA)	DGLOBIN (HBA1C) % mg/dL : DHEMOGLOGIB (HBAIC) in	4.0 - 6.4 60.00 - 140.00
GLYCOSYLATED HAEM WHOLE BLOOD by HPLC (HIGH PERFORI ESTIMATED AVERAGE by HPLC (HIGH PERFORI INTERPRETATION: RE	OGLOBIN (HbA1c): MANCE LIQUID CHROMATOGRAPHY) PLASMA GLUCOSE MANCE LIQUID CHROMATOGRAPHY) AS PER AMERICAN DIAB FERENCE GROUP Detic Adults >= 18 years	YCOSYLATED HAEMO 7.6 ^H 171.42 ^H ETES ASSOCIATION (ADA)	DGLOBIN (HBA1C) % mg/dL : DHEMOGLOGIB (HBAIC) in <5.7	4.0 - 6.4 60.00 - 140.00
GLYCOSYLATED HAEM WHOLE BLOOD by HPLC (HIGH PERFOR by HPLC (HIGH PERFOR WTERPRETATION: RE Non diab At F	OGLOBIN (HbA1c): MANCE LIQUID CHROMATOGRAPHY) PLASMA GLUCOSE MANCE LIQUID CHROMATOGRAPHY) AS PER AMERICAN DIAB FERENCE GROUP Detic Adults >= 18 years Risk (Prediabetes)	YCOSYLATED HAEMO 7.6 ^H 171.42 ^H ETES ASSOCIATION (ADA)	DGLOBIN (HBA1C) % mg/dL : <u>HEMOGLOGIB (HBAIC) in</u> <5.7 5.7 – 6.4	4.0 - 6.4 60.00 - 140.00
GLYCOSYLATED HAEM WHOLE BLOOD by HPLC (HIGH PERFOR ESTIMATED AVERAGE by HPLC (HIGH PERFOR INTERPRETATION: RE Non diab At F	OGLOBIN (HbA1c): MANCE LIQUID CHROMATOGRAPHY) PLASMA GLUCOSE MANCE LIQUID CHROMATOGRAPHY) AS PER AMERICAN DIAB FERENCE GROUP Detic Adults >= 18 years	YCOSYLATED HAEMO 7.6 ^H 171.42 ^H ETES ASSOCIATION (ADA) GLYCOSYLATEE	DGLOBIN (HBA1C) % mg/dL : <u>HEMOGLOGIB (HBAIC) in</u> <5.7 5.7 – 6.4 >= 6.5	4.0 - 6.4 60.00 - 140.00
GLYCOSYLATED HAEM WHOLE BLOOD by HPLC (HIGH PERFOR STIMATED AVERAGE by HPLC (HIGH PERFOR INTERPRETATION: RE Non diab At F	OGLOBIN (HbA1c): MANCE LIQUID CHROMATOGRAPHY) PLASMA GLUCOSE MANCE LIQUID CHROMATOGRAPHY) AS PER AMERICAN DIAB FERENCE GROUP Detic Adults >= 18 years Risk (Prediabetes)	YCOSYLATED HAEMO 7.6 ^H 171.42 ^H ETES ASSOCIATION (ADA) GLYCOSYLATEE	DGLOBIN (HBA1C) % mg/dL : DHEMOGLOGIB (HBAIC) in <5.7 5.7 - 6.4 >= 6.5 Age > 19 Years	4.0 - 6.4 60.00 - 140.00
GLYCOSYLATED HAEM WHOLE BLOOD by HPLC (HIGH PERFORI STIMATED AVERAGE I by HPLC (HIGH PERFORI INTERPRETATION: RE Non diab At F Dia	OGLOBIN (HbA1c): MANCE LIQUID CHROMATOGRAPHY) PLASMA GLUCOSE MANCE LIQUID CHROMATOGRAPHY) AS PER AMERICAN DIABI FERENCE GROUP Detic Adults >= 18 years Risk (Prediabetes) gnosing Diabetes	YCOSYLATED HAEMO 7.6 ^H 171.42 ^H ETES ASSOCIATION (ADA) GLYCOSYLATED	DGLOBIN (HBA1C) % mg/dL : DHEMOGLOGIB (HBAIC) in <5.7 5.7 - 6.4 >= 6.5 Age > 19 Years < 7.0	4.0 - 6.4 60.00 - 140.00
GLYCOSYLATED HAEM WHOLE BLOOD by HPLC (HIGH PERFORI ESTIMATED AVERAGE I by HPLC (HIGH PERFORI INTERPRETATION: RE Non diab At F Dia	OGLOBIN (HbA1c): MANCE LIQUID CHROMATOGRAPHY) PLASMA GLUCOSE MANCE LIQUID CHROMATOGRAPHY) AS PER AMERICAN DIAB FERENCE GROUP Detic Adults >= 18 years Risk (Prediabetes)	YCOSYLATED HAEMO 7.6 ^H 171.42 ^H ETES ASSOCIATION (ADA) GLYCOSYLATEE Goals of Therapy: Actions Suggested:	DGLOBIN (HBA1C) % mg/dL : DHEMOGLOGIB (HBAIC) in <5.7 5.7 - 6.4 >= 6.5 Age > 19 Years < 7.0	4.0 - 6.4 60.00 - 140.00

COMMENTS:

TEST PERFORMED AT KOS DIAGNOSTIC LAB. AMBALA CANTT

1.Glycosylated hemoglobin (HbA1c) test is three monthly monitoring done to assess compliace with therapeutic regimen in diabetic patients.

2.Since Hb1c reflects long term fluctuations in blood glucose concentration, a diabetic patient who has recently under good control may still have high concentration of HbAlc. Converse is true for a diabetic previously under good control but now poorly controlled.

3. Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or extensive co-morbid conditions, targetting a goal of < 7.0% may not be appropriate. 4. High

HbA1c (>9.0 -9.5 %) is strongly associated with risk of development and rapid progression of microvascular and nerve complications 5. Any condition that shorten RBC life span like acute blood loss, hemolytic anemia falsely lower HbA1c results.

6.HbA1c results from patients with HbSS,HbSC and HbD must be interpreted with caution, given the pathological processes including anemia, increased red cell turnover, and transfusion requirement that adversely impact HbA1c as a marker of long-term gycemic control.

7. Specimens from patients with polycythemia or post-splenctomy may exhibit increse in HbA1c values due to a somewhat longer life span of the red cells.






DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







Dr. Vinay Chopra MD (Pathology & Microbio Chairman & Consultant Pa		(Pathology)
ASHOK GARG		
/RS/MALE	PATIENT ID	: 1551710
JESH	REG. NO./LAB NO.	: 012407170028
TRAL PHOENIX CLUB (AMBALA C	ANTT) REGISTRATION DATE	: 17/Jul/2024 10:34 AM
13304	COLLECTION DATE	: 17/Jul/2024 10:45AM
S DIAGNOSTIC LAB	REPORTING DATE	: 17/Jul/2024 02:36PM
9/1, NICHOLSON ROAD, AMBALA	CANTT	
		Biological Reference interval
	Va	Value Unit







V DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







		 Chopra ogy & Microbiology) Consultant Pathologis 	Ň	a m Chopra ID (Pathology) ant Pathologist
NAME	: Mr. ASHOK GARG			
AGE/ GENDER	: 72 YRS/MALE		PATIENT ID	: 1551710
COLLECTED BY	: SURJESH		REG. NO./LAB NO.	: 012407170028
REFERRED BY	: CENTRAL PHOENIX CLU	JB (AMBALA CANTT)	REGISTRATION DATE	: 17/Jul/2024 10:34 AM
BARCODE NO.	:01513304		COLLECTION DATE	: 17/Jul/2024 10:45AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 17/Jul/2024 11:26AM
CLIENT ADDRESS	: 6349/1, NICHOLSON R	DAD, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	EI	RYTHROCYTE SEDI	MENTATION RATE (I	ESR)
ERYTHROCYTE SEDI	VENTATION RATE (ESR)	6	mm/1s	
by MODIFIED WESTER INTERPRETATION:	RGREN AUTOMATED METHOD			
(polycythaemia), sig as sickle cells in sick NOTE: 1. ESR and C - reactiv 2. Generally, ESR do 3. CRP is not affected 4. If the ESR is elevat 5. Women tend to ha 6. Drugs such as dex	W ESR In with conditions that inhib ificantly high white blood of the cell anaemia) also lower e protein (C-RP) are both m es not change as rapidly as of by as many other factors as ed, it is typically a result of twe a higher ESR, and mensti	cell count (leucocytosi the ESR. arkers of inflammatior loes CRP, either at the s is ESR, making it a be two types of proteins, ruation and pregnancy	s), and some protein ab n. e start of inflammation or tter marker of inflammat globulins or fibrinogen. can cause temporary ele	ion.





DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



Page 6 of 17





NAME	: Mr. ASHOK GARG			
AGE/ GENDER	: 72 YRS/MALE	PATIE	NT ID :	1551710
COLLECTED BY	: SURJESH	REG. N	0./LAB NO. :	012407170028
REFERRED BY	: CENTRAL PHOENIX CLUB (AM	IBALA CANTT) REGIS	FRATION DATE :	17/Jul/2024 10:34 AM
BARCODE NO.	:01513304	COLLE	CTION DATE :	17/Jul/2024 10:45AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPOR	TING DATE :	17/Jul/2024 11:56AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	MBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	CLINIC	CAL CHEMISTRY/	BIOCHEMISTRY	
		GLUCOSE FASTI	NG (F)	
GLUCOSE FASTING (by glucose oxidas	F): PLASMA SE - PEROXIDASE (GOD-POD)	167.27 ^H	mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0



DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







Dr. Vinay Ch MD (Pathology & Chairman & Con		Dr. Yugam Ch MD (Path CEO & Consultant Path	nology)
: Mr. ASHOK GARG			
: 72 YRS/MALE	PATIE	NT ID : 1	1551710
: SURJESH	REG. N	O./LAB NO. :	012407170028
: CENTRAL PHOENIX CLUB (A	MBALA CANTT) REGIS	TRATION DATE :	17/Jul/2024 10:34 AM
: 01513304	COLLE	CTION DATE :	17/Jul/2024 10:45AM
: KOS DIAGNOSTIC LAB : 6349/1, NICHOLSON ROAD,		RTING DATE : 1	17/Jul/2024 11:56AM
	Value	Unit	Biological Reference interval
	LIPID PROFILE :	BASIC	
SERUM NASE PAP	213.73 ^H	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0
M ATE OXIDASE (ENZYMATIC)	233.02 ^H	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
RECT): SERUM v	34.69	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 - 60.0 HIGH HDL: > OR = 60.0
RUM trophotometry	132.44 ^H	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129.0 BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
DL: SERUM TROPHOTOMETRY	179.04 ^H	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159.0 BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
ERUM	46.6 ^H	mg/dL	0.00 - 45.00
ROPHOTOMETRY ROPHOTOMETRY	660.48	mg/dL	350.00 - 700.00
TIO: SERUM TROPHOTOMETRY	6.16 ^H	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0
M trophotometry	3.82 ^H	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0

具形有於早
6999795

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB. AMBALA CANTT

NAME

AGE/ GENDER

COLLECTED BY

REFERRED BY

BARCODE NO.

CLIENT CODE.

Test Name

CLIENT ADDRESS

CHOLESTEROL TOTAL: SERUM by CHOLESTEROL OXIDASE PAP

by GLYCEROL PHOSPHATE OXIDASE (ENZYMATIC)

HDL CHOLESTEROL (DIRECT): SERUM

by CALCULATED, SPECTROPHOTOMETRY

TRIGLYCERIDES: SERUM

by SELECTIVE INHIBITION

LDL CHOLESTEROL: SERUM

NON HDL CHOLESTEROL: SERUM by CALCULATED, SPECTROPHOTOMETRY

VLDL CHOLESTEROL: SERUM

TOTAL LIPIDS: SERUM

LDL/HDL RATIO: SERUM

by CALCULATED, SPECTROPHOTOMETRY

by CALCULATED, SPECTROPHOTOMETRY CHOLESTEROL/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY

by CALCULATED, SPECTROPHOTOMETRY





	Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologi		(Pathology)
NAME	: Mr. ASHOK GARG		
AGE/ GENDER	: 72 YRS/MALE	PATIENT ID	: 1551710
COLLECTED BY	: SURJESH	REG. NO./LAB NO.	: 012407170028
REFERRED BY	: CENTRAL PHOENIX CLUB (AMBALA CANTT)	REGISTRATION DATE	: 17/Jul/2024 10:34 AM
BARCODE NO.	: 01513304	COLLECTION DATE	: 17/Jul/2024 10:45AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 17/Jul/2024 11:56AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANT	Г	
Test Name	Value	Unit	Biological Reference interval
TRIGLYCERIDES/HD	0.72	RATIO	3.00 - 5.00

INTERPRETATION:

1. Measurements in the same patient can show physiological& analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol. 2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 were with at least are parent with black total abelesterol is

age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues. 4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







	Dr. Vinay Cho MD (Pathology & Chairman & Cons	Microbiology)		(Pathology)
NAME	: Mr. ASHOK GARG			
AGE/ GENDER	: 72 YRS/MALE		PATIENT ID	: 1551710
COLLECTED BY	: SURJESH		REG. NO./LAB NO.	: 012407170028
REFERRED BY	: CENTRAL PHOENIX CLUB (AM	IBALA CANTT)	REGISTRATION DATE	: 17/Jul/2024 10:34 AM
BARCODE NO.	: 01513304		COLLECTION DATE	: 17/Jul/2024 10:45AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 17/Jul/2024 11:56AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	MBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	LIV	/ER FUNCTIO	N TEST (COMPLETE)	
BILIRUBIN TOTAL: S	ERUM PECTROPHOTOMETRY	0.37	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
	CONJUGATED): SERUM	0.14	mg/dL	0.00 - 0.40
	「(UNCONJUGATED): SERUM ECTROPHOTOMETRY	0.23	mg/dL	0.10 - 1.00
SGOT/AST: SERUM	RIDOXAL PHOSPHATE	18.5	U/L	7.00 - 45.00
SGPT/ALT: SERUM	/RIDOXAL PHOSPHATE	15.33	U/L	0.00 - 49.00
AST/ALT RATIO: SER	RUM	1.21	RATIO	0.00 - 46.00
ALKALINE PHOSPHA		92	U/L	40.0 - 150.0
GAMMA GLUTAMYL	_ TRANSFERASE (GGT): SERUM	18	U/L	0.00 - 55.0
TOTAL PROTEINS: SI	ERUM	6.27	gm/dL	6.20 - 8.00
ALBUMIN: SERUM		3.87	gm/dL	3.50 - 5.50
		0.4	(1)	0.00 0.50

by CALCULATED, SPECTROPHOTOMETRY A : G RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY

GLOBULIN: SERUM

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range.

USE:- Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5

2.4

1.61



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

gm/dL

RATIO

2.30 - 3.50

1.00 - 2.00



INTERPRETATION







	Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Patholog		(Pathology)
NAME	: Mr. ASHOK GARG		
AGE/ GENDER	: 72 YRS/MALE	PATIENT ID	: 1551710
COLLECTED BY	: SURJESH	REG. NO./LAB NO.	: 012407170028
REFERRED BY	: CENTRAL PHOENIX CLUB (AMBALA CANTI	REGISTRATION DATE	: 17/Jul/2024 10:34 AM
BARCODE NO.	: 01513304	COLLECTION DATE	: 17/Jul/2024 10:45AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 17/Jul/2024 11:56AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANT	ΓT	
Test Name	Value	Unit	Biological Reference interval
HEPATOCELLULAR C	ARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Inc	creased)

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

PROGNOSTIC	SIGNIFICANCE:

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







	Dr. Vinay Cl MD (Pathology Chairman & Co			(Pathology)
NAME	: Mr. ASHOK GARG			
AGE/ GENDER	: 72 YRS/MALE		PATIENT ID	: 1551710
COLLECTED BY	: SURJESH		REG. NO./LAB NO.	: 012407170028
REFERRED BY	: CENTRAL PHOENIX CLUB (A	AMBALA CANTT)	REGISTRATION DATE	: 17/Jul/2024 10:34 AM
BARCODE NO.	:01513304		COLLECTION DATE	: 17/Jul/2024 10:45AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 17/Jul/2024 03:13PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD	, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	KI		ON TEST (COMPLETE)	
UREA: SERUM		29.5	mg/dL	10.00 - 50.00
-	ATE DEHYDROGENASE (GLDH)			
CREATININE: SERUN by ENZYMATIC, SPECT	-	0.92	mg/dL	0.40 - 1.40
BLOOD UREA NITRO	GEN (BUN): SERUM	13.79	mg/dL	7.0 - 25.0
BLOOD UREA NITRO	GEN (BUN)/CREATININE	14.99	RATIO	10.0 - 20.0
RATIO: SERUM by CALCULATED, SPE	CTROPHOTOMETRY			
UREA/CREATININE R	ATIO: SERUM	32.07	RATIO	
URIC ACID: SERUM		6.5	mg/dL	3.60 - 7.70
CALCIUM: SERUM by ARSENAZO III, SPE		8.44 ^L	mg/dL	8.50 - 10.60
PHOSPHOROUS: SER		2.71	mg/dL	2.30 - 4.70
ELECTROLYTES	,			
SODIUM: SERUM		141.6	mmol/L	135.0 - 150.0
POTASSIUM: SERUM by ISE (ION SELECTIVE		4.1	mmol/L	3.50 - 5.00
CHLORIDE: SERUM		106.2	mmol/L	90.0 - 110.0

ESTIMATED GLOMERULAR FILTERATION RATE

INTERPRETATION:

To differentiate between pre- and post renal azotemia. INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.

3. GI haemorrhage.

4. High protein intake.

5. Impaired renal function plus



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com



Page 12 of 17





		Dr. Vinay Chopra MD (Pathology & Microl Chairman & Consultant			fugam Ch MD (Path nsultant Path	nology)			
NAME	: Mr. ASHOK	GARG							
AGE/ GENDER	: 72 YRS/MAI	Æ		PATIENT ID		551710			
	: SURJESH						00		
COLLECTED BY				REG. NO./LAB NO.		0124071700			
REFERRED BY	: CENTRAL P	HOENIX CLUB (AMBALA	CANTT)	REGISTRATION D	ATE :	17/Jul/2024 10	0:34 AM		
BARCODE NO.	:01513304			COLLECTION DAT	LLECTION DATE : 17/Jul/2024 10:45AM				
CLIENT CODE.	: KOS DIAGN	OSTIC LAB		REPORTING DAT	E : 1	7/Jul/2024 03	3:13PM		
CLIENT ADDRESS	: 6349/1, NIC	CHOLSON ROAD, AMBAI	.A CANTT						
Test Name		N N	/alue	Un	it	Biologi	ical Refer	ence inter	val
9. Certain drugs (e.g. INCREASED RATIO (>2	20:1) WITH ELEV a (BUN rises disp superimposed 10:1) WITH DECF	ucocorticoids) ATED CREATININE LEVEL proportionately more the on renal disease.		ne) (e.g. obstructive	e uropathy).				
9. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia 2. Prerenal azotemia DECREASED RATIO (< 1. Acute tubular necr 2. Low protein diet ar 3. Severe liver disease 4. Other causes of de 5. Repeated dialysis (6. Inherited hyperam 7. SIADH (syndrome of 8. Pregnancy. DECREASED RATIO (< 1. Phenacimide thera 2. Rhabdomyolysis (r 3. Muscular patients INAPPROPIATE RATIO 1. Diabetic ketoacido should produce an in 2. Cephalosporin ther ESTIMATED GLOMERL OKD STAGE	tetracycline, gl tetracycline, gl to:1) WITH ELEV a (BUN rises disp superimposed to:1) WITH DECF osis. and starvation. e. creased urea sy furea rather tha monemias (ure of inappropiate to:1) WITH INCR py (accelerates eleases muscle who develop re sis (acetoaceta creased BUN/cr apy (interferes JLAR FILTERATIC	ucocorticoids) ATED CREATININE LEVELS proportionately more the on renal disease. REASED BUN : In creatinine diffuses ou a is virtually absent in b antidiuretic harmone) du REASED CREATININE: conversion of creatine to creatinine). enal failure. te causes false increase reatinine ratio). with creatinine measure DN RATE: DESCRIPTION	an creatini t of extrac lood). ue to tubul o creatinin in creatinin ment).	ellular fluid). lar secretion of urea ne). ne with certain met	n. hodologies ASSOCI	ATED FINDINGS		o when def	nydratio
 Certain drugs (e.g. NCREASED RATIO (>2 Postrenal azotemia Prerenal azotemia Perenal azotemia CECREASED RATIO (Acute tubular necr Low protein diet ar Severe liver disease Other causes of de Repeated dialysis (SIADH (syndrome of Pregnancy. PECREASED RATIO (Rhabdomyolysis (r Muscular patients NAPPROPIATE RATIO Diabetic ketoacido Should produce an in Cephalosporin ther STIMATED GLOMERL CKD STAGE 	tetracycline, gl tetracycline, gl to:1) WITH ELEV a (BUN rises disp superimposed to:1) WITH DECF osis. and starvation. e. creased urea sy furea rather tha monemias (ure of inappropiate to:1) WITH INCR py (accelerates eleases muscle who develop re- sis (acetoaceta creased BUN/cr apy (interferes JLAR FILTERATIC	ucocorticoids) ATED CREATININE LEVEL: proportionately more the on renal disease. REASED BUN : Anthesis. In creatinine diffuses ou a is virtually absent in b antidiuretic harmone) du EASED CREATININE: conversion of creatine to creatinine). enal failure. te causes false increase reatinine ratio). with creatinine measure DESCRIPTION rmal kidney function	an creatini t of extrac lood). ue to tubul o creatinin in creatinin ment).	ellular fluid). lar secretion of urea ne). ne with certain met nL/min/1.73m2) >90	n. hodologies ASSOCI No	ATED FINDINGS		o when deh	nydratio
 Certain drugs (e.g. NCREASED RATIO (>2 Postrenal azotemia Prerenal azotemia Perenal azotemia CECREASED RATIO (< Acute tubular necr Low protein diet ar Severe liver disease Other causes of de Repeated dialysis (SIADH (syndrome of SIADH (syndrome of Pregnancy. Pregnancy. PECREASED RATIO (Phenacimide thera Rhabdomyolysis (r Muscular patients NAPPROPIATE RATIO Diabetic ketoacido hould produce an in Cephalosporin ther STIMATED GLOMERL CKD STAGE 	tetracycline, gl tetracycline, gl to:1) WITH ELEV a (BUN rises disp superimposed to:1) WITH DECF osis. and starvation. e. creased urea sy (urea rather tha monemias (ure of inappropiate to:1) WITH INCR py (accelerates eleases muscle who develop re sis (acetoaceta creased BUN/cr apy (interferes JLAR FILTERATIC No	ucocorticoids) ATED CREATININE LEVEL: proportionately more the on renal disease. REASED BUN : In creatinine diffuses ou a is virtually absent in b antidiuretic harmone) du REASED CREATININE: conversion of creatine to creatinine). enal failure. te causes false increase reatinine ratio). with creatinine measure DESCRIPTION rmal kidney function idney damage with	an creatini t of extrac lood). ue to tubul o creatinin in creatinin ment).	ellular fluid). lar secretion of urea ne). ne with certain met	hodologies ASSOCI No Presen	ATED FINDINGS	5	o when def	nydratio
Certain drugs (e.g. NCREASED RATIO (>2 Postrenal azotemia Prerenal azotemia DECREASED RATIO (< Acute tubular necr Acute tubular necr Low protein diet ar Severe liver disease Other causes of de Repeated dialysis (Dinherited hyperam SIADH (syndrome of S	tetracycline, gl tetracycline, gl tetracycline, gl superimposed fo:1) WITH DECF osis. Ind starvation. e. creased urea sy furea rather tha monemias (ure of inappropiate to:1) WITH INCR py (accelerates eleases muscle who develop re sis (acetoaceta creased BUN/cr apy (interferes JLAR FILTERATIC No	ucocorticoids) ATED CREATININE LEVEL: proportionately more the on renal disease. REASED BUN : Anthesis. In creatinine diffuses ou a is virtually absent in b antidiuretic harmone) du EASED CREATININE: conversion of creatine to creatinine). enal failure. te causes false increase reatinine ratio). with creatinine measure DESCRIPTION rmal kidney function	an creatini t of extrac lood). ue to tubul o creatinin in creatinin ment).	ellular fluid). lar secretion of urea ne). ne with certain met nL/min/1.73m2) >90	hodologies ASSOCI No Presen	ATED FINDINGS proteinuria ce of Protein ,	5	o when deł	nydratio
 P. Certain drugs (e.g. NCREASED RATIO (>2 Postrenal azotemia Perenal azotemia DECREASED RATIO (Acute tubular necr Low protein diet ar Severe liver disease Other causes of de Repeated dialysis (SIADH (syndrome of Pregnancy. DECREASED RATIO (Phenacimide thera Rhabdomyolysis (r Muscular patients NAPPROPIATE RATIO Diabetic ketoacido hould produce an in Cephalosporin ther STIMATED GLOMERI G1 G2 	tetracycline, gl tetracycline, gl tetracycline, gl tetracycline, gl superimposed fo:1) WITH DECF osis. and starvation. e. creased urea sy furea rather tha monemias (ure of inappropiate to finappropiate to finap	ucocorticoids) ATED CREATININE LEVEL: proportionately more the on renal disease. REASED BUN : Anthesis. In creatinine diffuses ou a is virtually absent in b antidiuretic harmone) du REASED CREATININE: conversion of creatine to creatinine). enal failure. te causes false increase reatinine ratio). with creatinine measure DESCRIPTION rmal kidney function idney damage with normal or high GFR	an creatini t of extrac lood). ue to tubul o creatinin in creatinin ment).	ellular fluid). lar secretion of urea ne). ne with certain met nL/min/1.73m2) >90 >90	hodologies ASSOCI No Presen	ATED FINDINGS proteinuria ce of Protein ,	5	o when deł	nydratio
 P. Certain drugs (e.g. INCREASED RATIO (>2 Prerenal azotemia DECREASED RATIO (Acute tubular necr Low protein diet ar Severe liver disease Other causes of de Repeated dialysis (Inherited hyperam SIADH (syndrome of Pregnancy. DECREASED RATIO (Rhabdomyolysis (r Muscular patients NAPPROPIATE RATIO Cephalosporin there ESTIMATED GLOMERI G1 G2 	tetracycline, gl tetracycline, gl tetracycline, gl tetracycline, gl superimposed fo:1) WITH DECF osis. and starvation. e. creased urea sy furea rather tha monemias (ure of inappropiate to finappropiate to finap	ucocorticoids) ATED CREATININE LEVEL: proportionately more the on renal disease. REASED BUN : In creatinine diffuses ou a is virtually absent in b antidiuretic harmone) du REASED CREATININE: conversion of creatine to creatinine). enal failure. te causes false increase reatinine ratio). with creatinine measure DESCRIPTION rmal kidney function_ idney damage with normal or high GFR lild decrease in GFR	an creatini t of extrac lood). ue to tubul o creatinin in creatinin ment).	ellular fluid). lar secretion of urea ne). ne with certain met nL/min/1.73m2) >90 >90 >90	hodologies ASSOCI No Presen	ATED FINDINGS proteinuria ce of Protein ,	5	o when deh	nydratio

KOS Diagnostic Lab (A Unit of KOS Healthcare)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







	Dr. Vinay ChopraDr. Yugam ChopraMD (Pathology & Microbiology)MD (Pathology)Chairman & Consultant PathologistCEO & Consultant Pathologist				
NAME	: Mr. ASHOK GARG				
AGE/ GENDER	: 72 YRS/MALE	PATIENT ID	: 1551710		
COLLECTED BY	: SURJESH	REG. NO./LAB NO.	: 012407170028		
REFERRED BY	: CENTRAL PHOENIX CLUB (AMBALA CANTT)	REGISTRATION DATE	: 17/Jul/2024 10:34 AM		
BARCODE NO.	: 01513304	COLLECTION DATE	: 17/Jul/2024 10:45AM		
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 17/Jul/2024 03:13PM		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTI	ſ			
Test Name	Value	Unit	Biological Reference interval		

COMMENTS:

Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney.
 eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012
 In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure of CFD with the commended to measure

3. In patients, with eGFR cleaning between 45-59 minimit 1.73 m2 (G3) and without any marker of Kidney damage, it is recommended to measure eGFR with Cystatin C for confirmation of CKD
4. eGFR category G1 OR G2 does not fulfill the criteria for CKD, in the absence of evidence of Kidney Damage
5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure
6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C
7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



	Dr. Vinay Chop MD (Pathology & Mi Chairman & Consult	Microbiology) MD (F		(Pathology)	
NAME AGE/ GENDER	: Mr. ASHOK GARG : 72 YRS/MALE		PATIENT ID	: 1551710	
COLLECTED BY REFERRED BY	: SURJESH : CENTRAL PHOENIX CLUB (AMB/			: 012407170028 : 17/Jul/2024 10:34 AM	
BARCODE NO. CLIENT CODE. CLIENT ADDRESS	: 01513304 : KOS DIAGNOSTIC LAB : 6349/1, NICHOLSON ROAD, AM		COLLECTION DATE REPORTING DATE	: 17/Jul/2024 10:45AM : 17/Jul/2024 02:50PM	
Test Name		Value	Unit	Biological Reference interval	
	IMM	UNOPATH	OLOGY/SEROLOGY		
		IMMUNO	OGLOBIN IgE		
IMMUNOGLOBIN-E by CLIA (CHEMILUMIN INTERPRETATION: COMMENTS:	(IgE): SERUM <i>ESCENCE IMMUNOASSAY)</i>	13.92	IU/mL	0.00 - 100.00	
6.Specific IgE results 7.The probability of f allergens to which th 8.A normal level of Ig allergens and limited INCREASED: 1.Atopic/Non Atopic 2.Parasitic Infection. 3.IgE Myeloma 4.Allergic bronchopu 5.The rare hyper IgE s	e patient is sensitized. JE in serum does not eliminate the p end organ involvement. Allergy Ilmonary aspergillosis.	s vary significa erum in a patie		ig to be performed using one laboratory only. ries directly with the number of different if there is sensitivity to a limited number of	
1.Evaluation of child 2.Evaluation of child	ren with strong family history of all ren and adults suspected of having a expression of sensitivity to foods in	allergic respira	atory disease to establish t	the diagnosis and define the allergens with Asthma, Angioedema or Cutaneous	
equivocal	vity to insect venom allergens partic sence of IgE antibodies to certain oc	-		ficity in those cases in which skin tests are	
	am	(shopra		

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

UR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: 11nd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898







	MD (Pathology &	Dr. Vinay Chopra 1D (Pathology & Microbiology) Chairman & Consultant Pathologist		Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist		
NAME	: Mr. ASHOK GARG					
AGE/ GENDER	: 72 YRS/MALE		PATIENT ID		: 1551710	
COLLECTED BY	: SURJESH		REG. NO./LAB N	IO .	: 012407170028	
REFERRED BY	: CENTRAL PHOENIX CLUB (A)	MBALA CANTT)	REGISTRATION DATE		: 17/Jul/2024 10:34 AM	
BARCODE NO.	:01513304		COLLECTION DA		: 17/Jul/2024 10:45AM	
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DA		: 18/Jul/2024 11:18AM	
CLIENT CODE. CLIENT ADDRESS				IL	. 10/Jul/ 2024 11.10AW	
LLIEN I ADDRESS	: 6349/1, NICHOLSON ROAD, .	AWDALA CAN I I				
Test Name		Value		Jnit	Biological Reference interva	
		CLINICAL	PATHOLOGY			
	URINE R	OUTINE & MI	CROSCOPIC EX	AMINAT	TION	
PHYSICAL EXAMINA						
QUANTITY RECIEVE		10		ml		
	TANCE SPECTROPHOTOMETRY					
COLOUR		AMBER YE	ELLOW		PALE YELLOW	
by DIP STICK/REFLEC TRANSPARANCY	TANCE SPECTROPHOTOMETRY	CLEAR			CLEAR	
	TANCE SPECTROPHOTOMETRY	GLEAK			CLEAR	
SPECIFIC GRAVITY		1.02			1.002 - 1.030	
	TANCE SPECTROPHOTOMETRY					
CHEMICAL EXAMINA	ATION					
REACTION		ACIDIC				
by DIP STICK/REFLEC PROTEIN	TANCE SPECTROPHOTOMETRY	Nogativo			NEGATIVE (-ve)	
	TANCE SPECTROPHOTOMETRY	Negative			NEGATIVE (-VE)	
SUGAR		Negative			NEGATIVE (-ve)	
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY					
pH		6			5.0 - 7.5	
BILIRUBIN	TANCE SPECTROPHOTOMETRY	Negative			NEGATIVE (-ve)	
	TANCE SPECTROPHOTOMETRY	Negative				
NITRITE		Negative			NEGATIVE (-ve)	
•	TANCE SPECTROPHOTOMETRY.	Named			0.2 1.0	
UROBILINOGEN by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	Normal		EU/dL	0.2 - 1.0	
KETONE BODIES		Negative			NEGATIVE (-ve)	
	TANCE SPECTROPHOTOMETRY					
BLOOD		Negative			NEGATIVE (-ve)	
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	NEGATIVE			NEGATIVE (-ve)	
	TANCE SPECTROPHOTOMETRY	NEGATIVE	. (-ve)		NEORINE (-VE)	
MICROSCOPIC EXAN						

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





Dr. Vinay Chopra

EXCELLENCE IN HEALTHCARE & DIAGNOSTICS

Dr. Yugam Chopra

ABSENT

	MD (Pathology & Mi Chairman & Consult		t CEO	MD & Consultant	(Pathology) t Pathologist	
NAME	: Mr. ASHOK GARG					
AGE/ GENDER	: 72 YRS/MALE		PATIENT ID		: 1551710	
COLLECTED BY	: SURJESH			AB NO.	: 012407170028	
REFERRED BY	: CENTRAL PHOENIX CLUB (AMB	ALA CANTT)	ANTT) REGISTRATION DATE		: 17/Jul/2024 10:34 AM	
BARCODE NO.	: 01513304		COLLECTIO	N DATE	: 17/Jul/2024 10:45AM	
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING	G DATE	: 18/Jul/2024 11:18AM	
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	BALA CANTT	•			
Test Name		Value		Unit	Biological Reference interval	
RED BLOOD CELLS (F	RBCs) CENTRIFUGED URINARY SEDIMENT	NEGATIVE	E (-ve)	/HPF	0 - 3	
PUS CELLS		2-3		/HPF	0 - 5	
EPITHELIAL CELLS	CENTRIFUGED URINARY SEDIMENT	1-2		/HPF	ABSENT	
CRYSTALS	CENTRIFUGED URINARY SEDIMENT	NEGATIVE	E (-ve)		NEGATIVE (-ve)	
CASTS by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	NEGATIVE	E (-ve)		NEGATIVE (-ve)	
BACTERIA by MICROSCOPY ON C	CENTRIFUGED URINARY SEDIMENT	NEGATIVE	E (-ve)		NEGATIVE (-ve)	
OTHERS		NEGATIVE	E (-ve)		NEGATIVE (-ve)	

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT TRICHOMONAS VAGINALIS (PROTOZOA)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

*** End Of Report ***

ABSENT



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

