

KOS Diagnostic Lab





Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mr. ASHOK KUMAR

AGE/ GENDER : 65 YRS/MALE **PATIENT ID** : 1562944

COLLECTED BY : REG. NO./LAB NO. : 012407270052

 REFERRED BY
 : 27/Jul/2024 06:28 PM

 BARCODE NO.
 : 01513931
 COLLECTION DATE
 : 27/Jul/2024 06:32 PM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 28/Jul/2024 08:44 AM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

CLINICAL CHEMISTRY/BIOCHEMISTRY VALPROATE/VALPORIC ACID

SERUM VALPROATE/VALPROIC ACID by CLIA (CHEMILUMINESCENCE IMMUNOASSAY)
INTERPRETATION:

41.4^L

μg/mL

50 - 100

RESULT IN μg/mL	REMARKS
50	Minimum effective concentration
50 - 100	Therapeutic range
>100	Toxic range

NOTE:

- 1. Trough level is ideal for monitoring blood concentration
- 2.In Uremia, Cirrhosis or concurrent drug therapy the percent of free Valproic acid increases

COMMENTS:

Valproic acid is used for the treatment of Absence seizures. It is also useful against Tonicclonic & Partial seizures when used in conjunction with other Antiepileptic agents. Single dose half life in healthy adults is 16 hours which decreases to 12 hours on chronic therapy and maybe as short as 8 hours in children. In neonates and hepatic disease when metabolism is reduced, half life becomes prolonged. Peak concentrations occur 1-4 hours after an oral dose. Dosing is problematic in young children who might sleep for more than one complete half life of the drug

*** End Of Report ***



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUĞAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

