

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME : Mrs. RAJDUA (2)
AGE/ GENDER : 95 YRS/FEMALE
COLLECTED BY :
REFERRED BY :
BARCODE NO. : 01514016
CLIENT CODE. : KOS DIAGNOSTIC LAB
CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

PATIENT ID : 1563637
REG. NO./LAB NO. : 012407280081
REGISTRATION DATE : 28/Jul/2024 06:36 PM
COLLECTION DATE : 28/Jul/2024 06:42PM
REPORTING DATE : 31/Jul/2024 10:09AM

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

MICROBIOLOGY

CULTURE AEROBIC BACTERIA AND ANTIBIOTIC SENSITIVITY: OTHERS

CULTURE AND SUSCEPTIBILITY

DATE OF SAMPLE 28-07-2024
SPECIMEN SOURCE SWAB
INCUBATION PERIOD 48 HOURS
GRAM STAIN GRAM NEGATIVE (-ve)
by MICROSCOPY
CULTURE POSITIVE (+ve)
by AUTOMATED BROTH CULTURE
ORGANISM Proteus sp.
by AUTOMATED BROTH CULTURE

AEROBIC SUSCEPTIBILITY

AMOXICILLIN+CLAVULANIC ACID RESISTANT
by AUTOMATED BROTH MICRოდILUTION, CLSI
Concentration: 8/4 µg/mL

AMPICILLIN RESISTANT
by AUTOMATED BROTH MICRოდILUTION, CLSI
Concentration: 8 µg/mL

AMPICILLIN+SULBACTAM INTERMEDIATE
by AUTOMATED BROTH MICRოდILUTION, CLSI
Concentration: 8/4 µg/mL

CHLORAMPHENICOL SENSITIVE
by AUTOMATED BROTH MICRოდILUTION, CLSI
Concentration: 8 µg/mL

CIPROFLOXACIN RESISTANT
by AUTOMATED BROTH MICRოდILUTION, CLSI
Concentration: 1 µg/mL

DOXYCYCLINE RESISTANT
by AUTOMATED BROTH MICRოდILUTION, CLSI



DR. VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR. YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY)




Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mrs. RAJDUA (2)	PATIENT ID	: 1563637
AGE/ GENDER	: 95 YRS/FEMALE	REG. NO./LAB NO.	: 012407280081
COLLECTED BY	:	REGISTRATION DATE	: 28/Jul/2024 06:36 PM
REFERRED BY	:	COLLECTION DATE	: 28/Jul/2024 06:42PM
BARCODE NO.	: 01514016	REPORTING DATE	: 31/Jul/2024 10:09AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
Concentration: 4 µg/mL			
GENTAMICIN by AUTOMATED BROTH MICRODILUTION, CLSI	SENSITIVE		
Concentration: 16 µg/mL			
NORFLOXACIN by AUTOMATED BROTH MICRODILUTION, CLSI	INTERMEDIATE		
Concentration: 4 µg/mL			
MINOCYCLINE by AUTOMATED BROTH MICRODILUTION, CLSI	SENSITIVE		
Concentration: 4 µg/mL			
TOBRAMYCIN by AUTOMATED BROTH MICRODILUTION, CLSI	SENSITIVE		
Concentration: 4 µg/mL			
AMIKACIN by AUTOMATED BROTH MICRODILUTION, CLSI	SENSITIVE		
Concentration: 16 µg/mL			
AZETREONAM by AUTOMATED BROTH MICRODILUTION, CLSI	SENSITIVE		
Concentration: 4 µg/mL			
CEFAZOLIN by AUTOMATED BROTH MICRODILUTION, CLSI	RESISTANT		
Concentration: 16 µg/mL			
CEFIXIME by AUTOMATED BROTH MICRODILUTION, CLSI	RESISTANT		
CEFOXITIN by AUTOMATED BROTH MICRODILUTION, CLSI	INTERMEDIATE		
Concentration: 8 µg/mL			
CEFTAZIDIME by AUTOMATED BROTH MICRODILUTION, CLSI	SENSITIVE		




 DR.VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


 DR.YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mrs. RAJDUA (2)	PATIENT ID	: 1563637
AGE/ GENDER	: 95 YRS/FEMALE	REG. NO./LAB NO.	: 012407280081
COLLECTED BY	:	REGISTRATION DATE	: 28/Jul/2024 06:36 PM
REFERRED BY	:	COLLECTION DATE	: 28/Jul/2024 06:42PM
BARCODE NO.	: 01514016	REPORTING DATE	: 31/Jul/2024 10:09AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
Concentration: 4 µg/mL			
CEFTRIAXONE <i>by AUTOMATED BROTH MICRODILUTION, CLSI</i>	RESISTANT		
FOSFOMYCIN <i>by AUTOMATED BROTH MICRODILUTION, CLSI</i>	SENSITIVE		
Concentration: 64 µg/mL			
LEVOFLOXACIN <i>by AUTOMATED BROTH MICRODILUTION, CLSI</i>	INTERMEDIATE		
Concentration: 2 µg/mL			
NETLIMICIN SULPHATE <i>by AUTOMATED BROTH MICRODILUTION, CLSI</i>	SENSITIVE		
Concentration: 8 µg/mL			
PIPERACILLIN+TAZOBACTAM <i>by AUTOMATED BROTH MICRODILUTION, CLSI</i>	SENSITIVE		
Concentration: 16/4 µg/mL			
TICARCILLIN+CLAVULANIC ACID <i>by AUTOMATED BROTH MICRODILUTION, CLSI</i>	SENSITIVE		
Concentration: 16/2 µg/mL			
TRIMETHOPRIM+SULPHAMETHAZOLE <i>by AUTOMATED BROTH MICRODILUTION, CLSI</i>	RESISTANT		
Concentration: 2/38 µg/mL			
CEFIPIME <i>by AUTOMATED BROTH MICRODILUTION, CLSI</i>	RESISTANT		
Concentration: 2 µg/mL			
DORIPENEM <i>by AUTOMATED BROTH MICRODILUTION, CLSI</i>	SENSITIVE		
Concentration: 1 µg/mL			
IMIPINEM <i>by AUTOMATED BROTH MICRODILUTION, CLSI</i>	RESISTANT		



[Signature]

DR.VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

[Signature]

DR.YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mrs. RAJDUA (2)	PATIENT ID	: 1563637
AGE/ GENDER	: 95 YRS/FEMALE	REG. NO./LAB NO.	: 012407280081
COLLECTED BY	:	REGISTRATION DATE	: 28/Jul/2024 06:36 PM
REFERRED BY	:	COLLECTION DATE	: 28/Jul/2024 06:42PM
BARCODE NO.	: 01514016	REPORTING DATE	: 31/Jul/2024 10:09AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

Concentration: 1 µg/mL

MEROPENEM
 by AUTOMATED BROTH MICRODILUTION, CLSI
 Concentration: 1 µg/mL

SENSITIVE

COLISTIN
 by AUTOMATED BROTH MICRODILUTION, CLSI
 Concentration: 0.06 µg/mL

INTERMEDIATE

INTERPRETATION
SUSCEPTIBILITY:

1. A test interpreted as **SENSITIVE** implies that infection due to isolate may be appropriately treated with the dosage of an antimicrobial agent recommended for that type of infection and infecting species, unless otherwise indicated.
2. A test interpreted as **INTERMEDIATE** implies that the "Infection due to the isolate may be appropriately treated in body sites where the drugs are physiologically concentrated or when a high dosage of drug can be used".
3. A test interpreted as **RESISTANT** implies that the "isolates are not inhibited by the usually achievable concentration of the agents with normal dosage, schedule and/or fall in the range where specific microbial resistance mechanism are likely (e.g. beta-lactamases), and clinical efficacy has not been reliable in treatment studies.

CAUTION:

Conditions which can cause a false Negative culture:

1. Patient is on antibiotics. Please repeat culture post therapy.
2. Anaerobic bacterial infection.
3. Fastidious aerobic bacteria which are not able to grow on routine culture media.
4. Besides all these factors, at least in 25-40 % of cases there is no direct correlation between in vivo clinical picture.
5. Renal tuberculosis to be confirmed by AFB studies.

*** End Of Report ***




 DR. VINAY CHOPRA

CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


 DR. YUGAM CHOPRA

CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)

