

Dr. Vinay Chopra  
MD (Pathology & Microbiology)  
Chairman & Consultant Pathologist

Dr. Yugam Chopra  
MD (Pathology)  
CEO & Consultant Pathologist

NAME : Mrs. DEEPTI  
AGE/ GENDER : 24 YRS/FEMALE  
COLLECTED BY :  
REFERRED BY :  
BARCODE NO. : 01514082  
CLIENT CODE. : KOS DIAGNOSTIC LAB  
CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

PATIENT ID : 1564055  
REG. NO./LAB NO. : 012407290058  
REGISTRATION DATE : 29/Jul/2024 01:50 PM  
COLLECTION DATE : 29/Jul/2024 01:52PM  
REPORTING DATE : 29/Jul/2024 04:30PM

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------


## HAEMATOLOGY


### BLOOD GROUP (ABO) AND RH FACTOR TYPING

ABO GROUP  
by SLIDE AGGLUTINATION  
RH FACTOR TYPE  
by SLIDE AGGLUTINATION

B  
NEGATIVE



  
DR.VINAY CHOPRA  
CONSULTANT PATHOLOGIST  
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

  
DR.YUGAM CHOPRA  
CONSULTANT PATHOLOGIST  
MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra  
MD (Pathology & Microbiology)  
Chairman & Consultant Pathologist

Dr. Yugam Chopra  
MD (Pathology)  
CEO & Consultant Pathologist

NAME : Mrs. DEEPTI  
AGE/ GENDER : 24 YRS/FEMALE  
COLLECTED BY :  
REFERRED BY :  
BARCODE NO. : 01514082  
CLIENT CODE. : KOS DIAGNOSTIC LAB  
CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

PATIENT ID : 1564055  
REG. NO./LAB NO. : 012407290058  
REGISTRATION DATE : 29/Jul/2024 01:50 PM  
COLLECTION DATE : 29/Jul/2024 01:52PM  
REPORTING DATE : 29/Jul/2024 04:30PM

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

INDIRECT COOMBS TEST (ICT)

INDIRECT COOMBS TEST (ICT)	NEGATIVE (-ve)		NEGATIVE (-ve)
----------------------------	----------------	--	----------------

INTERPRETATION:-  
SIGNIFICANCE:

- 1.The indirect Coombs test (also known as the indirect antiglobulin test or IAT) is used to detect in-vitro antibody-antigen reactions.
- 2.To detect very low concentrations of antibodies present in a patient's plasma/serum prior to a blood transfusion. The donor's and recipient's blood must be ABO and Rh D compatible.
- 3.In antenatal care, the IAT is used to screen pregnant women for antibodies IgG that are likely to pass through the placenta into the fetal blood and cause hemolytic disease of the newborn.
- 4.The IAT can also be used for compatibility testing, antibody identification, RBC phenotyping, and titration studies.

\*\*\* End Of Report \*\*\*



DR.VINAY CHOPRA  
CONSULTANT PATHOLOGIST  
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA  
CONSULTANT PATHOLOGIST  
MBBS, MD (PATHOLOGY)

