

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



	Dr. Vinay Cł MD (Pathology & Chairman & Cor			(Pathology)
NAME	: Mr. DINESH KANSAL			
AGE/ GENDER	: 62 YRS/MALE		PATIENT ID	: 1363704
COLLECTED BY	:		REG. NO./LAB NO.	: 012407300002
REFERRED BY	:		REGISTRATION DATE	: 30/Jul/2024 06:41 AM
BARCODE NO.	: 01514097		COLLECTION DATE	: 30/Jul/2024 08:30AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 30/Jul/2024 10:35AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,	AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
URIC ACID: SERUM 5.66 mg/dL 3.60 - 7.70				
 by URCASE - OSUBASE PERCONDASE MTERPERTATIONS: 1. OUT OCCURS when high levels of Uric Acid in the blood cause crystals to form & accumulate around a joint. 1. Out Acid is the end product of purine metabolism . Uric acid is excreted to a large degree by the kidneys and to a smaller degree in the intestinal tract by microbial degradation. INCERASED: (A) DUE TO INCREASED PRODUCTION: 1. Otto rearts motion of malignancies especially leukemais & lymphomas. 2. Yotybit treatment of malignancies especially leukemais & lymphomas. 3. Otto POCCERASED EXCREATION (BY KIDNEYS) 3. Sche Cell anaema etc. (B) DUE TO DECORASED EXCREATION (BY KIDNEYS) 3. Acid caidosis. 3. Aprin Ingestion (less than 2 grams per day). 3. Aprin Ingestion (less than 2 grams per day). 3. Dateit caldosis or starvation. 4. Due to DIECORASED FORDENCE 3. Dateit caldosis or starvation. 4. Aprin Constrained (less than 2 grams per day). 4. Aprin Ingestion (less than 2 grams per day). 5. Dateit ketoacidosis or starvation. 4. Aprin Ingestion (less than 2 grams per day). 5. Dateit caldosis. 4. Aprin Ingestion (less than 2 grams per day). 5. Aprin Ingestion (less than 2 grams per day). 5. Dateit caldosis. 6. Dateit caldosis or starvation. 7. Dateit ketoacidosis or starvation. 7. Dateit ketoacidosis or starvation. 8. Aprin Ingestion (less than 2 grams per day). 9. Jontome of Inappropriate antidiuretic hormone (SIADH) secretion & low purine diet etc. 7. Due to INCREASED EXCENSION 9. Aprine of Inappropriate antidiuretic hormone (sIADH) secretion & low purine diet etc. 7. Due to Increase (la subplinpyrazone, aspirin doses (more than 4 grams per day), corticosterroids and ACTH, anti-coagulants and estrogens etc. *** End Of Report *** 				
EINANA (EI				

KOS Diagnostic Lab (A Unit of KOS Healthcare)



an

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com

