



Dr. Vinay Ch MD (Pathology & Chairman & Con				m Chopra D (Pathology) ht Pathologist	
NAME	: Mr. KULDEEP SINGH				
AGE/ GENDER	: 85 YRS/MALE	PATIENT ID		: 1565273	
COLLECTED BY	:	REG. NO./LAB NO.		: 012407300038	
REFERRED BY	:	REGISTRATION DATE		: 30/Jul/2024 01:11 PM	
BARCODE NO.	: 01514133	COLLECTION DATE		: 30/Jul/2024 01:12PM	
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPO	DRTING DATE	: 30/Jul/2024 03:36PM	
CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, A		AMBALA CANTT			
Test Name		Value	Unit	Biological Reference interval	
		CLINICAL PAT	HOLOGY		
		OUTINE & MICROS			
PHYSICAL EXAMINATION		10			
QUANTITY RECIEVED by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		10	ml		
COLOUR		AMBER YELLOW		PALE YELLOW	
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY					
TRANSPARANCY by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		HAZY		CLEAR	
SPECIFIC GRAVITY		<=1.005		1.002 - 1.030	
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY					
CHEMICAL EXAMINA	ATION				
REACTION		ACIDIC			
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)	
	by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY				
SUGAR		2+		NEGATIVE (-ve)	
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		6.5		5.0 - 7.5	
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		0.5		5.0 - 7.5	
BILIRUBIN	BILIRUBIN			NEGATIVE (-ve)	
-	by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY				
NITRITE by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY.		Negative		NEGATIVE (-ve)	
UROBILINOGEN			EU/dL	0.2 - 1.0	
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY					
KETONE BODIES by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		Negative		NEGATIVE (-ve)	
BLOOD		Negative		NEGATIVE (-ve)	
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	°			
ASCORBIC ACID		NEGATIVE (-ve)		NEGATIVE (-ve)	
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY					

MICROSCOPIC EXAMINATION



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.







Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist C

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME	: Mr. KULDEEP SINGH			
AGE/ GENDER	: 85 YRS/MALE	PATIENT	ID	: 1565273
COLLECTED BY	:	REG. NO./LAB NO.		: 012407300038 : 30/Jul/2024 01:11 PM : 30/Jul/2024 01:12PM : 30/Jul/2024 03:36PM
EFERRED BY :		REGISTR	ATION DATE	
BARCODE NO.	E NO. : 01514133 COLLECTION DATE		ION DATE	
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AI	MBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
RED BLOOD CELLS (RBCs)		NEGATIVE (-ve)	/HPF	0 - 3
PUS CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT		3-5	/HPF	0 - 5
		2-3	/HPF	ABSENT

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT NEGATIVE (-ve) CRYSTALS NEGATIVE (-ve) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT CASTS NEGATIVE (-ve) NEGATIVE (-ve) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT BACTERIA NEGATIVE (-ve) NEGATIVE (-ve) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT NEGATIVE (-ve) NEGATIVE (-ve) OTHERS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT TRICHOMONAS VAGINALIS (PROTOZOA) ABSENT ABSENT

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

*** End Of Report ***



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com

