

(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

**NAME** : Mrs. SWATI

**AGE/ GENDER** : 30 YRS/FEMALE **PATIENT ID** : 1569146

**COLLECTED BY** : 012408030007 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 03/Aug/2024 09:05 AM BARCODE NO. :01514333 **COLLECTION DATE** : 03/Aug/2024 09:09AM CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 03/Aug/2024 09:52AM

**CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit **Biological Reference interval** 

### **SWASTHYA WELLNESS PANEL: 1.1** COMPLETE BLOOD COUNT (CBC)

#### **RED BLOOD CELLS (RBCS) COUNT AND INDICES**

| HAEMOGLOBIN (HB) by CALORIMETRIC  | 9.9 <sup>L</sup>  | gm/dL        | 12.0 - 16.0   |
|---|-------------------|--------------|---|
| RED BLOOD CELL (RBC) COUNT by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE              | 3.63              | Millions/cmm | 3.50 - 5.00   |
| PACKED CELL VOLUME (PCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER                 | 31.1 <sup>L</sup> | %            | 37.0 - 50.0   |
| MEAN CORPUSCULAR VOLUME (MCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER            | 85.7              | fL           | 80.0 - 100.0  |
| MEAN CORPUSCULAR HAEMOGLOBIN (MCH) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER       | 27.3              | pg           | 27.0 - 34.0   |
| MEAN CORPUSCULAR HEMOGLOBIN CONC. (MCHC) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER | 31.9 <sup>L</sup> | g/dL         | 32.0 - 36.0   |
| RED CELL DISTRIBUTION WIDTH (RDW-CV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER     | 13.3              | %            | 11.00 - 16.00   |
| RED CELL DISTRIBUTION WIDTH (RDW-SD)  by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER    | 42.6              | fL           | 35.0 - 56.0   |
| MENTZERS INDEX by CALCULATED  | 23.61             | RATIO        | BETA THALASSEMIA TRAIT: < 13.0<br>IRON DEFICIENCY ANEMIA: >13.0 |
| GREEN & KING INDEX by CALCULATED  | 31.43             | RATIO        | BETA THALASSEMIA TRAIT: < = 65.0                                |
| WHITE BLOOD CELLS (M/PCS)   |                   |              | IRON DEFICIENCY ANEMIA: > 65.0                                  |
|   |                   |              |   |

#### WHITE BLOOD CELLS (WBCS)

| TOTAL LEUCOCYTE COUNT (TLC)                      | 6450 | /cmm | 4000 - 11000 |
|--|------|------|--------------|
| by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY        |      |      |              |
| NUCLEATED RED BLOOD CELLS (nRBCS)                | NIL  |      | 0.00 - 20.00 |
| by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER & |      |      |              |
| MICROSCOPY                                       |      |      |              |
| NUCLEATED RED BLOOD CELLS (nRBCS) %              | NIL  | %    | < 10 %       |

NUCLEATED RED BLOOD CELLS (nRBCS) % NIL by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER & MICROSCOPY





CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





CLIENT CODE.

### **KOS Diagnostic Lab**

(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

: 03/Aug/2024 09:52AM

REPORTING DATE

**NAME** : Mrs. SWATI

**AGE/ GENDER PATIENT ID** : 1569146 : 30 YRS/FEMALE

**COLLECTED BY** : 012408030007 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 03/Aug/2024 09:05 AM BARCODE NO. :01514333 **COLLECTION DATE** : 03/Aug/2024 09:09AM

: KOS DIAGNOSTIC LAB **CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

| Test Name   | Value               | Unit | Biological Reference interval |
|---|---------------------|------|-------------------------------|
| NEUTROPHILS by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY                             | 69                  | %    | 50 - 70                       |
| LYMPHOCYTES  by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY                            | 25                  | %    | 20 - 40                       |
| EOSINOPHILS  by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY                            | 1                   | %    | 1 - 6                         |
| MONOCYTES  by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY                              | 5                   | %    | 2 - 12                        |
| BASOPHILS by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY                               | 0                   | %    | 0 - 1                         |
| ABSOLUTE LEUKOCYTES (WBC) COUNT   | /                   |      |                               |
| ABSOLUTE NEUTROPHIL COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY               | 4451                | /cmm | 2000 - 7500                   |
| ABSOLUTE LYMPHOCYTE COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY               | 1612                | /cmm | 800 - 4900                    |
| ABSOLUTE EOSINOPHIL COUNT  by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY              | 64                  | /cmm | 40 - 440                      |
| ABSOLUTE MONOCYTE COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY                 | 322                 | /cmm | 80 - 880                      |
| ABSOLUTE BASOPHIL COUNT  by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY                | 0                   | /cmm | 0 - 110                       |
| ABSOLUTE IMMATURE GRANULOCYTE COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY     | 0                   | /cmm | 0.0 - 999.0                   |
| PLATELETS AND OTHER PLATELET PREDICTIVE MARKEI                                    | <u>RS.</u>          |      |                               |
| PLATELET COUNT (PLT) by hydro dynamic focusing, electrical impedence              | 148000 <sup>L</sup> | /cmm | 150000 - 450000               |
| PLATELETCRIT (PCT) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE                | 0.23                | %    | 0.10 - 0.36                   |
| MEAN PLATELET VOLUME (MPV) by hydro dynamic focusing, electrical impedence        | 16 <sup>H</sup>     | fL   | 6.50 - 12.0                   |
| PLATELET LARGE CELL COUNT (P-LCC) by hydro dynamic focusing, electrical impedence | 94000 <sup>H</sup>  | /cmm | 30000 - 90000                 |
| PLATELET LARGE CELL RATIO (P-LCR) by hydro dynamic focusing, electrical impedence | 63.5 <sup>H</sup>   | %    | 11.0 - 45.0                   |
| PLATELET DISTRIBUTION WIDTH (PDW) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE | 16.6                | %    | 15.0 - 17.0                   |



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana



(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

: 03/Aug/2024 09:52AM

**NAME** : Mrs. SWATI

CLIENT CODE.

**AGE/ GENDER** : 30 YRS/FEMALE **PATIENT ID** : 1569146

**COLLECTED BY** : 012408030007 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 03/Aug/2024 09:05 AM **COLLECTION DATE** BARCODE NO. :01514333 : 03/Aug/2024 09:09AM

: KOS DIAGNOSTIC LAB **CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit **Biological Reference interval** 

REPORTING DATE

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

**NAME** : Mrs. SWATI

**AGE/ GENDER** : 30 YRS/FEMALE **PATIENT ID** : 1569146

**COLLECTED BY** REG. NO./LAB NO. : 012408030007

REFERRED BY **REGISTRATION DATE** : 03/Aug/2024 09:05 AM BARCODE NO. **COLLECTION DATE** : 03/Aug/2024 09:09AM :01514333 CLIENT CODE. REPORTING DATE

: KOS DIAGNOSTIC LAB **CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Value Unit **Biological Reference interval** Test Name

#### ERYTHROCYTE SEDIMENTATION RATE (ESR)

**ERYTHROCYTE SEDIMENTATION RATE (ESR)** by MODIFIED WESTERGREN AUTOMATED METHOD 80<sup>H</sup>

mm/1st hr

0 - 20

: 03/Aug/2024 11:08AM

INTERPRETATION:

1. ESR is a non-specific test because an elevated result often indicates the presence of inflammation associated with infection, cancer and autoimmune disease, but does not tell the health practitioner exactly where the inflammation is in the body or what is causing it.

2. An ESR can be affected by other conditions besides inflammation. For this reason, the ESR is typically used in conjunction with other test such

as C-reactive protein

3. This test may also be used to monitor disease activity and response to therapy in both of the above diseases as well as some others, such as systemic lupus erythematosus

CONDITION WITH LOW ESR

A low ESR can be seen with conditions that inhibit the normal sedimentation of red blood cells, such as a high red blood cell count (polycythaemia), significantly high white blood cell count (leucocytosis), and some protein abnormalities. Some changes in red cell shape (such as sickle cells in sickle cell anaemia) also lower the ESR. NOTE:

1. ESR and C - reactive protein (C-RP) are both markers of inflammation.
2. Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves.
3. CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation.
4. If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
5. Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.
6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while services and quiping may decrease it. aspirin, cortisone, and quinine may decrease it

CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana



(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

**NAME** : Mrs. SWATI

**AGE/ GENDER** : 30 YRS/FEMALE **PATIENT ID** : 1569146

**COLLECTED BY** :012408030007 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 03/Aug/2024 09:05 AM BARCODE NO. :01514333 **COLLECTION DATE** : 03/Aug/2024 09:09AM CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 03/Aug/2024 11:09AM

**CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit **Biological Reference interval** 

### **CLINICAL CHEMISTRY/BIOCHEMISTRY GLUCOSE FASTING (F)**

GLUCOSE FASTING (F): PLASMA 67.4 mg/dL NORMAL: < 100.0

by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD) PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0

INTERPRETATION
IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:

1. A fasting plasma glucose level below 100 mg/dl is considered normal.

2. A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.

3. A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME : Mrs. SWATI

**AGE/ GENDER** : 30 YRS/FEMALE **PATIENT ID** : 1569146

COLLECTED BY : REG. NO./LAB NO. : 012408030007

 REFERRED BY
 : 03/Aug/2024 09:05 AM

 BARCODE NO.
 : 01514333
 COLLECTION DATE
 : 03/Aug/2024 09:09AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 03/Aug/2024 02:20PM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

#### **GLUCOSE TOLERANCE TEST MODIFIED (AFTER 75 GMS OF GLUCOSE)**

GLUCOSE FASTING (F): PLASMA 67.4 mg/dL NORMAL: < 100.0

by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)

PREDIABETIC: 100.0 - 125.0

DIABETIC: > 0R = 126.0

GLUCOSE AFTER 60 MINS: PLASMA 133.07 mg/dL 60.0 - 180.0

by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)

GLUCOSE AFTER 120 MINS: PLASMA 108.3 mg/dL 60.0 - 160.0 by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)

#### Interpretation: (In accordance with the American diabetes association guidelines):

This test is recommended for patients who have tested positive in the screening OGT (50 gram OGT) or in patients who are deemed to be at high risk of developing gestational diabetes. An 8-14 hour fasting is mandatory for initiation of this test.

For this test, a fasting sample is followed by two more samples drawn at 1 hour and 2 hours after ingestion of 75 grams of glucose.

| The American diabetes group recommendations suggest that gestational diabetes be diagnosed when one or more of the |       |                   |  |  |
|--|-------|-------------------|--|--|
| plasma glucose values are:   |       |                   |  |  |
| Time   | Unit  | Blood Sugar level |  |  |
| Fasting  | mg/dl | >=95              |  |  |
| 1 hour   | mg/dl | >=180             |  |  |
| 2 hour   | mg/dl | >=155             |  |  |



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUĞAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)









Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

**NAME** : Mrs. SWATI

**PATIENT ID** : 1569146 **AGE/ GENDER** : 30 YRS/FEMALE

**COLLECTED BY** : 012408030007 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 03/Aug/2024 09:05 AM BARCODE NO. :01514333 **COLLECTION DATE** : 03/Aug/2024 09:09AM CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 03/Aug/2024 11:09AM

**CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

| Test Name  | Value               | Unit    | Biological Reference interval  |
|--|---------------------|---------|--|
|  | LIPID PROFILE       | : BASIC |  |
| CHOLESTEROL TOTAL: SERUM by CHOLESTEROL OXIDASE PAP            | 247.1 <sup>H</sup>  | mg/dL   | OPTIMAL: < 200.0<br>BORDERLINE HIGH: 200.0 - 239.0<br>HIGH CHOLESTEROL: > OR = 240.0   |
| TRIGLYCERIDES: SERUM by GLYCEROL PHOSPHATE OXIDASE (ENZYMATIC) | 207.5 <sup>H</sup>  | mg/dL   | OPTIMAL: < 150.0<br>BORDERLINE HIGH: 150.0 - 199.0<br>HIGH: 200.0 - 499.0<br>VERY HIGH: > OR = 500.0                                 |
| HDL CHOLESTEROL (DIRECT): SERUM by SELECTIVE INHIBITION        | 43.26               | mg/dL   | LOW HDL: < 30.0<br>BORDERLINE HIGH HDL: 30.0 -<br>60.0<br>HIGH HDL: > OR = 60.0  |
| LDL CHOLESTEROL: SERUM by CALCULATED, SPECTROPHOTOMETRY        | 162.34 <sup>H</sup> | mg/dL   | OPTIMAL: < 100.0<br>ABOVE OPTIMAL: 100.0 - 129.0<br>BORDERLINE HIGH: 130.0 - 159.0<br>HIGH: 160.0 - 189.0<br>VERY HIGH: > OR = 190.0 |
| NON HDL CHOLESTEROL: SERUM by CALCULATED, SPECTROPHOTOMETRY    | 203.84 <sup>H</sup> | mg/dL   | OPTIMAL: < 130.0<br>ABOVE OPTIMAL: 130.0 - 159.0<br>BORDERLINE HIGH: 160.0 - 189.0<br>HIGH: 190.0 - 219.0<br>VERY HIGH: > OR = 220.0 |
| VLDL CHOLESTEROL: SERUM by CALCULATED, SPECTROPHOTOMETRY       | 41.5                | mg/dL   | 0.00 - 45.00   |
| TOTAL LIPIDS: SERUM by CALCULATED, SPECTROPHOTOMETRY           | 701.7 <sup>H</sup>  | mg/dL   | 350.00 - 700.00  |
| CHOLESTEROL/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY  | 5.71 <sup>H</sup>   | RATIO   | LOW RISK: 3.30 - 4.40<br>AVERAGE RISK: 4.50 - 7.0<br>MODERATE RISK: 7.10 - 11.0<br>HIGH RISK: > 11.0                                 |
| LDL/HDL RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY          | 3.75 <sup>H</sup>   | RATIO   | LOW RISK: 0.50 - 3.0<br>MODERATE RISK: 3.10 - 6.0<br>HIGH RISK: > 6.0  |



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

: 03/Aug/2024 11:09AM

**NAME** : Mrs. SWATI

AGE/ GENDER : 30 YRS/FEMALE **PATIENT ID** : 1569146

**COLLECTED BY** :012408030007 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 03/Aug/2024 09:05 AM BARCODE NO. :01514333 **COLLECTION DATE** : 03/Aug/2024 09:09AM

: KOS DIAGNOSTIC LAB **CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

| Test Name                        | Value | Unit  | Biological Reference interval |
|----------------------------------|-------|-------|-------------------------------|
| TRIGLYCERIDES/HDL RATIO: SERUM   | 4.8   | RATIO | 3.00 - 5.00                   |
| by CALCULATED, SPECTROPHOTOMETRY |       |       |                               |

REPORTING DATE

CLIENT CODE.

1.Measurements in the same patient can show physiological& analytical variations. Three serial samples 1 week apart are recommended for

Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available

to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.

4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL &Non

HDI 5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana



(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mrs. SWATI

**AGE/ GENDER** : 30 YRS/FEMALE **PATIENT ID** : 1569146

COLLECTED BY : REG. NO./LAB NO. : 012408030007

 REFERRED BY
 : 03/Aug/2024 09:05 AM

 BARCODE NO.
 : 01514333
 COLLECTION DATE
 : 03/Aug/2024 09:09AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 03/Aug/2024 11:09AM

**CLIENT ADDRESS**: 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

#### LIVER FUNCTION TEST (COMPLETE)

|   |                     | . (   |   |
|---|---------------------|-------|---|
| BILIRUBIN TOTAL: SERUM by DIAZOTIZATION, SPECTROPHOTOMETRY                          | 0.55                | mg/dL | INFANT: 0.20 - 8.00<br>ADULT: 0.00 - 1.20 |
| BILIRUBIN DIRECT (CONJUGATED): SERUM by DIAZO MODIFIED, SPECTROPHOTOMETRY           | 0.34                | mg/dL | 0.00 - 0.40                               |
| BILIRUBIN INDIRECT (UNCONJUGATED): SERUM by CALCULATED, SPECTROPHOTOMETRY           | 0.21                | mg/dL | 0.10 - 1.00                               |
| SGOT/AST: SERUM<br>by IFCC, WITHOUT PYRIDOXAL PHOSPHATE                             | 131.5 <sup>H</sup>  | U/L   | 7.00 - 45.00                              |
| SGPT/ALT: SERUM<br>by IFCC, WITHOUT PYRIDOXAL PHOSPHATE                             | 256.4 <sup>H</sup>  | U/L   | 0.00 - 49.00                              |
| AST/ALT RATIO: SERUM by CALCULATED, SPECTROPHOTOMETRY                               | 0.51                | RATIO | 0.00 - 46.00                              |
| ALKALINE PHOSPHATASE: SERUM  by Para nitrophenyl phosphatase by amino meti propanol | 298.42 <sup>H</sup> | U/L   | 40.0 - 130.0                              |
| GAMMA GLUTAMYL TRANSFERASE (GGT): SERUM by SZASZ, SPECTROPHTOMETRY                  | 48.69               | U/L   | 0.00 - 55.0                               |
| TOTAL PROTEINS: SERUM by BIURET, SPECTROPHOTOMETRY                                  | 6.06 <sup>L</sup>   | gm/dL | 6.20 - 8.00                               |
| ALBUMIN: SERUM  | 3.3 <sup>L</sup>    | gm/dL | 3.50 - 5.50                               |
| by BROMOCRESOL GREEN  |                     |       |   |
| GLOBULIN: SERUM by CALCULATED, SPECTROPHOTOMETRY                                    | 2.76                | gm/dL | 2.30 - 3.50                               |
| A : G RATIO: SERUM  | 1.2                 | RATIO | 1.00 - 2.00                               |

#### INTERPRETATION

by CALCULATED, SPECTROPHOTOMETRY

NOTE:- To be  $\overline{\textit{corre}}$  lated in individuals having SGOT and SGPT values higher than Normal Reference Range.

USE:- Differential diagnosis of diseases of hepatobiliary system and pancreas.

#### INCREASED:

| DRUG HEPATOTOXICITY                          | > 2                        |
|--|----------------------------|
| ALCOHOLIC HEPATITIS                          | > 2 (Highly Suggestive)    |
| CIRRHOSIS                                    | 1.4 - 2.0                  |
| INTRAHEPATIC CHOLESTATIS                     | > 1.5                      |
| HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS | > 1.3 (Slightly Increased) |



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS MD (PATHOLOGY)





(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

: 03/Aug/2024 11:09AM

**NAME** : Mrs. SWATI

**PATIENT ID AGE/ GENDER** : 30 YRS/FEMALE : 1569146

**COLLECTED BY** : 012408030007 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 03/Aug/2024 09:05 AM BARCODE NO. :01514333 **COLLECTION DATE** : 03/Aug/2024 09:09AM

: KOS DIAGNOSTIC LAB **CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit **Biological Reference interval** 

REPORTING DATE

#### **DECREASED:**

CLIENT CODE.

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

#### PROGNOSTIC SIGNIFICANCE:

| NORMAL               | < 0.65    |  |  |
|----------------------|-----------|--|--|
| GOOD PROGNOSTIC SIGN | 0.3 - 0.6 |  |  |
| POOR PROGNOSTIC SIGN | 1.2 - 1.6 |  |  |



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

mmol/L

90.0 - 110.0

NAME : Mrs. SWATI

**AGE/ GENDER** : 30 YRS/FEMALE **PATIENT ID** : 1569146

COLLECTED BY : REG. NO./LAB NO. : 012408030007

 REFERRED BY
 : 03/Aug/2024 09:05 AM

 BARCODE NO.
 : 01514333
 COLLECTION DATE
 : 03/Aug/2024 09:09AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 03/Aug/2024 11:09AM

**CLIENT ADDRESS**: 6349/1, NICHOLSON ROAD, AMBALA CANTT

| Test Name   | Value             | Unit            | Biological Reference interval |
|---|-------------------|-----------------|-------------------------------|
| KIE   | ONEY FUNCTION     | TEST (COMPLETE) |                               |
| UREA: SERUM by UREASE - GLUTAMATE DEHYDROGENASE (GLDH)            | 14.89             | mg/dL           | 10.00 - 50.00                 |
| CREATININE: SERUM by ENZYMATIC, SPECTROPHOTOMETERY                | 0.74              | mg/dL           | 0.40 - 1.20                   |
| BLOOD UREA NITROGEN (BUN): SERUM by CALCULATED, SPECTROPHOTOMETRY | 6.96 <sup>L</sup> | mg/dL           | 7.0 - 25.0                    |
| BLOOD UREA NITROGEN (BUN)/CREATININE<br>RATIO: SERUM              | 9.41 <sup>L</sup> | RATIO           | 10.0 - 20.0                   |

| RATIO: SERUM                           | 9.41  | Willo  | 10.0 20.0     |
|--|-------|--------|---------------|
| by CALCULATED, SPECTROPHOTOMETRY       |       |        |               |
| UREA/CREATININE RATIO: SERUM           | 20.12 | RATIO  |               |
| by CALCULATED, SPECTROPHOTOMETRY       |       |        |               |
| URIC ACID: SERUM                       | 4.82  | mg/dL  | 2.50 - 6.80   |
| by URICASE - OXIDASE PEROXIDASE        |       |        |               |
| CALCIUM: SERUM                         | 9.69  | mg/dL  | 8.50 - 10.60  |
| by ARSENAZO III, SPECTROPHOTOMETRY     |       |        |               |
| PHOSPHOROUS: SERUM                     | 3.54  | mg/dL  | 2.30 - 4.70   |
| by PHOSPHOMOLYBDATE, SPECTROPHOTOMETRY |       |        |               |
| ELECTROLYTES                           |       |        |               |
| SODIUM: SERUM                          | 139.3 | mmol/L | 135.0 - 150.0 |
| by ISE (ION SELECTIVE ELECTRODE)       |       |        |               |
| POTASSIUM: SERUM                       | 4.4   | mmol/L | 3.50 - 5.00   |
| by ISE (ION SELECTIVE ELECTRODE)       |       |        |               |

104.48

#### **ESTIMATED GLOMERULAR FILTERATION RATE**

by ISE (ION SELECTIVE ELECTRODE)

ESTIMATED GLOMERULAR FILTERATION RATE 111.6

(eGFR): SERUM by CALCULATED

CHLORIDE: SERUM

#### **INTERPRETATION:**

To differentiate between pre- and post renal azotemia.

#### INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

- 1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.
- 2. Catabolic states with increased tissue breakdown.



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUĞAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)









Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

**NAME** : Mrs. SWATI

AGE/ GENDER : 30 YRS/FEMALE **PATIENT ID** : 1569146

**COLLECTED BY** :012408030007 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 03/Aug/2024 09:05 AM BARCODE NO. :01514333 **COLLECTION DATE** : 03/Aug/2024 09:09AM CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 03/Aug/2024 11:09AM

**CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit **Biological Reference interval** 

- 3. GI haemorrhage.
- 4. High protein intake.
- 5. Impaired renal function plus
- 6. Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high protein diet, burns, surgery, cachexia, high fever).
- 7. Urine reabsorption (e.g. ureter colostomy)
- 8. Reduced muscle mass (subnormal creatinine production)
- 9. Certain drugs (e.g. tetracycline, glucocorticoids)

#### INCREASED RATIO (>20:1) WITH ELEVATED CREATININE LEVELS:

- 1. Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).
- 2. Prerenal azotemia superimposed on renal disease.

#### DECREASED RATIO (<10:1) WITH DECREASED BUN:

- 1. Acute tubular necrosis.
- 2. Low protein diet and starvation.
- 3. Severe liver disease.
- 4. Other causes of decreased urea synthesis.
- 5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).
- 6. Inherited hyperammonemias (urea is virtually absent in blood).
- 7. SIADH (syndrome of inappropiate antidiuretic harmone) due to tubular secretion of urea.
- 8. Pregnancy.

#### **DECREASED RATIO (<10:1) WITH INCREASED CREATININE:**

- 1. Phenacimide therapy (accelerates conversion of creatine to creatinine).
- 2. Rhabdomyolysis (releases muscle creatinine).
- 3. Muscular patients who develop renal failure.

#### **INAPPROPIATE RATIO:**

- 1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio)
- 2. Cephalosporin therapy (interferes with creatinine measurement). ESTIMATED GLOMERULAR FILTERATION RATE:

| ESTIMINATED GEOMERGEART TETERATION RATE. |                                       |                       |   |  |  |
|--|---------------------------------------|-----------------------|---|--|--|
| CKD STAGE                                | DESCRIPTION                           | GFR ( mL/min/1.73m2 ) | ASSOCIATED FINDINGS                               |  |  |
| G1                                       | Normal kidney function                | >90                   | No proteinuria                                    |  |  |
| G2                                       | Kidney damage with normal or high GFR | >90                   | Presence of Protein ,<br>Albumin or cast in urine |  |  |
| G3a                                      | Mild decrease in GFR                  | 60 -89                |   |  |  |
| G3b                                      | Moderate decrease in GFR              | 30-59                 |   |  |  |
| G4                                       | Severe decrease in GFR                | 15-29                 |   |  |  |
| G5                                       | Kidney failure                        | <15                   |   |  |  |



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana



(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

**NAME** : Mrs. SWATI

AGE/ GENDER : 30 YRS/FEMALE **PATIENT ID** : 1569146

:012408030007 COLLECTED BY REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 03/Aug/2024 09:05 AM BARCODE NO. **COLLECTION DATE** : 03/Aug/2024 09:09AM :01514333

CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 03/Aug/2024 11:09AM

**CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit **Biological Reference interval** 

#### COMMENTS:

1. Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney.

2. eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012

3. In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure

4. eGFR category G1 OR G2 does not fullfill the criteria for CKD, in the absence of evidence of Kidney Damage
5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure
6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C
7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)





(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mrs. SWATI

**AGE/ GENDER** : 30 YRS/FEMALE **PATIENT ID** : 1569146

COLLECTED BY : REG. NO./LAB NO. : 012408030007

 REFERRED BY
 : 03/Aug/2024 09:05 AM

 BARCODE NO.
 : 01514333
 COLLECTION DATE
 : 03/Aug/2024 09:09 AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 03/Aug/2024 11:09 AM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

#### **ENDOCRINOLOGY**

#### THYROID STIMULATING HORMONE (TSH)

THYROID STIMULATING HORMONE (TSH): SERUM 1.898 μIU/mL 0.35 - 5.50

by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

3rd GENERATION, ULTRASENSITIVE

#### **INTERPRETATION:**

| AGE                 | REFFERENCE RANGE (μIU/mL) |  |  |
|---------------------|---------------------------|--|--|
| 0 – 5 DAYS          | 0.70 - 15.20              |  |  |
| 6 Days – 2 Months   | 0.70 - 11.00              |  |  |
| 3 – 11 Months       | 0.70 - 8.40               |  |  |
| 1 – 5 Years         | 0.70 - 7.00               |  |  |
| 6 – 10 Years        | 0.60 - 5.50               |  |  |
| 11 - 15             | 0.50 - 5.50               |  |  |
| > 20 Years (Adults) | 0.27 - 5.50               |  |  |
| PRE                 | GNANCY                    |  |  |
| 1st Trimester       | 0.10 - 3.00               |  |  |
| 2nd Trimester       | 0.20 - 3.00               |  |  |
| 3rd Trimester       | 0.30 - 4.10               |  |  |

NOTE:-TSH levels are subjected to circardian variation, reaching peak levels between 2-4 a.m and at a minimum between 6-10 pm. The variation is of the order of 50 %. Hence time of the day has influence on the measured serum TSH concentration.

**USE**:- TSH controls biosynthesis and release of thyroid harmones T4 & T3. It is a sensitive measure of thyroid function, especially useful in early or subclinical hypothyroidism, before the patient develops any clinical findings or goitre or any other thyroid function abnormality.

#### INCREASED LEVELS:

- 1. Primary or untreated hypothyroidism, may vary from 3 times to more than 100 times normal depending on degree of hypofunction.
- 2. Hypothyroid patients receiving insufficient thyroid replacement therapy.
- 3. Hashimotos thyroiditis.
- 4.DRUGS: Amphetamines, Iodine containing agents and dopamine antagonist.
- 5. Neonatal period, increase in 1st 2-3 days of life due to post-natal surge.

#### **DECREASED LEVELS:**

- 1.Toxic multi-nodular goitre & Thyroiditis.
- 2. Over replacement of thyroid harmone in treatment of hypothyroidism.
- 3. Autonomously functioning Thyroid adenoma
- 4. Secondary pituatary or hypothalmic hypothyroidism
- 5. Acute psychiatric illness
- 6. Severe dehydration.



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana



# KOS Diagnostic Lab (A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME : Mrs. SWATI

AGE/ GENDER : 30 YRS/FEMALE PATIENT ID : 1569146

COLLECTED BY : REG. NO./LAB NO. : 012408030007

 REFERRED BY
 : 03/Aug/2024 09:05 AM

 BARCODE NO.
 : 01514333
 COLLECTION DATE
 : 03/Aug/2024 09:09 AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 03/Aug/2024 11:09 AM

**CLIENT ADDRESS**: 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis.

8. Pregnancy: 1st and 2nd Trimester

#### LIMITATIONS:

1.TSH may be normal in central hypothyroidism, recent rapid correction of hyperthyroidism or hypothyroidism, pregnancy, phenytoin therapy.

2. Autoimmune disorders may produce spurious results.



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana
KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana
0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mrs. SWATI

**AGE/ GENDER** : 30 YRS/FEMALE **PATIENT ID** : 1569146

COLLECTED BY : REG. NO./LAB NO. : 012408030007

 REFERRED BY
 : 03/Aug/2024 09:05 AM

 BARCODE NO.
 : 01514333
 COLLECTION DATE
 : 03/Aug/2024 09:09AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 03/Aug/2024 10:13AM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

### CLINICAL PATHOLOGY

#### **URINE ROUTINE & MICROSCOPIC EXAMINATION**

#### PHYSICAL EXAMINATION

QUANTITY RECIEVED 10 ml by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

COLOUR AMBER YELLOW PALE YELLOW

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

TRANSPARANCY CLEAR
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

CLEAR

SPECIFIC GRAVITY <=1.005 1.002 - 1.030

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

#### **CHEMICAL EXAMINATION**

REACTION ACIDIC

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

PROTEIN Negative NEGATIVE (-ve)

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

SUGAR Negative NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

pH 5.0 - 7.5

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

BILIRUBIN Negative NEGATIVE (-ve)

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

NITRITE Negative NEGATIVE (-ve)

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY.

UROBILINOGEN

Normal

EU/dL

0.2 - 1.0

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

KETONE BODIES Negative NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

BLOOD Negative NEGATIVE (-ve)

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

ASCORBIC ACID NEGATIVE (-ve) NEGATIVE (-ve) by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

MICROSCOPIC EXAMINATION



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS . MD (PATHOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana



(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME : Mrs. SWATI

AGE/ GENDER : 30 YRS/FEMALE PATIENT ID : 1569146

COLLECTED BY : REG. NO./LAB NO. : 012408030007

 REFERRED BY
 : 03/Aug/2024 09:05 AM

 BARCODE NO.
 : 01514333
 COLLECTION DATE
 : 03/Aug/2024 09:09 AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 03/Aug/2024 10:13 AM

**CLIENT ADDRESS**: 6349/1, NICHOLSON ROAD, AMBALA CANTT

|   |                |      | 51.1.15.6                     |
|---|----------------|------|-------------------------------|
| Test Name   | Value          | Unit | Biological Reference interval |
| RED BLOOD CELLS (RBCs) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT            | NEGATIVE (-ve) | /HPF | 0 - 3                         |
| PUS CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT                         | 1-2            | /HPF | 0 - 5                         |
| EPITHELIAL CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT                  | 2-3            | /HPF | ABSENT                        |
| CRYSTALS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT                          | NEGATIVE (-ve) |      | NEGATIVE (-ve)                |
| CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT                             | NEGATIVE (-ve) |      | NEGATIVE (-ve)                |
| BACTERIA by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT                          | NEGATIVE (-ve) |      | NEGATIVE (-ve)                |
| OTHERS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT                            | NEGATIVE (-ve) |      | NEGATIVE (-ve)                |
| TRICHOMONAS VAGINALIS (PROTOZOA)  by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT | ABSENT         |      | ABSENT                        |

\*\*\* End Of Report \*\*



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

