

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



KOS Diagnostic Lab (A Unit of KOS Healthcare)

	Dr. Vinay Ch MD (Pathology & Chairman & Cons			
NAME	: Mr. SHARAD GOEL			
AGE/ GENDER	: 46 YRS/MALE	PATI	ENT ID	: 1429872
COLLECTED BY	:	REG.	NO./LAB NO.	: 012408040005
REFERRED BY	:	REGI	STRATION DATE	: 04/Aug/2024 07:39 AM
BARCODE NO.	: 01514394	COLL	ECTION DATE	: 04/Aug/2024 10:40AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPO	RTING DATE	:04/Aug/2024 12:14PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	CLINI	CAL CHEMISTRY	BIOCHEMISTR	Y
		E FASTING (F) AND		
GLUCOSE FASTING (I): PLASMA	266.1 ^H	mg/dL	NORMAL: < 100.0
by GLUCOSE OXIDAS	E - PEROXIDASE (GOD-POD)			PREDIABETIC: 100.0 - 125.0
GLUCOSE POST PRAI		455.1 ^H	mg/dL	DIABETIC: > 0R = 126.0 NORMAL: < 140.00
	E - PEROXIDASE (GOD-POD)	455.1"	nig/ dL	PREDIABETIC: 140.00 - 200.0 DIABETIC: > 0R = 200.0
ADVICE		KINDLY CORREL	ATE CLINICALLY	
INTERPRETATION:				
2. A fasting plasma gl glucose intolerant or patients. 3. A fasting plasma gl state. A repeat post-p	pre diabetic. A fasting and post- ucose level of above 125 mg/dL	g/dl and post-prandial prandial blood test (aft and post-prandial plasr	plasma glucose level er consumption of 79 na glucose level abo	between 140 – 200 mg/dL is considered as 5 gms of glucose) is recommended for all such ve 200 mg/dL is highly suggestive of diabetic cose level in excess of 125 mg/dl on both
	*	** End Of Report	* * *	
y a constant		A.	. av	

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com

57

回济

67

