

(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Miss. TUSHAR

AGE/ GENDER : 17 YRS/FEMALE **PATIENT ID** : 1570684

COLLECTED BY : 012408050021 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 05/Aug/2024 08:40 AM BARCODE NO. :01514488 **COLLECTION DATE** : 05/Aug/2024 08:42AM CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 05/Aug/2024 09:07AM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit **Biological Reference interval**

HAEMATOLOGY COMPLETE BLOOD COUNT (CBC)

RED BLOOD CELLS (RBCS) COUNT AND INDICES

HAEMOGLOBIN (HB) by CALORIMETRIC	11.9 ^L	gm/dL	12.0 - 16.0
RED BLOOD CELL (RBC) COUNT by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE	4.71	Millions/cmm	3.50 - 5.00
PACKED CELL VOLUME (PCV) by calculated by automated hematology analyzer	38	%	35.0 - 49.0
MEAN CORPUSCULAR VOLUME (MCV) by calculated by automated hematology analyzer	80.7	fL	80.0 - 100.0
MEAN CORPUSCULAR HAEMOGLOBIN (MCH) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER	25.3 ^L	pg	27.0 - 34.0
MEAN CORPUSCULAR HEMOGLOBIN CONC. (MCHC) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER	31.3 ^L	g/dL	32.0 - 36.0
RED CELL DISTRIBUTION WIDTH (RDW-CV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER	13.7	%	11.00 - 16.00
RED CELL DISTRIBUTION WIDTH (RDW-SD) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER	41.3	fL	35.0 - 56.0
MENTZERS INDEX by CALCULATED	17.13	RATIO	BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0
GREEN & KING INDEX by CALCULATED	23.51	RATIO	BETA THALASSEMIA TRAIT: < = 65.0
			IRON DEFICIENCY ANEMIA: > 65.0
WHITE BLOOD CELLS (WRCS)			

MHILE REGOD CEFF2 (MRC2)

TOTAL LEUCOCYTE COUNT (TLC)	6780	/cmm	4000 - 11000
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY			
NUCLEATED RED BLOOD CELLS (nRBCS)	NIL		0.00 - 20.00
by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER &			
MICROSCOPY			
NUCLEATED RED BLOOD CELLS (nRBCS) %	NIL	%	< 10 %

by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER & MICROSCOPY

DIFFERENTIAL LEUCOCYTE COUNT (DLC)



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME : Miss. TUSHAR

AGE/ GENDER : 17 YRS/FEMALE **PATIENT ID** : 1570684

COLLECTED BY : REG. NO./LAB NO. : 012408050021

 REFERRED BY
 : 05/Aug/2024 08:40 AM

 BARCODE NO.
 : 01514488
 COLLECTION DATE
 : 05/Aug/2024 08:42AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 05/Aug/2024 09:07AM

CLIENT ADDRESS: 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name	Value	Unit	Biological Reference interval
NEUTROPHILS by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	56	%	50 - 70
LYMPHOCYTES by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	34	%	20 - 40
EOSINOPHILS by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	2	%	1 - 6
MONOCYTES by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	8	%	2 - 12
BASOPHILS by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE LEUKOCYTES (WBC) COUNT	0	%	0 - 1
ABSOLUTE NEUTROPHIL COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	3797	/cmm	2000 - 7500
ABSOLUTE LYMPHOCYTE COUNT by Flow cytometry by SF cube & MICROSCOPY	2305	/cmm	800 - 4900
ABSOLUTE EOSINOPHIL COUNT by Flow Cytometry by SF Cube & MICROSCOPY	136	/cmm	40 - 440
ABSOLUTE MONOCYTE COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY PLATELETS AND OTHER PLATELET PREDICTIVE MARKE	542 RS.	/cmm	80 - 880
PLATELET COUNT (PLT) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE	313000	/cmm	150000 - 450000
PLATELETCRIT (PCT) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE	0.32	%	0.10 - 0.36
MEAN PLATELET VOLUME (MPV) by hydro dynamic focusing, electrical impedence	10	fL	6.50 - 12.0
PLATELET LARGE CELL COUNT (P-LCC) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE	86000	/cmm	30000 - 90000
PLATELET LARGE CELL RATIO (P-LCR) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE	27.6	%	11.0 - 45.0
PLATELET DISTRIBUTION WIDTH (PDW) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD	16.1	%	15.0 - 17.0



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana



(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

: 05/Aug/2024 09:35AM

NAME : Miss. TUSHAR

AGE/ GENDER : 17 YRS/FEMALE **PATIENT ID** : 1570684

COLLECTED BY REG. NO./LAB NO. :012408050021

REFERRED BY **REGISTRATION DATE** : 05/Aug/2024 08:40 AM BARCODE NO. **COLLECTION DATE** : 05/Aug/2024 08:42AM :01514488

: KOS DIAGNOSTIC LAB **CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit **Biological Reference interval**

ERYTHROCYTE SEDIMENTATION RATE (ESR)

ERYTHROCYTE SEDIMENTATION RATE (ESR)

0 - 20

REPORTING DATE

by MODIFIED WESTERGREN AUTOMATED METHOD

INTERPRETATION:

CLIENT CODE.

- 1. ESR is a non-specific test because an elevated result often indicates the presence of inflammation associated with infection, cancer and auto-immune disease, but does not tell the health practitioner exactly where the inflammation is in the body or what is causing it.
- 2. An ESR can be affected by other conditions besides inflammation. For this reason, the ESR is typically used in conjunction with other test such as C-reactive protein
- 3. This test may also be used to monitor disease activity and response to therapy in both of the above diseases as well as some others, such as systemic lupus erythematosus CONDITION WITH LOW ESR

A low ESR can be seen with conditions that inhibit the normal sedimentation of red blood cells, such as a high red blood cell count (polycythaemia), significantly high white blood cell count (leucocytosis), and some protein abnormalities. Some changes in red cell shape (such as sickle cells in sickle cell anaemia) also lower the ESR.

- ESR and C reactive protein (C-RP) are both markers of inflammation.
 Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves.
 CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation.
 If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
- 5. Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.
- 6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while aspirin, cortisone, and quinine may decrease it



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)





(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Miss. TUSHAR

AGE/ GENDER : 17 YRS/FEMALE **PATIENT ID** : 1570684

COLLECTED BY :012408050021 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 05/Aug/2024 08:40 AM BARCODE NO. :01514488 **COLLECTION DATE** : 05/Aug/2024 08:42AM CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 05/Aug/2024 09:35AM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit **Biological Reference interval**

CLINICAL CHEMISTRY/BIOCHEMISTRY GLUCOSE RANDOM (R)

95.33 GLUCOSE RANDOM (R): PLASMA mg/dL NORMAL: < 140.00

by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD) PREDIABETIC: 140.0 - 200.0

DIABETIC: > OR = 200.0

IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:

1. A random plasma glucose level below 140 mg/dl is considered normal.

2. A random glucose level between 140 - 200 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prinadial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.

3. A random glucose level of above 200 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME : Miss. TUSHAR

AGE/ GENDER : 17 YRS/FEMALE **PATIENT ID** : 1570684

COLLECTED BY : REG. NO./LAB NO. : 012408050021

 REFERRED BY
 : 05/Aug/2024 08:40 AM

 BARCODE NO.
 : 01514488
 COLLECTION DATE
 : 05/Aug/2024 08:42 AM

CLIENT CODE. : KOS DIAGNOSTIC LAB **REPORTING DATE** : 05/Aug/2024 09:35AM

CLIENT ADDRESS: 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

UREA

UREA: SERUM 21.27 mg/dL 10.00 - 50.00 by UREASE - GLUTAMATE DEHYDROGENASE (GLDH)



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)



CLIENT CODE.



KOS Diagnostic Lab

(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

: 05/Aug/2024 09:35AM

NAME : Miss. TUSHAR

by ENZYMATIC, SPECTROPHOTOMETRY

AGE/ GENDER PATIENT ID : 1570684 : 17 YRS/FEMALE

COLLECTED BY : 012408050021 REG. NO./LAB NO.

REGISTRATION DATE REFERRED BY : 05/Aug/2024 08:40 AM BARCODE NO. :01514488 **COLLECTION DATE** : 05/Aug/2024 08:42AM

: KOS DIAGNOSTIC LAB **CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit **Biological Reference interval**

CREATININE

REPORTING DATE

CREATININE: SERUM 0.88 0.40 - 1.20



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)





KOS Diagnostic Lab (A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Miss. TUSHAR

AGE/ GENDER : 17 YRS/FEMALE PATIENT ID : 1570684

COLLECTED BY : REG. NO./LAB NO. : 012408050021

 REFERRED BY
 : 05/Aug/2024 08:40 AM

 BARCODE NO.
 : 01514488
 COLLECTION DATE
 : 05/Aug/2024 08:42AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 05/Aug/2024 09:35AM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

CALCIUM

CALCIUM: SERUM 9.31 mg/dL 8.50 - 10.60

by ARSENAZO III, SPECTROPHOTOMETRY

INTERPRETATION:-

- 1.Serum calcium (total) estimation is used for the diagnosis and monitoring of a wide range of disorders including diseases of bone, kidney, parathyroid gland, or gastrointestinal tract.
- 2. Calcium levels may also reflect abnormal vitamin D or protein levels.
- 3.The calcium content of an adult is somewhat over 1 kg (about 2% of the body weight). Of this, 99% is present as calcium hydroxyapatite in bones and <1% is present in the extra-osseous intracellular space or extracellular space (ECS).
- 4. In serum, calcium is bound to a considerable extent to proteins (approximately 40%), 10% is in the form of inorganic complexes, and 50% is present as free or ionized calcium.

NOTE:-Calcium ions affect the contractility of the heart and the skeletal musculature, and are essential for the function of the nervous system. In addition, calcium ions play an important role in blood clotting and bone mineralization.

HYPOCALCEMIA (LOW CALCIUM LEVELS) CAUSES:-

- 1.Due to the absence or impaired function of the parathyroid glands or impaired vitamin-D synthesis.
- 2. Chronic renal failure is also frequently associated with hypocalcemia due to decreased vitamin-D synthesis as well as hyperphosphatemia and skeletal resistance to the action of parathyroid hormone (PTH).
- 3. NOTE:- A characteristic symptom of hypocalcemia is latent or manifest tetany and osteomalacia.

HYPERCALCEMIA (INCREASE CALCIUM LEVELS) CAUSES:-

- 1.Increased mobilization of calcium from the skeletal system or increased intestinal absorption.
- 2. Primary hyperparathyroidism (pHPT)
- 3. Bone metastasis of carcinoma of the breast, prostate, thyroid gland, or lung

NOTE:-Severe hypercalcemia may result in cardiac arrhythmia.



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)





(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Miss. TUSHAR

AGE/ GENDER : 17 YRS/FEMALE PATIENT ID : 1570684

COLLECTED BY : REG. NO./LAB NO. : 012408050021

 REFERRED BY
 :
 REGISTRATION DATE
 : 05/Aug/2024 08:40 AM

 BARCODE NO.
 : 01514488
 COLLECTION DATE
 : 05/Aug/2024 08:42AM

CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 05/Aug/2024 09:56AM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

ENDOCRINOLOGY

THYROID FUNCTION TEST: TOTAL

TRIIODOTHYRONINE (T3): SERUM 1.057 ng/mL 0.35 - 1.93 by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

THYROXINE (T4): SERUM 8.55 μgm/dL 4.87 - 13.20

by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

THYROID STIMULATING HORMONE (TSH): SERUM 1.934 μIU/mL 0.50 - 5.50

by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

3rd GENERATION, ULTRASENSITIVE

INTERPRETATION:

TSH levels are subject to circadian variation, reaching peak levels between 2-4 a.m and at a minimum between 6-10 pm. The variation is of the order of 50%. Hence time of the day has influence on the measured serum TSH concentrations. TSH stimulates the production and secretion of the metabolically active hormones, thyroxine (T4) and trilodothyronine (T3). Failure at any level of regulation of the hypothalamic-pituitary-thyroid axis will result in either underproduction (hypothyroidism) or overproduction (hyperthyroidism) of T4 and/or T3.

CLINICAL CONDITION	T3	T4	TSH	
Primary Hypothyroidism:	Reduced	Reduced Reduced		
Subclinical Hypothyroidism:	Normal or Low Normal	Normal or Low Normal	High	
Primary Hyperthyroidism:	Increased	Increased	Reduced (at times undetectable)	
Subclinical Hyperthyroidism:	Normal or High Normal	Normal or High Normal	Reduced	

LIMITATIONS:

- 1. T3 and T4 circulates in reversibly bound form with Thyroid binding globulins (TBG), and to a lesser extent albumin and Thyroid binding Pre Albumin so conditions in which TBG and protein levels alter such as pregnancy, excess estrogens, anabolic steroids and glucocorticoids may falsely affect the T3 and T4 levels and may cause false thyroid values for thyroid function tests.
- 2. Normal levels of T4 can also be seen in Hyperthyroid patients with :T3 Thyrotoxicosis, Decreased binding capacity due to hypoproteinemia or ingestion of certain drugs (eq. phenytoin , salicylates).
- 3. Serum T4 levles in neonates and infants are higher than values in the normal adult, due to the increased concentration of TBG in neonate serum.
- 4. TSH may be normal in central hypothyroidism, recent rapid correction of hyperthyroidism or hypothroidism, pregnancy, phenytoin therapy.

TRIIODOTHYRONINE (T3)		THYROXI	NE (T4)	THYROID STIMULATING HORMONE (TSH)		
Age	Refferance Range (ng/mL)	Age	Refferance Range (μg/dL)	Age	Reference Range (μΙυ/mL)	
0 - 7 Days	0.20 - 2.65	0 - 7 Days	5.90 - 18.58	0 - 7 Days	2.43 - 24.3	
7 Days - 3 Months	0.36 - 2.59	7 Days - 3 Months	6.39 - 17.66	7 Days - 3 Months	0.58 - 11.00	
3 - 6 Months	0.51 - 2.52	3 - 6 Months	6.75 – 17.04	3 Days – 6 Months	0.70 - 8.40	



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana



(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Miss. TUSHAR

AGE/ GENDER : 17 YRS/FEMALE **PATIENT ID** : 1570684

COLLECTED BY : REG. NO./LAB NO. : 012408050021

 REFERRED BY
 :
 REGISTRATION DATE
 : 05/Aug/2024 08:40 AM

 BARCODE NO.
 : 01514488
 COLLECTION DATE
 : 05/Aug/2024 08:42AM

CLIENT CODE. : KOS DIAGNOSTIC LAB **REPORTING DATE** : 05/Aug/2024 09:56AM

CLIENT ADDRESS: 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name		Value	Value Unit		Biological Reference int	
0.74 - 2.40	6 - 12 Months	7.10 – 16.16	6 – 12 Months	0.70 - 7.00		
0.92 - 2.28	1 - 10 Years	6.00 - 13.80	1 – 10 Years	0.60 - 5.50		
0.35 - 1.93	11 - 19 Years	4.87- 13.20	11 - 19 Years	0.50 - 5.50		
0.35 - 1.93	> 20 Years (Adults)	4.87 - 12.60	> 20 Years (Adults)	0.35- 5.50		
RECOMMENDATIONS OF TSH LEVELS DURING PREGNANCY (μΙU/mL)						
1st Trimester			0.10 - 2.50			
2nd Trimester		0.20 - 3.00				
3rd Trimester		0.30 - 4.10				
	0.92 - 2.28 0.35 - 1.93 0.35 - 1.93 RECON 1st Trimester 2nd Trimester	0.92 - 2.28	0.74 - 2.40 6 - 12 Months 7.10 - 16.16 0.92 - 2.28 1 - 10 Years 6.00 - 13.80 0.35 - 1.93 11 - 19 Years 4.87 - 13.20 0.35 - 1.93 > 20 Years (Adults) 4.87 - 12.60 RECOMMENDATIONS OF TSH LEVELS DURING PRECOMMENDATIONS OF TSH LEVEL	0.74 - 2.40 6 - 12 Months 7.10 - 16.16 6 - 12 Months 0.92 - 2.28 1 - 10 Years 6.00 - 13.80 1 - 10 Years 0.35 - 1.93 11 - 19 Years 4.87 - 13.20 11 - 19 Years 0.35 - 1.93 > 20 Years (Adults) 4.87 - 12.60 > 20 Years (Adults) RECOMMENDATIONS OF TSH LEVELS DURING PREGNANCY (μIU/mL) 1st Trimester 0.10 - 2.50 2nd Trimester 0.20 - 3.00	0.74 - 2.40 6 - 12 Months 7.10 - 16.16 6 - 12 Months 0.70 - 7.00 0.92 - 2.28 1 - 10 Years 6.00 - 13.80 1 - 10 Years 0.60 - 5.50 0.35 - 1.93 11 - 19 Years 4.87 - 13.20 11 - 19 Years 0.50 - 5.50 0.35 - 1.93 > 20 Years (Adults) 4.87 - 12.60 > 20 Years (Adults) 0.35 - 5.50 RECOMMENDATIONS OF TSH LEVELS DURING PREGNANCY (μΙU/mL) 1st Trimester 0.10 - 2.50 2nd Trimester 0.20 - 3.00	0.74 - 2.40 6 - 12 Months 7.10 - 16.16 6 - 12 Months 0.70 - 7.00 0.92 - 2.28 1 - 10 Years 6.00 - 13.80 1 - 10 Years 0.60 - 5.50 0.35 - 1.93 11 - 19 Years 4.87 - 13.20 11 - 19 Years 0.50 - 5.50 0.35 - 1.93 > 20 Years (Adults) 4.87 - 12.60 > 20 Years (Adults) 0.35 - 5.50 RECOMMENDATIONS OF TSH LEVELS DURING PREGNANCY (μIU/mL) 1st Trimester 0.10 - 2.50 2nd Trimester 0.20 - 3.00

INCREASED TSH LEVELS:

- 1. Primary or untreated hypothyroidism may vary from 3 times to more than 100 times normal depending upon degree of hypofunction.
- 2. Hypothyroid patients receiving insufficient thyroid replacement therapy.
- 3. Hashimotos thyroiditis
- 4.DRUGS: Amphetamines, idonie containing agents & dopamine antagonist.
- 5. Neonatal period, increase in 1st 2-3 days of life due to post-natal surge

DECREASED TSH LEVELS:

- 1.Toxic multi-nodular goitre & Thyroiditis.
- $2. Over \ replacement \ of \ thyroid \ harmone \ in \ treatment \ of \ hypothyroid ism.$
- 3. Autonomously functioning Thyroid adenoma
- 4. Secondary pituatary or hypothalmic hypothyroidism
- 5. Acute psychiatric illness
- 6. Severe dehydration.
- 7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis.

8. Pregnancy: 1st and 2nd Trimester

*** End Of Report ***



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana