

## **KOS Diagnostic Lab** (A Unit of KOS Healthcare)





Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

**NAME** : Mrs. DIKSHA

**AGE/ GENDER PATIENT ID** : 30 YRS/FEMALE : 1570731

**COLLECTED BY** : 012408050039 REG. NO./LAB NO.

**REGISTRATION DATE** REFERRED BY : 05/Aug/2024 10:42 AM BARCODE NO. :01514506 **COLLECTION DATE** : 05/Aug/2024 10:46AM CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 05/Aug/2024 11:06AM

**CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

**Test Name** Value Unit **Biological Reference interval** 

## **HAEMATOLOGY BLOOD GROUP (ABO) AND RH FACTOR TYPING**

**ABO GROUP** by SLIDE AGGLUTINATION RH FACTOR TYPE by SLIDE AGGLUTINATION AΒ

**POSITIVE** 



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)







(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

: 05/Aug/2024 12:04PM

**NAME** : Mrs. DIKSHA

**AGE/ GENDER PATIENT ID** : 30 YRS/FEMALE : 1570731

**COLLECTED BY** : 012408050039 REG. NO./LAB NO.

**REGISTRATION DATE** REFERRED BY : 05/Aug/2024 10:42 AM BARCODE NO. :01514506 **COLLECTION DATE** : 05/Aug/2024 10:46AM

: KOS DIAGNOSTIC LAB **CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

**Test Name** Value Unit **Biological Reference interval** 

**BLEEDING TIME (BT)** 

REPORTING DATE

**BLEEDING TIME (BT)** 2 MIN. 45 SEC. MINS

by DUKE METHOD

CLIENT CODE.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



CLIENT CODE.

by CAPILLARY TUBE METHOD



# **KOS Diagnostic Lab**

(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

: 05/Aug/2024 12:04PM

**NAME** : Mrs. DIKSHA

**AGE/ GENDER PATIENT ID** : 30 YRS/FEMALE : 1570731

**COLLECTED BY** : 012408050039 REG. NO./LAB NO.

**REGISTRATION DATE** REFERRED BY : 05/Aug/2024 10:42 AM BARCODE NO. :01514506 **COLLECTION DATE** : 05/Aug/2024 10:46AM

: KOS DIAGNOSTIC LAB **CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

**Test Name** Value Unit **Biological Reference interval** 

**CLOTTING TIME (CT)** 

REPORTING DATE

**CLOTTING TIME (CT)** 5 MIN. 55 SEC. MINS



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)





(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

**NAME** : Mrs. DIKSHA

**AGE/ GENDER** : 30 YRS/FEMALE **PATIENT ID** : 1570731

**COLLECTED BY** : 012408050039 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 05/Aug/2024 10:42 AM BARCODE NO. :01514506 **COLLECTION DATE** : 05/Aug/2024 10:46AM CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 05/Aug/2024 11:52AM

**CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

**Test Name** Value Unit **Biological Reference interval** 

## **CLINICAL CHEMISTRY/BIOCHEMISTRY GLUCOSE RANDOM (R)**

92.21 GLUCOSE RANDOM (R): PLASMA mg/dL NORMAL: < 140.00

by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD) PREDIABETIC: 140.0 - 200.0 DIABETIC: > OR = 200.0

IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:

1. A random plasma glucose level below 140 mg/dl is considered normal.

2. A random glucose level between 140 - 200 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prinadial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.

3. A random glucose level of above 200 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mrs. DIKSHA

**AGE/ GENDER** : 30 YRS/FEMALE **PATIENT ID** : 1570731

COLLECTED BY : REG. NO./LAB NO. : 012408050039

 REFERRED BY
 : 05/Aug/2024 10:42 AM

 BARCODE NO.
 : 01514506
 COLLECTION DATE
 : 05/Aug/2024 10:46AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 05/Aug/2024 12:04PM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

## IMMUNOPATHOLOGY/SEROLOGY

HEPATITIS C VIRUS (HCV) ANTIBODY: TOTAL

HEPATITIS C ANTIBODY (HCV) TOTAL: SERUM 0.08 S/CO NEGATIVE: < 1.00 by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY) POSITIVE: > 1.00

HEPATITIS C ANTIBODY (HCV) TOTAL NON - REACTIVE

RESULT

by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

DECLIIT (INIDEA)

### **INTERPRETATION:-**

KESOLI (INDEX)	KLIVIAKKS	l
< 1.00	NON - REACTIVE/NOT - DETECTED	
> =1.00	REACTIVE/ASYMPTOMATIC/INFECTIVE STATE/CARRIER STATE.	
Henatitis C (HCV) is an RNA virus of Favivirus group t	ransmitted via blood transfusions, transplantation, injection drug ab	ousers, accide

Hepatitis C (HCV) is an RNA virus of Favivirus group transmitted via blood transfusions, transplantation, injection drug abusers, accidental needle punctures in healthcare workers, dialysis patients and rarely from mother to infant. 10 % of new cases show sexual transmission. As compared to HAV & HBV, chronic infection with HCV occurs in 85 % of infected individuals. In high risk population, the predictive value of Anti HCV for HCV infection is > 99% whereas in low risk populations it is only 25 %.

DEMANDES

- 1. Indicator of past or present infection, but does not differentiate between Acute/ Chronic/Resolved Infection.
- 2. Routine screening of low and high prevelance population including blood donors.

#### NOTE:

- 1. False positive results are seen in Auto-immune disease, Rheumatoid Factor, HYpergammaglobulinemia, Paraproteinemia, Passive antibody transfer, Anti-idiotypes and Anti-superoxide dismutase.
- 2. False negative results are seen in early Acute infection, Immunosuppression and Immuno—incompetence.

3. HCV-RNĀ PCR recommended in all reactive results to differentiate between past and present infection.



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana



(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

**NAME** : Mrs. DIKSHA

**AGE/ GENDER** : 30 YRS/FEMALE **PATIENT ID** : 1570731

**COLLECTED BY** : 012408050039 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 05/Aug/2024 10:42 AM BARCODE NO. :01514506 **COLLECTION DATE** : 05/Aug/2024 10:46AM

: KOS DIAGNOSTIC LAB **CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

**Test Name** Value Unit **Biological Reference interval** 

### ANTI HUMAN IMMUNODEFICIENCY VIRUS (HIV) DUO ULTRA WITH (P-24 ANTIGEN DETECTION)

REPORTING DATE

HIV 1/2 AND P24 ANTIGEN: SERUM

NEGATIVE: < 1.00

by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

POSITIVE: > 1.00

: 05/Aug/2024 12:04PM

HIV 1/2 AND P24 ANTIGEN RESULT

**NON - REACTIVE** 

by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

INTERPRETATION:-

CLIENT CODE.

RESULT (INDEX)	REMARKS	
< 1.00	NON - REACTIVE	
> = 1.00	PROVISIONALLY REACTIVE	

Non-Reactive result implies that antibodies to HIV 1/2 have not been detected in the sample. This menas that patient has either not been exposed to HIV 1/2 infection or the sample has been tested during the "window phase" i.e. before the development of detectable levels of antibodies. Hence a Non Reactive result does not exclude the possibility of exposure or infection with HIV 1/2. **RECOMMENDATIONS:** 

1. Results to be clinically correlated

2. Rarely falsenegativity/positivity may occur.



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra

MD (Pathology)

CEO & Consultant Pathologist

NAME : Mrs. DIKSHA

AGE/ GENDER : 30 YRS/FEMALE PATIENT ID : 1570731

COLLECTED BY : REG. NO./LAB NO. : 012408050039

 REFERRED BY
 : 05/Aug/2024 10:42 AM

 BARCODE NO.
 : 01514506
 COLLECTION DATE
 : 05/Aug/2024 10:46AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 05/Aug/2024 12:04PM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

### HEPATITIS B SURFACE ANTIGEN (HBsAg) ULTRA

HEPATITIS B SURFACE ANTIGEN (HBsAg): 0.19 S/CO NEGATIVE: < 1.0 POSITIVE: > 1.0

by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

HEPATITIS B SURFACE ANTIGEN (HBsAg)

NON REACTIVE

RESULT

by CMIA (CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY)

INTERPRETATION:

<u>INTERNACIONE</u>				
RESULT IN INDEX VALUE	REMARKS			
< 1.30	NEGATIVE (-ve)			
>=1.30	POSITIVE (+ve)			

Hepatitis B Virus (HBV) is a member of the Hepadna virus family causing infection of the liver with extremely variable clinical features. Hepatitis B is transmitted primarily by body fluids especially serum and also spread effectively sexually and from mother to baby. In most individuals HBV hepatitis is self limiting, but 1-2 % normal adolescent and adults develop Chronic Hepatitis. Frequency of chronic HBV infection is 5-10% in immunocompromised patients and 80 % neonates. The initial serological marker of acute infection is HBsAg which typically appears 2-3 months after infection and disappears 12-20 weeks after onset of symtoms. Persistence of HBsAg for more than 6 months indicates carrier state or Chronic Liver disease.



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)



0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mrs. DIKSHA

**AGE/ GENDER** : 30 YRS/FEMALE **PATIENT ID** : 1570731

COLLECTED BY : REG. NO./LAB NO. : 012408050039

 REFERRED BY
 : 05/Aug/2024 10:42 AM

 BARCODE NO.
 : 01514506
 COLLECTION DATE
 : 05/Aug/2024 10:46AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 05/Aug/2024 11:21AM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

**VDRL** 

VDRL NON REACTIVE NON REACTIVE

by IMMUNOCHROMATOGRAPHY

### **INTERPRETATION:**

- 1. Does not become positive until 7 10 days after appearance of chancre.
- 2. High titer (>1:16) active disease.
- 3.Low titer (<1:8) biological falsepositive test in 90% cases or due to late or late latent syphillis.
- 4. Treatment of primary syphillis causes progressive decline tonegative VDRL within 2 years.
- 5. Rising titer (4X) indicates relapse, reinfection, or treatment failure and need for retreatment.
- 6. May benonreactive in early primary, late latent, and late syphillis (approx. 25% ofcases).
- 7. Reactive and weakly reactive tests should always be confirmed with FTA-ABS (fluorescent treponemal antibody absorption test).

### SHORTTERM FALSE POSITIVE TEST RESULTS (<6 MONTHS DURATION) MAY OCCURIN:

- 1. Acute viral illnesses (e.g., hepatitis, measles, infectious mononucleosis)
- 2.M. pneumoniae; Chlamydia; Malaria infection.
- 3. Some immunizations
- 4. Pregnancy (rare)

### LONGTERM FALSE POSITIVE TEST RESULTS (>6 MONTHS DURATION) MAY OCCUR IN:

- 1. Serious underlying disease e.g., collagen vascular diseases, leprosy, malignancy.
- 2.Intravenous drug users.
- 3. Rheumatoid arthritis, thyroiditis, AIDS, Sjogren's syndrome.
- 4.<10 % of patients older thanage 70 years.
- 5. Patients taking some anti-hypertensive drugs.



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana



(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mrs. DIKSHA

AGE/ GENDER : 30 YRS/FEMALE PATIENT ID : 1570731

COLLECTED BY : REG. NO./LAB NO. : 012408050039

 REFERRED BY
 : 05/Aug/2024 10:42 AM

 BARCODE NO.
 : 01514506
 COLLECTION DATE
 : 05/Aug/2024 10:46AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 05/Aug/2024 11:58AM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

## CLINICAL PATHOLOGY

### **URINE ROUTINE & MICROSCOPIC EXAMINATION**

### PHYSICAL EXAMINATION

QUANTITY RECIEVED 10 ml by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

COLOUR PALE YELLOW PALE YELLOW

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

TRANSPARANCY HAZY CLEAR by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

SPECIFIC GRAVITY 1.02 1.002 - 1.030

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

### **CHEMICAL EXAMINATION**

REACTION ACIDIC

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY.

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

PROTEIN

Negative

NEGATIVE (-ve)

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

SUGAR Negative NEGATIVE (-ve)

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

pH 5.5 5.0 - 7.5

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

BILIRUBIN Negative NEGATIVE (-ve) by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

NITRITE Negative NEGATIVE (-ve)

UROBILINOGEN Normal EU/dL 0.2 - 1.0

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

KETONE BODIES

Negative

NEGATIVE (-ve)

by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

BLOOD Negative NEGATIVE (-ve) by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

ASCORBIC ACID NEGATIVE (-ve) NEGATIVE (-ve) by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY

MICROSCOPIC EXAMINATION



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana



CLIENT CODE.

# **KOS Diagnostic Lab**

(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

: 05/Aug/2024 11:58AM

**NAME** : Mrs. DIKSHA

**AGE/ GENDER** : 30 YRS/FEMALE **PATIENT ID** : 1570731

**COLLECTED BY** REG. NO./LAB NO. : 012408050039

REFERRED BY **REGISTRATION DATE** : 05/Aug/2024 10:42 AM **COLLECTION DATE** BARCODE NO. :01514506 : 05/Aug/2024 10:46AM

: KOS DIAGNOSTIC LAB **CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name	Value	Unit	Biological Reference interval
RED BLOOD CELLS (RBCs)  by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)	/HPF	0 - 3
PUS CELLS  by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	4-6	/HPF	0 - 5
EPITHELIAL CELLS  by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	10-12	/HPF	ABSENT
CRYSTALS  by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
BACTERIA by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
OTHERS  by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
TRICHOMONAS VAGINALIS (PROTOZOA)  by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	ABSENT		ABSENT

REPORTING DATE

**End Of Report** 



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com