



MD (Path		Vinay Chopra Pathology & Microbiology) man & Consultant Pathologist C		Chopra (Pathology) Pathologist
NAME	: Mrs. HARPREET			
AGE/ GENDER	: 32 YRS/FEMALE	PATIE	NT ID	: 1579092
COLLECTED BY	:	REG. N	IO./LAB NO.	: 012408130037
REFERRED BY	:	REGIS	TRATION DATE	: 13/Aug/2024 11:20 AM
BARCODE NO.	: 01515006	COLLE	CTION DATE	: 13/Aug/2024 11:25AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPO	RTING DATE	: 13/Aug/2024 11:54AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD	, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
HAEMOGLOBIN (HE	3)	12.5	gm/dL	12.0 - 16.0
		HAEMOGLOBI	N (HB)	
by CALORIMETRIC		12.5	gin/ dL	12.0 - 10.0
INTERPRETATION:- Hemoglobin is the pr	rotein molecule in red blood cell	s that carries oxygen fron	n the lungs to the bo	dys tissues and returns carbon dioxide from
Alexandra Inc. In the U. P.	ungs. vel is referred to as ANEMIA or lo	ow red blood count		
A low hemoglobin le ANEMIA (DECRESED	HAEMOGLOBIN):		(
ANEMIA (DECRESED 1) Loss of blood (trat	umatic injury, surgery, bleeding,	colon cancer or stomach	ulcer)	
A low hemoglobin le ANEMIA (DECRESED 1) Loss of blood (trai 2) Nutritional deficie 3) Bone marrow prof	umatic injury, surgery, bleeding, ency (iron, vitamin B12, folate) blems (replacement of bone mar	row by cancer)	ulcer)	
A low hemoglobin le ANEMIA (DECRESED 1) Loss of blood (trai 2) Nutritional deficie 3) Bone marrow prob 4) Suppression by re 5) Kidney failure	umatic injury, surgery, bleeding, ency (iron, vitamin B12, folate) blems (replacement of bone mar d blood cell synthesis by chemo	row by cancer) therapy drugs	ulcer)	
A low hemoglobin le ANEMIA (DECRESED 1) Loss of blood (trai 2) Nutritional deficie 3) Bone marrow prol 4) Suppression by re 5) Kidney failure 6) Abnormal hemogl	umatic injury, surgery, bleeding, ency (iron, vitamin B12, folate) blems (replacement of bone mar d blood cell synthesis by chemo lobin structure (sickle cell anem	row by cancer) therapy drugs	ulcer)	
A low hemoglobin le ANEMIA (DECRESED 1) Loss of blood (trai 2) Nutritional deficie 3) Bone marrow prol 4) Suppression by re 5) Kidney failure 6) Abnormal hemogl POLYCYTHEMIA (INC 1) People in higher a	umatic injury, surgery, bleeding, ency (iron, vitamin B12, folate) blems (replacement of bone mar d blood cell synthesis by chemo lobin structure (sickle cell anem REASED HAEMOGLOBIN): altitudes (Physiological)	row by cancer) therapy drugs	ulcer)	
A low hemoglobin le ANEMIA (DECRESED 1) Loss of blood (trat 2) Nutritional deficie 3) Bone marrow prod 4) Suppression by re 5) Kidney failure 6) Abnormal hemogl POLYCYTHEMIA (INC 1) People in higher a 2) Smoking (Seconda	umatic injury, surgery, bleeding, ency (iron, vitamin B12, folate) blems (replacement of bone mar d blood cell synthesis by chemo lobin structure (sickle cell anem REASED HAEMOGLOBIN): altitudes (Physiological) ary Polycythemia)	row by cancer) therapy drugs ia or thalassemia).		
A low hemoglobin le ANEMIA (DECRESED 1) Loss of blood (trat 2) Nutritional deficie 3) Bone marrow prob 4) Suppression by re 5) Kidney failure 6) Abnormal hemogl POLYCYTHEMIA (INC 1) People in higher a 2) Smoking (Seconda 3) Dehydration prod 4) Advanced lung dis	umatic injury, surgery, bleeding, ency (iron, vitamin B12, folate) blems (replacement of bone mar d blood cell synthesis by chemo lobin structure (sickle cell anem REASED HAEMOGLOBIN): altitudes (Physiological)	row by cancer) therapy drugs ia or thalassemia).		
A low hemoglobin le ANEMIA (DECRESED 1) Loss of blood (trat 2) Nutritional deficie 3) Bone marrow prod 4) Suppression by re 5) Kidney failure 6) Abnormal hemogl POLYCYTHEMIA (INC 1) People in higher a 2) Smoking (Seconda 3) Dehydration prod 4) Advanced lung dis 5) Certain tumors	umatic injury, surgery, bleeding, ency (iron, vitamin B12, folate) blems (replacement of bone mar d blood cell synthesis by chemo lobin structure (sickle cell anem REASED HAEMOGLOBIN): altitudes (Physiological) ary Polycythemia) uces a falsely rise in hemoglobir	row by cancer) therapy drugs ia or thalassemia). ndue to increased haemo		

KOS Diagnostic Lab (A Unit of KOS Healthcare)

chemically raising the production of red blood cells). NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

V DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







	MD (Pathology & Mi	MD (Pathology & Microbiology)		ugam Chopra MD (Pathology) sultant Pathologist		
NAME	: Mrs. HARPREET					
AGE/ GENDER	: 32 YRS/FEMALE		PATIENT ID	: 1579092		
COLLECTED BY	:		REG. NO./LAB NO.	: 012408130037		
REFERRED BY	:		REGISTRATION DATE	: 13/Aug/2024 11:20 AM		
BARCODE NO.	: 01515006		COLLECTION DATE	: 13/Aug/2024 11:25AM		
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 13/Aug/2024 01:06PM		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	BALA CANT	T			
Test Name		Value	Unit	Biological Reference interval		
		ENDO	CRINOLOGY			
	ТНУ	ROID FU	NCTION TEST: TOTAL			
TRIIODOTHYRONINI by CMIA (CHEMILUMIN	E (T3): SERUM iescent microparticle immunoassa	0.719 _{Y)}	ng/mL	0.35 - 1.93		
THYROXINE (T4): SE by CMIA (CHEMILUMIN	RUM iescent microparticle immunoassa	8.52 Y)	μgm/dL	4.87 - 12.60		
	ING HORMONE (TSH): SERUM iescent microparticle immunoassa	3.129 Y)	μIU/mL	0.35 - 5.50		
3rd GENERATION, ULT <u>INTERPRETATION</u> :	RASENSITIVE					
day has influence on the trilodothyronine (T3).Fai		imulates the p	production and secretion of the m	<i>m. The variation is of the order of 50%.Hence time of</i> etabolically active hormones, thyroxine (T4)and er underproduction (hypothyroidism) or		

overproduction(hyperthyroidism) of T4 and/or T3.

CLINICAL CONDITION	T3	T4	TSH
Primary Hypothyroidism:	Reduced	Reduced	Increased (Significantly)
Subclinical Hypothyroidism:	Normal or Low Normal	Normal or Low Normal	High
Primary Hyperthyroidism:	Increased	Increased	Reduced (at times undetectable)
Subclinical Hyperthyroidism:	Normal or High Normal	Normal or High Normal	Reduced

LIMITATIONS:-

1. T3 and T4 circulates in reversibly bound form with Thyroid binding globulins (TBG), and to a lesser extent albumin and Thyroid binding Pre Albumin so conditions in which TBG and protein levels alter such as pregnancy, excess estrogens, androgens, anabolic steroids and glucocorticoids may falsely affect the T3 and T4 levels and may cause false thyroid values for thyroid function tests.

2. Normal levels of T4 can also be seen in Hyperthyroid patients with :T3 Thyrotoxicosis, Decreased binding capacity due to hypoproteinemia or ingestion of certain drugs (eg: phenytoin , salicylates).

3. Serum T4 levies in neonates and infants are higher than values in the normal adult , due to the increased concentration of TBG in neonate serum.

4. TSH may be normal in central hypothyroidism, recent rapid correction of hyperthyroidism or hypothroidism, pregnancy, phenytoin therapy.

TRIIODOTHYRONINE (T3)		THYROXINE (T4)		THYROID STIMULATING HORMONE (TSH)	
Age	Refferance Range (ng/mL)	Age	Refferance Range (μg/dL)	Age	Reference Range (µIU/mL)
0 - 7 Days	0.20 - 2.65	0 - 7 Days	5.90 - 18.58	0 - 7 Days	2.43 - 24.3
7 Days - 3 Months	0.36 - 2.59	7 Days - 3 Months	6.39 - 17.66	7 Days - 3 Months	0.58 - 11.00
3 - 6 Months	0.51 - 2.52	3 - 6 Months	6.75 - 17.04	3 Days – 6 Months	0.70 - 8.40





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB. AMBALA CANTT





	Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologis		Pathology)
NAME	: Mrs. HARPREET		
AGE/ GENDER	: 32 YRS/FEMALE	PATIENT ID	: 1579092
COLLECTED BY	:	REG. NO./LAB NO.	: 012408130037
REFERRED BY	:	REGISTRATION DATE	: 13/Aug/2024 11:20 AM
BARCODE NO.	: 01515006	COLLECTION DATE	: 13/Aug/2024 11:25AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 13/Aug/2024 01:06PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name			Value		t	Biological Reference interva
6 - 12 Months	0.74 - 2.40	6 - 12 Months	7.10 - 16.16	6 – 12 Months	0.70 - 7.00	
1 - 10 Years	0.92 - 2.28	1 - 10 Years	6.00 - 13.80	1 – 10 Years	0.60 - 5.50	
11- 19 Years	0.35 - 1.93	11 - 19 Years	4.87- 13.20	11 – 19 Years	0.50 - 5.50	
> 20 years (Adults)	0.35 - 1.93	> 20 Years (Adults)	4.87 - 12.60	> 20 Years (Adults)	0.35- 5.50	
	RECO	VIMENDATIONS OF TSH LI	EVELS DURING PRE	GNANCY (µIU/mL)		
1st Trimester			0.10 – 2.50			
2nd Trimester			0.20 - 3.00			
	3rd Trimester			0.30 - 4.10		

INCREASED TSH LEVELS:

1.Primary or untreated hypothyroidism may vary from 3 times to more than 100 times normal depending upon degree of hypofunction.

2. Hypothyroid patients receiving insufficient thyroid replacement therapy.

3.Hashimotos thyroiditis

4.DRUGS: Amphetamines, idonie containing agents & dopamine antagonist.

5.Neonatal period, increase in 1st 2-3 days of life due to post-natal surge

DECREASED TSH LEVELS:

1.Toxic multi-nodular goitre & Thyroiditis.

2. Over replacement of thyroid harmone in treatment of hypothyroidism.

3. Autonomously functioning Thyroid adenoma

4. Secondary pituatary or hypothalmic hypothyroidism

5. Acute psychiatric illness

6.Severe dehydration.

7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis.

8. Pregnancy: 1st and 2nd Trimester

*** End Of Report **





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

