

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT



	<b>Dr. Vinay Chopr</b> MD (Pathology & Mic Chairman & Consulta	robiology)	ME	n Chopra 9 (Pathology) t Pathologist
NAME	: Mrs. TAMANNA			
AGE/ GENDER	: 54 YRS/FEMALE		PATIENT ID	: 1594569
COLLECTED BY	: SURJESH		<b>REG. NO./LAB NO.</b>	: 012408280050
REFERRED BY	:		REGISTRATION DATE	: 28/Aug/2024 05:02 PM
BARCODE NO. CLIENT CODE.	: 01515885 : KOS DIAGNOSTIC LAB		COLLECTION DATE REPORTING DATE	: 28/Aug/2024 05:13PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMB	ALA CANT		: 28/Aug/2024 05:30PM
Test Name		Value	Unit	Biological Reference interval
		HAEN	ATOLOGY	
	CON		OOD COUNT (CBC)	
RED BLOOD CELLS (R	BCS) COUNT AND INDICES			
HAEMOGLOBIN (HB)		11.8 <sup>L</sup>	gm/dL	12.0 - 16.0
<i>by CALORIMETRIC</i> RED BLOOD CELL (RB		4.13	Millions/	cmm 3.50 - 5.00
PACKED CELL VOLUM		37.1	%	37.0 - 50.0
by CALCULATED BY AU MEAN CORPUSCULAR	<i>jtomated hematology analyzer</i> R VOLUME (MCV)	89.8	fL	80.0 - 100.0
	JTOMATED HEMATOLOGY ANALYZER R HAEMOGLOBIN (MCH)	28.5	pg	27.0 - 34.0
MEAN CORPUSCULAR	JTOMATED HEMATOLOGY ANALYZER R HEMOGLOBIN CONC. (MCHC)	31.7 <sup>L</sup>	g/dL	32.0 - 36.0
<b>RED CELL DISTRIBUT</b>	UTOMATED HEMATOLOGY ANALYZER ION WIDTH (RDW-CV)	16.2 <sup>H</sup>	%	11.00 - 16.00
RED CELL DISTRIBUTI	<b>UTOMATED HEMATOLOGY ANALYZER</b> ON WIDTH (RDW-SD)	54.6	fL	35.0 - 56.0
by CALCULATED BY AU MENTZERS INDEX by CALCULATED	JTOMATED HEMATOLOGY ANALYZER	21.74	RATIO	BETA THALASSEMIA TRAIT: < 13.0
GREEN & KING INDE	K	35.14	RATIO	IRON DEFICIENCY ANEMIA: >13.0 BETA THALASSEMIA TRAIT:<= 65.0 IRON DEFICIENCY ANEMIA: > 65.0
WHITE BLOOD CELLS	(WBCS)			INGIN DEFICIENCE AINEIVIIA: > 03.0
TOTAL LEUCOCYTE CO	DUNT (TLC)	6830	/cmm	4000 - 11000
NUCLEATED RED BLO	· · · · ·	NIL		0.00 - 20.00
NUCLEATED RED BLO	JTOMATED HEMATÓLOGY ANALYZER	NIL	%	< 10 %
DIFFERENTIAL LEUCO	CYTE COUNT (DLC) BY SF CUBE & MICROSCOPY	55	%	50 - 70

77  $\odot 6$ 

**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com









Dr. Vinay Chopra Dr. Yugam Chopra MD (Pathology & Microbiology) MD (Pathology) Chairman & Consultant Pathologist **CEO & Consultant Pathologist** NAME : Mrs. TAMANNA AGE/ GENDER : 54 YRS/FEMALE **PATIENT ID** :1594569 **COLLECTED BY** : SURJESH :012408280050 REG. NO./LAB NO. **REFERRED BY REGISTRATION DATE** : 28/Aug/2024 05:02 PM : **BARCODE NO.** :01515885 **COLLECTION DATE** : 28/Aug/2024 05:13PM CLIENT CODE. : KOS DIAGNOSTIC LAB **REPORTING DATE** : 28/Aug/2024 05:30PM **CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT Test Name Value Unit **Biological Reference interval** LYMPHOCYTES 37 % 20 - 40 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY EOSINOPHILS 2 % 1-6 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY MONOCYTES % 2 - 12 6 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY BASOPHILS 0 % 0 - 1 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE LEUKOCYTES (WBC) COUNT ABSOLUTE NEUTROPHIL COUNT 3757 /cmm 2000 - 7500 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY 2527 800 - 4900 ABSOLUTE LYMPHOCYTE COUNT /cmm by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE EOSINOPHIL COUNT 137 40 - 440 /cmm by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE MONOCYTE COUNT 410 80 - 880 /cmm by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY PLATELETS AND OTHER PLATELET PREDICTIVE MARKERS. 150000 - 450000 PLATELET COUNT (PLT) 186000 /cmm by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE % 0.10 - 0.36 PLATELETCRIT (PCT) 0.25 by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE 6.50 - 12.0 **MEAN PLATELET VOLUME (MPV)** 13<sup>H</sup> fL by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE PLATELET LARGE CELL COUNT (P-LCC) 30000 - 90000 /cmm 91000<sup>H</sup> by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE PLATELET LARGE CELL RATIO (P-LCR) 49<sup>H</sup> % 11.0 - 45.0

16.3

by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE PLATELET DISTRIBUTION WIDTH (PDW) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD

Ghopra



(am)

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

%

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com



15.0 - 17.0

Page 2 of 6





	Dr. Vinay Cl MD (Pathology Chairman & Co		Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mrs. TAMANNA			
AGE/ GENDER	: 54 YRS/FEMALE	PAT	IENT ID	: 1594569
COLLECTED BY	: SURJESH	REG	NO./LAB NO.	: 012408280050
REFERRED BY	:	REG	ISTRATION DATE	: 28/Aug/2024 05:02 PM
BARCODE NO.	: 01515885	COL	LECTION DATE	: 28/Aug/2024 05:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REP	ORTING DATE	: 28/Aug/2024 05:55PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD	, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	PR	OTHROMBIN TIME	STUDIES (PT/INR)	
PT TEST (PATIENT)	CLOT DETECTION	17.5 <sup>H</sup>	SECS	11.5 - 14.5
PT (CONTROL) by photo optical c	LOT DETECTION	12	SECS	
ISI by PHOTO OPTICAL C	LOT DETECTION	1.1		
INTERNATIONAL NC	RMALISED RATIO (INR)	1.51 <sup>H</sup>		0.80 - 1.20
PT INDEX by PHOTO OPTICAL C		68.57	%	

## INTERPRETATION:-

1.INR is the parameter of choice in monitoring adequacy of oral anti-coagulant therapy. Appropriate therapeutic range varies with the disease and treatment intensity.

2. Prolonged INR suggests potential bleeding disorder /bleeding complications

3. Results should be clinically correlated.

4. Test conducted on Citrated Plasma

INDICATION		INTERNAT	IONAL NORMALIZED RATIO (INR)
Treatment of venous thrombosis			
Treatment of pulmonary embolism			
Prevention of systemic embolism in tissue heart valves			
Valvular heart disease	Low Intensity		2.0 - 3.0
Acute myocardial infarction		$\vee$ $\wedge$	
Atrial fibrillation			
Bileaflet mechanical valve in aortic position			
Recurrent embolism			
Mechanical heart valve	High Intensity		2.5 - 3.5
Antiphospholipid antibodies <sup>+</sup>			





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







	<b>Dr. Vinay Cho</b> MD (Pathology & Chairman & Cons	Microbiology)	Yugam Chopra MD (Pathology) onsultant Pathologist
NAME	: Mrs. TAMANNA		
AGE/ GENDER	: 54 YRS/FEMALE	PATIENT ID	: 1594569
COLLECTED BY	: SURJESH	<b>REG. NO./LAB N</b>	D. : 012408280050
<b>REFERRED BY</b>	:	<b>REGISTRATION</b>	DATE : 28/Aug/2024 05:02 PM
BARCODE NO.	: 01515885	COLLECTION DA	<b>TE</b> : 28/Aug/2024 05:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	<b>REPORTING DAT</b>	TE : 28/Aug/2024 05:55PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	MBALA CANTT	
Test Name		Value U	nit Biological Reference interval

The prothrombin time (PT) and its derived measures of prothrombin ratio (PR) and international normalized ratio (INR) are measures of the efficacy of the extrinsic pathway of coagulation. PT test reflects the adequacy of factors I (fibrinogen), II (prothrombin), V, VII, and X. It is used in conjunction with the activated partial thromboplastin time (aPTT) which measures the intrinsic pathway. The common causes of prolonged prothrombin time are :

1.Oral Anticoagulant therapy.

2.Liver disease.

3.Vit K. deficiency.

4.Disseminated intra vascular coagulation.

5.Factor 5, 7, 10 or Prothrombin dificiency



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com







	Dr. Vinay Cho MD (Pathology & I	Microbiology)	Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist	
	Chairman & Const	ultant Pathologist	CEO & Consultant	Pathologist
NAME	: Mrs. TAMANNA			
AGE/ GENDER	: 54 YRS/FEMALE	PAT	TIENT ID	: 1594569
<b>COLLECTED BY</b>	: SURJESH	REG	. NO./LAB NO.	: 012408280050
<b>REFERRED BY</b>	:	REG	ISTRATION DATE	: 28/Aug/2024 05:02 PM
BARCODE NO.	: 01515885	COI	LECTION DATE	: 28/Aug/2024 05:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REP	ORTING DATE	: 28/Aug/2024 06:01PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	MBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	CLINIC	URE/	//BIOCHEMISTR` A	r
UREA: SERUM	IATE DEHYDROGENASE (GLDH)	33.63	mg/dL	10.00 - 50.00
	there -	yho	fra	

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com
 www.koshealthcare.com







				(Pathology)	
NAME	: Mrs. TAMANNA				
AGE/ GENDER	: 54 YRS/FEMALE	PATI	ENT ID	: 1594569	
COLLECTED BY	: SURJESH	REG.	NO./LAB NO.	: 012408280050	
REFERRED BY	:	REGIS	STRATION DATE	: 28/Aug/2024 05:02 PM	
BARCODE NO.	: 01515885	COLL	ECTION DATE	: 28/Aug/2024 05:13PM	
LIENT CODE.	: KOS DIAGNOSTIC LAB	REPO	RTING DATE	: 28/Aug/2024 06:01PM	
LIENT ADDRESS	: 6349/1, NICHOLSON ROAI	D, AMBALA CANTT			
Test Name		Value	Unit	Biological Reference interval	
CREATININE: SERUN by ENZYMATIC, SPEC		<b>CREATINI</b> 1.01	NE mg/dL	0.40 - 1.20	
		*** End Of Report	***		





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com



Page 6 of 6