



	Dr. Vinay Chopr MD (Pathology & Mici Chairman & Consultai	robiology)		(Pathology)	
NAME	: Mr. NAVJOT				
AGE/ GENDER	: 33 YRS/MALE		PATIENT ID	: 1598294	
COLLECTED BY	:		REG. NO./LAB NO.	: 012409010003	
REFERRED BY	:		REGISTRATION DATE	: 01/Sep/2024 08:03 AM	
BARCODE NO.	:01516074		COLLECTION DATE	:01/Sep/202408:04AM	
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 01/Sep/2024 08:42AM	
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMB	ALA CANTI			
Test Name		Value	Unit	Biological Referen	nce interval
	CIVIV C.	τηλν γνι	ELLNESS PANEL: 1.0		
		IPLETE BL	OOD COUNT (CBC)		
	BCS) COUNT AND INDICES	14.0	am /dl	120 170	
HAEMOGLOBIN (HB) by CALORIMETRIC		16.2	gm/dL	12.0 - 17.0	
RED BLOOD CELL (RB	C) COUNT OCUSING, ELECTRICAL IMPEDENCE	5.58 ^H	Millions/c	mm 3.50 - 5.00	
PACKED CELL VOLUM		51.1	%	40.0 - 54.0	
MEAN CORPUSCULA		91.4	fL	80.0 - 100.0	
MEAN CORPUSCULA	R HAEMOGLOBIN (MCH)	29	pg	27.0 - 34.0	
MEAN CORPUSCULA	R HEMOGLOBIN CONC. (MCHC) UTOMATED HEMATOLOGY ANALYZER	31.7 ^L	g/dL	32.0 - 36.0	
RED CELL DISTRIBUTI	ON WIDTH (RDW-CV)	13.4	%	11.00 - 16.00	
RED CELL DISTRIBUT	ON WIDTH (RDW-SD) UTOMATED HEMATOLOGY ANALYZER	46.2	fL	35.0 - 56.0	
MENTZERS INDEX		16.38	RATIO	BETA THALASSEM IRON DEFICIENCY	
GREEN & KING INDE	X	21.92	RATIO	BETA THALASSEN	IIA TRAIT:<= 65.0
WHITE BLOOD CELLS	<u>(WBCS)</u>				
TOTAL LEUCOCYTE CO	DUNT (TLC) BY SF CUBE & MICROSCOPY	9200	/cmm	4000 - 11000	
NUCLEATED RED BLC		NIL		0.00 - 20.00	
NUCLEATED RED BLO	OD CELLS (nRBCS) % UTOMATED HEMATOLOGY ANALYZER	NIL	%	< 10 %	
NEUTROPHILS	' BY SF CUBE & MICROSCOPY	47 ^L	%	50 - 70	





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





Dr. Vinay Chopra



Dr. Yugam Chopra

	y & Microbiology) Consultant Pathologist	MD CEO & Consultant	(Pathology)
NAME : Mr. NAVJOT			
AGE/ GENDER : 33 YRS/MALE	PA	TIENT ID	: 1598294
COLLECTED BY :	RE	G. NO./LAB NO.	: 012409010003
REFERRED BY :	RE	GISTRATION DATE	: 01/Sep/2024 08:03 AM
BARCODE NO. : 01516074		LLECTION DATE	: 01/Sep/2024 08:04AM
CLIENT CODE. : KOS DIAGNOSTIC LAB		PORTING DATE	: 01/Sep/2024 08:42AM
CLIENT ADDRESS : 6349/1, NICHOLSON ROA		I ONIMU DAIL	. 01/ 5cp/ 2024 00.42/10
CLIENT ADDRESS . 0349/1, MCHOLSON ROA	ID, AIVIDALA CAN I I		
Test Name	Value	Unit	Biological Reference interval
LYMPHOCYTES	37	%	20 - 40
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY			
EOSINOPHILS by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	8 ^H	%	1-6
MONOCYTES	8	%	2 - 12
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	Ū	70	2 12
BASOPHILS	0	%	0 - 1
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY			
ABSOLUTE LEUKOCYTES (WBC) COUNT			
ABSOLUTE NEUTROPHIL COUNT	4324	/cmm	2000 - 7500
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	2404	100000	000 1000
ABSOLUTE LYMPHOCYTE COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	3404	/cmm	800 - 4900
ABSOLUTE EOSINOPHIL COUNT	736 ^H	/cmm	40 - 440
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY			
ABSOLUTE MONOCYTE COUNT	736	/cmm	80 - 880
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE BASOPHIL COUNT	0	/cmm	0 - 110
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	0	7 CHIIII	0 - 110
PLATELETS AND OTHER PLATELET PREDICTIVE M	IARKERS.		
PLATELET COUNT (PLT)	281000	/cmm	150000 - 450000
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDEN			
PLATELETCRIT (PCT)	0.31	%	0.10 - 0.36
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDEN MEAN PLATELET VOLUME (MPV)		fl	6.50 - 12.0
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDEN	11 ICE	fL	0.50 - 12.0
PLATELET LARGE CELL COUNT (P-LCC) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDE	94000 ^H	/cmm	30000 - 90000
PLATELET LARGE CELL RATIO (P-LCR)	33.3	%	11.0 - 45.0
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDEN			
PLATELET DISTRIBUTION WIDTH (PDW)	16.3	%	15.0 - 17.0
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDEN NOTE: TEST CONDUCTED ON EDTA WHOLE BLO			
NOTE, TEST CONDUCTED ON EDTA WHOLE DEC			





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com
 www.koshealthcare.com





TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



COLLECTED BY : RI REFERRED BY : RI BARCODE NO. : 01516074 CC	Dr. Yugam MD (CEO & Consultant F	Pathology)
COLLECTED BY :: RI REFERRED BY :: RI BARCODE NO. :01516074 CC CLIENT CODE. : KOS DIAGNOSTIC LAB RI CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT Test Name Value ERYTHROCYTE SEDIMENTATION RATE (ESR) by MODIFIED WESTERGREN AUTOMATED METHOD 16 by MODIFIED WESTERGREN AUTOMATED METHOD 16 CAR ESR can be affected by other conditions besides inflammation. For t as C-reactive protein 2. An ESR can be affected by other conditions besides inflammation. For t as C-reactive protein A how ESR can be seen with conditions that inhibit the normal sedimentat polycythaemia), significantly high white blood cell count (leucocytosis), as sickle cells in sickle cell anaemia) also lower the ESR. NOTE: . . A DW ESR can be seen to change as rapidly as does CRP, either at the state of the set as an other set of the set as a spidly as does CRP, either at the state of the set as a spidly as does CRP, either at the state of the set of the		
REFERRED BY :	TIENT ID	: 1598294
BARCODE NO. : 01516074 CO CLIENT CODE. : KOS DIAGNOSTIC LAB RI CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT Test Name Value ERYTHROCYTE SEDIMENTATION RATE (ESR) 16 by MODIFIED WESTERGREN AUTOMATED METHOD NTERPRETATION: 1. ESR is a non-specific test because an elevated result often indicates the mmune disease, but does not tell the health practitioner exactly where th 2. An ESR can be affected by other conditions besides inflammation. For t as C-reactive protein 3. This test may also be used to monitor disease activity and response to systemic lupus erythematosus CONDITION WITH LOW ESR A low ESR can be seen with conditions that inhibit the normal sedimentat (polycythaemia), significantly high white blood cell count (leucocytosis), as sickle cells in sickle cell anaemia) also lower the ESR. NOTE: 1. ESR and C - reactive protein (C-RP) are both markers of inflammation. 2. Generally, ESR does not change as rapidly as does CRP, either at the sta 3. CRP is not affected by as many other factors as is ESR, making it a better 4. If the ESR is elevated, it is typically a result of two types of proteins, glo 5. Women tend to have a higher ESR, and menstruation and pregnancy can 5. Women tend to have a higher ESR, and menstruation and pregnancy can 5. Women tend to have a higher ESR, and menstruation and pregnancy can 5. Women tend to have a higher ESR, and menstruation and pregnancy can 5. Women tend to have a higher ESR, and menstruation and pregnancy can 5. Women tend to have a higher ESR, and menstruation and pregnancy can 5. Women tend to have a higher ESR, and menstruation and pregnancy can 5. Women tend to have a higher ESR, and menstruation and pregnancy can 5. Women tend to have a higher ESR, and menstruation and pregnancy can 5. Women tend to have a higher ESR, and menstruation and pregnancy can 5. Women tend to have a higher ESR, and menstruation and pregnancy can 5. Women tend to have a higher ESR, and menstruation and pregnancy can 5. Women tend to have a higher ESR a	EG. NO./LAB NO.	: 012409010003
CLIENT CODE. : KOS DIAGNOSTIC LAB RI CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT Test Name Value ERYTHROCYTE SEDIMENTATION RATE (ESR) by MODIFIED WESTERGREN AUTOMATED METHOD 16 by MODIFIED WESTERGREN AUTOMATED METHOD NTERPRETATION: 1. ESR is a non-specific test because an elevated result often indicates the mmune disease, but does not tell the health practitioner exactly where the mmune disease, but does not tell the health practitioner exactly where the SC -reactive protein 3. This test may also be used to monitor disease activity and response to systemic lupus erythematosus CONDITION WITH LOW ESR A low ESR can be seen with conditions that inhibit the normal sedimentat polycythaemia), significantly high white blood cell count (leucocytosis), as sickle cells in sickle cell anaemia) also lower the ESR. VOTE: 1. ESR and C - reactive protein (C-RP) are both markers of inflammation. 2. Generally, ESR does not change as rapidly as does CRP, either at the sta sta correlity. ESR does not change as rapidly as does CRP, either at the sta sta correlity. ESR is elevated, it is typically a result of two types of proteins, gld 3. Wome tend to have a higher ESR, and menstruation and pregnancy can be the sec on the test is a protein by as dextran, methyldopa, oral contraceptives, penicillamine	EGISTRATION DATE	: 01/Sep/2024 08:03 AM
CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT Test Name Value ERYTHROCYTE SEDIMENTATION RATE (ESR) 16 by MODIFIED WESTERGREN AUTOMATED METHOD 16 NTERPRETATION: 16 I. ESR is a non-specific test because an elevated result often indicates the mune disease, but does not tell the health practitioner exactly where the An ESR can be affected by other conditions besides inflammation. For tas C-reactive protein B. This test may also be used to monitor disease activity and response to systemic lupus erythematosus CONDITION WITH LOW ESR A low ESR can be seen with conditions that inhibit the normal sedimentat polycythaemia), significantly high white blood cell count (leucocytosis), is sickle cells in sickle cell anaemia) also lower the ESR. VOTE: I. ESR and C - reactive protein (C-RP) are both markers of inflammation. 2. Generally, ESR does not change as rapidly as does CRP, either at the state of the ESR is elevated, it is typically a result of two types of proteins, glo S. OWNER: If the ESR is elevated, it is typically a result of two types of proteins, glo S. OWNER: If the ESR is elevated, it is typically a result of two types of proteins, glo S.	DLLECTION DATE	: 01/Sep/2024 08:04AM
Test Name Value ERYTHROCYTE SEDIMENTATION RATE (ESR) 16 by MODIFIED WESTERGREN AUTOMATED METHOD NTERPRETATION: 1. ESR is a non-specific test because an elevated result often indicates the mmune disease, but does not tell the health practitioner exactly where the 2. An ESR can be affected by other conditions besides inflammation. For t as C-reactive protein 3. This test may also be used to monitor disease activity and response to systemic lupus erythematosus CONDITION WITH LOW ESR A low ESR can be seen with conditions that inhibit the normal sedimentate polycythaemia), significantly high white blood cell count (leucocytosis) , as sickle cells in sickle cell anaemia) also lower the ESR. NOTE: 1. ESR and C - reactive protein (C-RP) are both markers of inflammation. 2. Generally, ESR does not change as rapidly as does CRP, either at the star 3. CRP is not affected by as many other factors as is ESR, making it a better 4. If the ESR is elevated, it is typically a result of two types of proteins, glo 5. Women tend to have a higher ESR, and menstruation and pregnancy can 5. Women tend to have a higher ESR, and menstruation and pregnancy can 5. Women tend to have a higher ESR, and contraceptives, penicillamine	EPORTING DATE	: 01/Sep/2024 09:23AM
ERYTHROCYTE SEDIMENTATION RATE (ESR) 16 by MODIFIED WESTERGREN AUTOMATED METHOD INTERPRETATION: 1. ESR is a non-specific test because an elevated result often indicates the mmune disease, but does not tell the health practitioner exactly where th 2. An ESR can be affected by other conditions besides inflammation. For t as C-reactive protein 3. This test may also be used to monitor disease activity and response to systemic lupus erythematosus CONDITION WITH LOW ESR A low ESR can be seen with conditions that inhibit the normal sedimentat (polycythaemia), significantly high white blood cell count (leucocytosis) , as sickle cells in sickle cell anaemia) also lower the ESR. NOTE: 1. ESR and C - reactive protein (C-RP) are both markers of inflammation. 2. Generally, ESR does not change as rapidly as does CRP, either at the sta 3. CRP is not affected by as many other factors as is ESR, making it a better 4. If the ESR is elevated, it is typically a result of two types of proteins, glo 5. Women tend to have a higher ESR, and menstruation and pregnancy can be proved by the state of the test of thest of the test of thest of the test of thest of the test		
ERYTHROCYTE SEDIMENTATION RATE (ESR) 16 by MODIFIED WESTERGREN AUTOMATED METHOD INTERPRETATION: 1. ESR is a non-specific test because an elevated result often indicates the immune disease, but does not tell the health practitioner exactly where th 2. An ESR can be affected by other conditions besides inflammation. For t as C-reactive protein 3. This test may also be used to monitor disease activity and response to systemic lupus erythematosus CONDITION WITH LOW ESR A low ESR can be seen with conditions that inhibit the normal sedimentat (polycythaemia), significantly high white blood cell count (leucocytosis), as sickle cells in sickle cell anaemia) also lower the ESR. NOTE: 1. ESR and C - reactive protein (C-RP) are both markers of inflammation. 2. Generally, ESR does not change as rapidly as does CRP, either at the sta 3. CRP is not affected by as many other factors as is ESR, making it a better 4. If the ESR is elevated, it is typically a result of two types of proteins, glo 5. Women tend to have a higher ESR, and menstruation and pregnancy can 6. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine	Unit	Biological Reference interval
by MODIFIED WESTERGREN AUTOMATED METHOD NTERPRETATION: 1. ESR is a non-specific test because an elevated result often indicates the mmune disease, but does not tell the health practitioner exactly where th 2. An ESR can be affected by other conditions besides inflammation. For t as C-reactive protein 3. This test may also be used to monitor disease activity and response to systemic lupus erythematosus CONDITION WITH LOW ESR A low ESR can be seen with conditions that inhibit the normal sedimentat polycythaemia), significantly high white blood cell count (leucocytosis), as sickle cells in sickle cell anaemia) also lower the ESR. NOTE: 1. ESR and C - reactive protein (C-RP) are both markers of inflammation. 2. Generally, ESR does not change as rapidly as does CRP, either at the star 3. CRP is not affected by as many other factors as is ESR, making it a better 5. Women tend to have a higher ESR, and menstruation and pregnancy can 3. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine	INTATION RATE (ESR)
 ESR is a non-specific test because an elevated result often indicates the immune disease, but does not tell the health practitioner exactly where the 2. An ESR can be affected by other conditions besides inflammation. For t as C-reactive protein This test may also be used to monitor disease activity and response to systemic lupus erythematosus CONDITION WITH LOW ESR A low ESR can be seen with conditions that inhibit the normal sedimentat (polycythaemia), significantly high white blood cell count (leucocytosis), as sickle cells in sickle cell anaemia) also lower the ESR. NOTE: ESR and C - reactive protein (C-RP) are both markers of inflammation. Generally, ESR does not change as rapidly as does CRP, either at the station. GRP is not affected by as many other factors as is ESR, making it a better 4. If the ESR is elevated, it is typically a result of two types of proteins, gld Women tend to have a higher ESR, and menstruation and pregnancy can 4. Drugs such as dextran, methyldopa, oral contraceptives, penicillamine 	mm/1st hr	0 - 20
	and some protein abnorn of inflammation or as marker of inflammation . bulins or fibrinogen.	malities. Some changes in red cell shape (sucl it resolves. ions.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







		hopra & Microbiology) posultant Pathologist	Dr. Yugan MD CEO & Consultant	(Pathology)
NAME	: Mr. NAVJOT			
AGE/ GENDER	: 33 YRS/MALE	PA	ATIENT ID	: 1598294
COLLECTED BY	:	RI	EG. NO./LAB NO.	: 012409010003
REFERRED BY	:	RI	EGISTRATION DATE	: 01/Sep/2024 08:03 AM
BARCODE NO.	:01516074	CO	DLLECTION DATE	: 01/Sep/2024 08:04AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	RI	EPORTING DATE	: 01/Sep/2024 10:48AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD), AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
Test Name	CLII			
Test Name	CLII		RY/BIOCHEMISTR	

KOS Diagnostic Lab (A Unit of KOS Healthcare)

A fasting plasma glucose level below 100 mg/dl is considered normal.
 A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
 A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients.
 A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



Page 4 of 13





TM	
EXCELLENCE IN HEALTHCARE & DIAGNOSTICS	

	Dr. Vinay Ch MD (Pathology & Chairman & Con		Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mr. NAVJOT			
AGE/ GENDER	: 33 YRS/MALE]	PATIENT ID	: 1598294
COLLECTED BY	:	1	REG. NO./LAB NO.	: 012409010003
REFERRED BY	:	1	REGISTRATION DATE	: 01/Sep/2024 08:03 AM
BARCODE NO.	: 01516074	(COLLECTION DATE	: 01/Sep/2024 08:04AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	1	REPORTING DATE	: 01/Sep/2024 10:48AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,	AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
		LIPID PRO	FILE : BASIC	
CHOLESTEROL TOTA by CHOLESTEROL OX		251.04 ^H	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0
TRIGLYCERIDES: SER by GLYCEROL PHOSE	RUM PHATE OXIDASE (ENZYMATIC)	279.96 ^H	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTEROL (by SELECTIVE INHIBITI		39.5	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 - 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTEROL: S by CALCULATED, SPE		155.55 ^H	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129.0 BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLESTE by CALCULATED, SPE		211.54 ^H	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159.0 BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTEROL: by CALCULATED, SPE		55.99 ^H	mg/dL	0.00 - 45.00
TOTAL LIPIDS: SERUI	M	782.04 ^H	mg/dL	350.00 - 700.00
CHOLESTEROL/HDL I by CALCULATED, SPE	RATIO: SERUM	6.36 ^H	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0
LDL/HDL RATIO: SER by calculated, spe		3.94 ^H	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com
 www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





		Chopra y & Microbiology) Consultant Pathologist	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mr. NAVJOT			
AGE/ GENDER	: 33 YRS/MALE	PATIE	NT ID	: 1598294
COLLECTED BY	:	REG. N	IO./LAB NO.	: 012409010003
REFERRED BY	:	REGIS	TRATION DATE	: 01/Sep/2024 08:03 AM
BARCODE NO.	: 01516074	COLLE	CTION DATE	: 01/Sep/2024 08:04AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPOI	RTING DATE	:01/Sep/2024 10:48AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROA	D, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
TRIGLYCERIDES/HD		7.09 ^H	RATIO	3.00 - 5.00

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues. 4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com









Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist : Mr. NAVJOT

CEO & Consultant Pathologist

MD (Pathology)

Dr. Yugam Chopra

AGE/ GENDER	: 33 YRS/MALE	PATIENT ID	: 1598294
COLLECTED BY	:	REG. NO./LAB NO.	: 012409010003
REFERRED BY	:	REGISTRATION DATE	: 01/Sep/2024 08:03 AM
BARCODE NO.	: 01516074	COLLECTION DATE	: 01/Sep/2024 08:04AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 01/Sep/2024 10:48AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CAN	TT	
Test Name	Value	Unit	Biological Reference interval

u	VER FUNCTION TEST	r (complete)		
BILIRUBIN TOTAL: SERUM by diazotization, spectrophotometry	0.39	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20	
BILIRUBIN DIRECT (CONJUGATED): SERUM by DIAZO MODIFIED, SPECTROPHOTOMETRY	0.16	mg/dL	0.00 - 0.40	
BILIRUBIN INDIRECT (UNCONJUGATED): SERUM by Calculated, spectrophotometry	0.23	mg/dL	0.10 - 1.00	
SGOT/AST: SERUM by IFCC, WITHOUT PYRIDOXAL PHOSPHATE	54.54 ^H	U/L	7.00 - 45.00	
SGPT/ALT: SERUM by IFCC, WITHOUT PYRIDOXAL PHOSPHATE	99.94 ^H	U/L	0.00 - 49.00	
AST/ALT RATIO: SERUM by Calculated, spectrophotometry	0.55	RATIO	0.00 - 46.00	
ALKALINE PHOSPHATASE: SERUM by PARA NITROPHENYL PHOSPHATASE BY AMINO METHY PROPANOL	129.39 ′L	U/L	40.0 - 130.0	
GAMMA GLUTAMYL TRANSFERASE (GGT): SERUM by szasz, spectrophtometry	109.16 ^H	U/L	0.00 - 55.0	
TOTAL PROTEINS: SERUM by BIURET, SPECTROPHOTOMETRY	7.51	gm/dL	6.20 - 8.00	
ALBUMIN: SERUM by BROMOCRESOL GREEN	3.71	gm/dL	3.50 - 5.50	
GLOBULIN: SERUM by Calculated, spectrophotometry	3.8 ^H	gm/dL	2.30 - 3.50	
A : G RATIO: SERUM by calculated, spectrophotometry	0.98 ^L	RATIO	1.00 - 2.00	

INTERPRETATION

NOTE: - To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range. USE: - Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Increased)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



NAME





	Dr. Vinay Chopr MD (Pathology & Micr Chairman & Consultar	robiology) ME	m Chopra D (Pathology) nt Pathologist
NAME	: Mr. NAVJOT		
AGE/ GENDER	: 33 YRS/MALE	PATIENT ID	: 1598294
COLLECTED BY	:	REG. NO./LAB NO.	: 012409010003
REFERRED BY	:	REGISTRATION DATE	: 01/Sep/2024 08:03 AM
BARCODE NO.	:01516074	COLLECTION DATE	: 01/Sep/2024 08:04AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 01/Sep/2024 10:48AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMB	ALA CANTT	
Test Name		Value Unit	Biological Reference interval

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6
	1.2 1.0



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com









	Dr. Vinay Ch MD (Pathology & Chairman & Cons		Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mr. NAVJOT			
AGE/ GENDER	: 33 YRS/MALE	РАТ	TENT ID	: 1598294
COLLECTED BY	:	REG	. NO./LAB NO.	: 012409010003
REFERRED BY	:	REG	ISTRATION DATE	: 01/Sep/2024 08:03 AM
BARCODE NO.	: 01516074		LECTION DATE	: 01/Sep/2024 08:04AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REP	ORTING DATE	: 01/Sep/2024 10:48AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	KIE	DNEY FUNCTION T	EST (COMPLETE)	
UREA: SERUM		13.14	mg/dL	10.00 - 50.00
CREATININE: SERUN	IATE DEHYDROGENASE (GLDH) Λ	0.94	mg/dL	0.40 - 1.40
by ENZYMATIC, SPEC		0.71	ing, at	0.10 1.10
BLOOD UREA NITRO	GEN (BUN): SERUM	6.14 ^L	mg/dL	7.0 - 25.0
	GEN (BUN)/CREATININE	6.53 ^L	RATIO	10.0 - 20.0
RATIO: SERUM		0.55		
by CALCULATED, SPI UREA/CREATININE F		13.98	RATIO	
by CALCULATED, SPE		13.90	KATIO	
URIC ACID: SERUM		7.01	mg/dL	3.60 - 7.70
by URICASE - OXIDAS	E PEROXIDASE	10 /	ma (dl	0.50, 10.40
CALCIUM: SERUM by ARSENAZO III, SPE	CTROPHOTOMETRY	10.6	mg/dL	8.50 - 10.60
PHOSPHOROUS: SER		3.83	mg/dL	2.30 - 4.70
	DATE, SPECTROPHOTOMETRY			
ELECTROLYTES		100 5		105.0.150.0
SODIUM: SERUM by ISE (ION SELECTIV	'E ELECTRODE)	139.5	mmol/L	135.0 - 150.0
POTASSIUM: SERUM	1	4.02	mmol/L	3.50 - 5.00
by ISE (ION SELECTIV CHLORIDE: SERUM	'E ELECTRODE)	104.63	mmol/L	90.0 - 110.0
by ISE (ION SELECTIV	'E ELECTRODE)	104.03	mmoi/L	90.0 - 110.0
	RULAR FILTERATION RATE			
ESTIMATED GLOME (eGFR): SERUM by CALCULATED	RULAR FILTERATION RATE	109.8		

INTERPRETATION:

To differentiate between pre- and post renal azotemia.

INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana

 0171-2643898, +91 99910 43898

 care@koshealthcare.com

 www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT





		onsultant Pathologist		n Chopra (Pathology) t Pathologist
AME	: Mr. NAVJOT			
GE/ GENDER	: 33 YRS/MALE	РАТ	IENT ID	: 1598294
DLLECTED BY	:	REG	. NO./LAB NO.	: 012409010003
EFERRED BY	:	REG	ISTRATION DATE	: 01/Sep/2024 08:03 AM
ARCODE NO.	:01516074		LECTION DATE	: 01/Sep/2024 08:04AM
LIENT CODE.	: KOS DIAGNOSTIC LAB		ORTING DATE	: 01/Sep/2024 10:48AM
LIENT ADDRESS	: 6349/1, NICHOLSON ROA		OWING DATE	. 01/ 5cp/ 2024 10.40/10
	. 0040/1, MenoLoon Rom			
est Name		Value	Unit	Biological Reference interval
		akdown (e.g. infection, G	I bleeding, thyrotoxic	osis, Cushing's syndrome, high protein diet
urns, surgery, cachex Urine reabsorption (Reduced muscle ma Certain drugs (e.g. t ICREASED RATIO (>20 Postrenal azotemia Prerenal azotemia s	te or production or tissue brea tia, high fever). (e.g. ureter colostomy) ass (subnormal creatinine pro tetracycline, glucocorticoids) D:1) WITH ELEVATED CREATINI (BUN rises disproportionately superimposed on renal diseas D:1) WITH DECREASED BUN :	oduction) INE LEVELS: y more than crea		fection, GI bleeding, thyrotoxic atinine) (e.g. obstructive uropa

DECREASED RATIO (<10:1) WITH INCREASED CREATININE:

- 1. Phenacimide therapy (accelerates conversion of creatine to creatinine).
- 2. Rhabdomyolysis (releases muscle creatinine).
- 3. Muscular patients who develop renal failure.

INAPPROPIATE RATIO:

1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio when dehydration should produce an increased BUN/creatinine ratio).

2. Cephalosporin therapy (interferes with creatinine measurement).

CKD STAGE	DESCRIPTION	GFR (mL/min/1.73m2)	ASSOCIATED FINDINGS
G1	Normal kidney function	>90	No proteinuria
G2	Kidney damage with	>90	Presence of Protein,
	normal or high GFR		Albumin or cast in urine
G3a	Mild decrease in GFR	60 -89	
G3b	Moderate decrease in GFR	30-59	
G4	Severe decrease in GFR	15-29	
G5	Kidney failure	<15	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com





	Dr. Vinay Chopra MD (Pathology & Microbio Chairman & Consultant Pa		(Pathology)
NAME	: Mr. NAVJOT		
AGE/ GENDER	: 33 YRS/MALE	PATIENT ID	: 1598294
COLLECTED BY	:	REG. NO./LAB NO.	: 012409010003
REFERRED BY	:	REGISTRATION DATE	: 01/Sep/2024 08:03 AM
BARCODE NO.	: 01516074	COLLECTION DATE	:01/Sep/202408:04AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 01/Sep/2024 10:48AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA	CANTT	
Test Name	Va	lue Unit	Biological Reference interval

COMMENTS:

Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney.
 eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012
 In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure of CFD with the commended to measure

3. In patients, with eGFR cleaning between 45-59 minimit 1.73 m2 (G3) and without any marker of Kidney damage, it is recommended to measure eGFR with Cystatin C for confirmation of CKD
4. eGFR category G1 OR G2 does not fulfill the criteria for CKD, in the absence of evidence of Kidney Damage
5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure
6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C
7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com







	Dr. Vinay Cl MD (Pathology Chairman & Co		Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mr. NAVJOT			
AGE/ GENDER	: 33 YRS/MALE	PATI	ENT ID	: 1598294
COLLECTED BY	:	REG. 1	NO./LAB NO.	: 012409010003
REFERRED BY	:	REGIS	STRATION DATE	: 01/Sep/2024 08:03 AM
BARCODE NO.	:01516074		ECTION DATE	: 01/Sep/2024 08:04AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		RTING DATE	: 01/Sep/2024 10:58AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD			
Test Name		Value	Unit	Biological Reference interva
		CLINICAL PATH	HOLOGY	
	URINE F	ROUTINE & MICROS	COPIC EXAMINAT	ION
PHYSICAL EXAMINA	TION			
QUANTITY RECIEVE		10	ml	
	CTANCE SPECTROPHOTOMETRY	10		
COLOUR		PALE YELLOW		PALE YELLOW
by DIP STICK/REFLEC	CTANCE SPECTROPHOTOMETRY	HAZY		CLEAR
	TANCE SPECTROPHOTOMETRY			OLLAN
SPECIFIC GRAVITY		>=1.030		1.002 - 1.030
by DIP STICK/REFLEC	CTANCE SPECTROPHOTOMETRY			
REACTION	RIION	ACIDIC		
	CTANCE SPECTROPHOTOMETRY	ACIDIC		
PROTEIN		Negative		NEGATIVE (-ve)
	CTANCE SPECTROPHOTOMETRY			
SUGAR	TANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
oH		<=5.0		5.0 - 7.5
	CTANCE SPECTROPHOTOMETRY			
		Negative		NEGATIVE (-ve)
by DIP STICK/REFLEC	CTANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
	CTANCE SPECTROPHOTOMETRY.	Negative		
UROBILINOGEN		Normal	EU/dL	0.2 - 1.0
by DIP STICK/REFLEC	CTANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY	negative		NLOATIVE (-VE)
BLOOD		Negative		NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY			
ASCORBIC ACID	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)
by DIP STICKREFLEC				

MICROSCOPIC EXAMINATION

77 $\odot n$

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.







Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME	: Mr. NAVJOT				
AGE/ GENDER	: 33 YRS/MALE	PATIENT	ID	: 1598294	
COLLECTED BY	:	REG. NO./	/LAB NO.	: 012409010003	
REFERRED BY	:	REGISTR	ATION DATE	: 01/Sep/2024 08:03 AM	
BARCODE NO.	:01516074	COLLECT	ION DATE	: 01/Sep/2024 08:04AM	
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTI	NG DATE	:01/Sep/2024 10:58AM	
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	MBALA CANTT			
Test Name		Value	Unit	Dialogical Deference interval	
		Value	Unit	Biological Reference interval	
RED BLOOD CELLS (F	RBCs) CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)	/HPF	0 - 3	
RED BLOOD CELLS (F by MICROSCOPY ON O PUS CELLS				Ū.	
RED BLOOD CELLS (F by MICROSCOPY ON O PUS CELLS by MICROSCOPY ON O EPITHELIAL CELLS	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)	/HPF	0 - 3	
RED BLOOD CELLS (F by MICROSCOPY ON (PUS CELLS by MICROSCOPY ON (EPITHELIAL CELLS by MICROSCOPY ON (CRYSTALS	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve) 2-4	/HPF /HPF	0 - 3 0 - 5	
ED BLOOD CELLS (F by MICROSCOPY ON (US CELLS by MICROSCOPY ON (PITHELIAL CELLS by MICROSCOPY ON (RYSTALS	CENTRIFUGED URINARY SEDIMENT CENTRIFUGED URINARY SEDIMENT CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve) 2-4 0-2	/HPF /HPF	0 - 3 0 - 5 ABSENT	

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT BACTERIA

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT OTHERS

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT TRICHOMONAS VAGINALIS (PROTOZOA)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

*** End Of Report ***

ABSENT

NEGATIVE (-ve)

A FEW CALCIUM OXALATE





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com



NEGATIVE (-ve)

NEGATIVE (-ve)

ABSENT