

Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mrs. GURJIT KAUR	PATIENT ID	: 1600280
AGE/ GENDER	: 32 YRS/FEMALE	REG. NO./LAB NO.	: 012409030006
COLLECTED BY	:	REGISTRATION DATE	: 03/Sep/2024 08:18 AM
REFERRED BY	:	COLLECTION DATE	: 03/Sep/2024 09:58AM
BARCODE NO.	: 01516211	REPORTING DATE	: 03/Sep/2024 04:04PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

CLINICAL CHEMISTRY/BIOCHEMISTRY

GLUCOSE TOLERANCE TEST MODIFIED (AFTER 75 GMS OF GLUCOSE)

GLUCOSE FASTING (F): PLASMA by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)	96.64	mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > OR = 126.0
GLUCOSE AFTER 60 MINS: PLASMA by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)	132.21	mg/dL	60.0 - 180.0
GLUCOSE AFTER 120 MINS: PLASMA by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)	102.1	mg/dL	60.0 - 160.0

Interpretation: (In accordance with the American diabetes association guidelines):

This test is recommended for patients who have tested positive in the screening OGT (50 gram OGT) or in patients who are deemed to be at high risk of developing gestational diabetes. An 8-14 hour fasting is mandatory for initiation of this test.


For this test, a fasting sample is followed by two more samples drawn at 1 hour and 2 hours after ingestion of 75 grams of glucose.

The American diabetes group recommendations suggest that gestational diabetes be diagnosed when one or more of the plasma glucose values are:

Time	Unit	Blood Sugar level
Fasting	mg/dl	≥95
1 hour	mg/dl	≥180
2 hour	mg/dl	≥155

*** End Of Report ***




DR. VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


DR. YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)

