

Dr. Vinay Chopra  
MD (Pathology & Microbiology)  
Chairman & Consultant Pathologist

Dr. Yugam Chopra  
MD (Pathology)  
CEO & Consultant Pathologist

NAME : Mr. DAVINDER SAINI  
AGE/ GENDER : 36 YRS/MALE  
COLLECTED BY :  
REFERRED BY :  
BARCODE NO. : 01516299  
CLIENT CODE. : KOS DIAGNOSTIC LAB  
CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

PATIENT ID : 1601990  
REG. NO./LAB NO. : 012409040043  
REGISTRATION DATE : 04/Sep/2024 03:34 PM  
COLLECTION DATE : 04/Sep/2024 03:35PM  
REPORTING DATE : 05/Sep/2024 04:32AM

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

## HAEMATOLOGY

### HAEMOGLOBIN - HIGH PERFORMANCE LIQUID CHROMATOGRAPHY (HB-HPLC)

#### HAEMOGLOBIN VARIANTS

HAEMOGLOBIN A0 (ADULT) by HPLC (HIGH PERFORMANCE LIQUID CHROMATOGRAPHY)	84.1	%	83.00 - 90.00
HAEMOGLOBIN F (FOETAL) by HPLC (HIGH PERFORMANCE LIQUID CHROMATOGRAPHY)	<0.8	%	0.00 - 2.0
HAEMOGLOBIN A2 by HPLC (HIGH PERFORMANCE LIQUID CHROMATOGRAPHY)	2.4	%	1.50 - 3.70
PEAK 3 by HPLC (HIGH PERFORMANCE LIQUID CHROMATOGRAPHY)	5.3	%	< 10.0
OTHERS-NON SPECIFIC by HPLC (HIGH PERFORMANCE LIQUID CHROMATOGRAPHY)	ABSENT	%	ABSENT
HAEMOGLOBIN S by HPLC (HIGH PERFORMANCE LIQUID CHROMATOGRAPHY)	NOT DETECTED	%	< 0.02
HAEMOGLOBIN D (PUNJAB) by HPLC (HIGH PERFORMANCE LIQUID CHROMATOGRAPHY)	NOT DETECTED	%	< 0.02
HAEMOGLOBIN E by HPLC (HIGH PERFORMANCE LIQUID CHROMATOGRAPHY)	NOT DETECTED	%	< 0.02
HAEMOGLOBIN C by HPLC (HIGH PERFORMANCE LIQUID CHROMATOGRAPHY)	NOT DETECTED	%	< 0.02
UNKNOWN UNIDENTIFIED VARIANTS by HPLC (HIGH PERFORMANCE LIQUID CHROMATOGRAPHY)	NOT DETECTED	%	< 0.02
GLYCOSYLATED HAEMOGLOBIN (HbA1c): WHOLE BLOOD by HPLC (HIGH PERFORMANCE LIQUID CHROMATOGRAPHY)	6.5 <sup>H</sup>	%	4.0 - 6.4

#### RED BLOOD CELLS (RBCS) COUNT AND INDICES

HAEMOGLOBIN (HB) by AUTOMATED HEMATOLOGY ANALYZER	13.2	gm/dL	12.0 - 17.0
RED BLOOD CELL (RBC) COUNT by AUTOMATED HEMATOLOGY ANALYZER	4.78	Millions/cmm	3.50 - 5.00
PACKED CELL VOLUME (PCV) by AUTOMATED HEMATOLOGY ANALYZER	41.3	%	40.0 - 54.0
MEAN CORPUSCULAR VOLUME (MCV)	86.4	fL	80.0 - 100.0



DR. VINAY CHOPRA  
CONSULTANT PATHOLOGIST  
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR. YUGAM CHOPRA  
CONSULTANT PATHOLOGIST  
MBBS, MD (PATHOLOGY)



**Dr. Vinay Chopra**  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

**Dr. Yugam Chopra**  
 MD (Pathology)  
 CEO & Consultant Pathologist

<b>NAME</b>	: Mr. DAVINDER SAINI	<b>PATIENT ID</b>	: 1601990
<b>AGE/ GENDER</b>	: 36 YRS/MALE	<b>REG. NO./LAB NO.</b>	: 012409040043
<b>COLLECTED BY</b>	:	<b>REGISTRATION DATE</b>	: 04/Sep/2024 03:34 PM
<b>REFERRED BY</b>	:	<b>COLLECTION DATE</b>	: 04/Sep/2024 03:35PM
<b>BARCODE NO.</b>	: 01516299	<b>REPORTING DATE</b>	: 05/Sep/2024 04:32AM
<b>CLIENT CODE.</b>	: KOS DIAGNOSTIC LAB		
<b>CLIENT ADDRESS</b>	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
by AUTOMATED HEMATOLOGY ANALYZER			
MEAN CORPUSCULAR HAEMOGLOBIN (MCH)	27.7	pg	27.0 - 34.0
by AUTOMATED HEMATOLOGY ANALYZER			
MEAN CORPUSCULAR HEMOGLOBIN CONC. (MCHC)	32	g/dL	32.0 - 36.0
by AUTOMATED HEMATOLOGY ANALYZER			
RED CELL DISTRIBUTION WIDTH (RDW-CV)	12.4	%	11.00 - 16.00
by AUTOMATED HEMATOLOGY ANALYZER			
RED CELL DISTRIBUTION WIDTH (RDW-SD)	41	fL	35.0 - 56.0
by AUTOMATED HEMATOLOGY ANALYZER			

#### OTHERS

MENTZERS INDEX	18.08	RATIO	BETA THALASSEMIA TRAIT: < 13.0
by CALCULATED			IRON DEFICIENCY ANEMIA: >13.0

#### INTERPRETATION

Suggestive of absence of common abnormal hemoglobinopathies.

#### INTERPRETATION:

The Thalassemia syndromes, considered the most common genetic disorder worldwide, are a heterogenous group of mandelian disorders, all characterized by a lack of/or decreased synthesis of either the alpha-globin chains (alpha thalassemia) or the beta-globin chains (beta thalassemia) of haemoglobin.

#### HIGH PERFORMANCE LIQUID CHROMATOGRAPHY (HPLC):

- 1.HAEMOGLOBIN VARIANT ANALYSIS, BLOOD- High Performance liquid chromatography (HPLC) is a fast & accurate method for determining the presence and for quatitation of various types of normal haemoglobin and common abnormal hb variants, including but not limited to Hb S, C, E, D and Beta -thalassemia.
- 2.The diagnosis of these abnormal haemoglobin should be confirmed by DNA analysis.
- 3.The method use has a limited role in the diagnosis of alpha thalassemia.
- 4.Slight elevation in haemoglobin A2 may also occur in hyperthyroidism or when there is deficiency of vitamin b12 or folate and this should be distinguished from inherited elevation of HbA2 in Beta- thalassemia trait.

#### NAKED EYE SINGLE TUBE RED CELL OSMOTIC FRAGILITY TEST (NESTROFT):

- 1.It is a screening test to distinguish beta thalassemia trait. Also called as Naked Eye Single Tube Red Cell Osmotic Fragility Test.
- 2.The test showed a sensitivity of 100%, specificity of 85.47%, a positive predictive value of 66% and a negative predictive value of 100%.
- 3.A high negative predictive value can reasonably rule out beta thalassemia trait cases. So, it should be adopted as a screening test for beta thalassemia trait, as it is not practical or feasible to employ HbA2 in every case of anemia in childhood.

#### MENTZERS INDEX:

- 1.The Mentzer index, helpful in differentiating iron deficiency anemia from beta thalassemia. If a CBC indicates microcytic anemia, the Mentzer index is said to be a method of distinguishing between them.
- 2.If the index is less than 13, thalassemia is said to be more likely. If the result is greater than 13, then iron-deficiency anemia is said to be more likely.
- 3.The principle involved is as follows: In iron deficiency, the marrow cannot produce as many RBCs and they are small (microcytic), so the RBC count and the MCV will both be low, and as a result, the index will be greater than 13. Conversely, in thalassemia, which is a disorder of globin synthesis, the number of RBC's produced is normal, but the cells are smaller and more fragile. Therefore, the RBC count is normal, but the MCV is low, so the index will be less than 13.





**DR.VINAY CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)



**DR.YUGAM CHOPRA**  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)



**Dr. Vinay Chopra**  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

**Dr. Yugam Chopra**  
 MD (Pathology)  
 CEO & Consultant Pathologist

<b>NAME</b>	: Mr. DAVINDER SAINI	<b>PATIENT ID</b>	: 1601990
<b>AGE/ GENDER</b>	: 36 YRS/MALE	<b>REG. NO./LAB NO.</b>	: 012409040043
<b>COLLECTED BY</b>	:	<b>REGISTRATION DATE</b>	: 04/Sep/2024 03:34 PM
<b>REFERRED BY</b>	:	<b>COLLECTION DATE</b>	: 04/Sep/2024 03:35PM
<b>BARCODE NO.</b>	: 01516299	<b>REPORTING DATE</b>	: 05/Sep/2024 04:32AM
<b>CLIENT CODE.</b>	: KOS DIAGNOSTIC LAB		
<b>CLIENT ADDRESS</b>	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

**NOTE:** In practice, the Mentzer index is not a reliable indicator and should not, by itself, be used to differentiate. In addition, it would be possible for a patient with a microcytic anemia to have both iron deficiency and thalassemia, in which case the index would only suggest iron deficiency.

\*\*\* End Of Report \*\*\*



  
 DR.VINAY CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


  
 DR.YUGAM CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)



# Patient report

Bio-Rad  
D-10  
S/N: #DJ6F040603  
Sample ID:  
Injection date  
Injection #: 6  
Rack #: ---

DATE: 09/04/2024  
TIME: 04:32 PM  
Software version: 4.30-2  
01516299  
09/04/2024 04:27 PM  
Method: HbA2/F  
Rack position: 6



Peak table - ID: 01516299

Peak	R.time	Height	Area	Area %
A1a	0.20	5082	22637	1.1
A1b	0.29	8429	32107	1.5
F	0.52	619	6025	< 0.8 *
LA1c/CHb-1	0.74	2712	25084	1.2
A1c	0.97	7593	92898	6.5
P3	1.56	15710	111369	5.3
A0	1.75	385137	1776764	84.1
A2	3.37	3312	45577	2.4
Total Area:	2112461			

Concentration:	%
F	< 0.8 *
A1c	6.5
A2	2.4