



	Dr. Vinay Cl MD (Pathology Chairman & Col		Dr. Yugam MD CEO & Consultant	(Pathology)	
NAME	: Mrs. SALOCHNA				
AGE/ GENDER	: 38 YRS/FEMALE	PATI	ENT ID	: 1228944	
COLLECTED BY	:	REG.	NO./LAB NO.	: 012409050047	
REFERRED BY	:	REGISTRATION DATE		: 05/Sep/2024 11:34 AM	
BARCODE NO.	:01516350	COLLECTION DATE		: 05/Sep/2024 11:35AM	
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE		: 05/Sep/2024 12:49PM	
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,	, AMBALA CANTT			
Test Name		Value	Unit	Biological Reference interval	
		HAEMATO	LOGY		
	PRO	OTHROMBIN TIME S	TUDIES (PT/INR)		
PT TEST (PATIENT)		35 ^H	SECS	11.5 - 14.5	
by PHOTO OPTICAL CLOT DETECTION PT (CONTROL) by PHOTO OPTICAL CLOT DETECTION		12	SECS		
ISI by PHOTO OPTICAL CLOT DETECTION		1.1			
INTERNATIONAL NORMALISED RATIO (INR) by PHOTO OPTICAL CLOT DETECTION		3.25 ^H		0.80 - 1.20	
PT INDEX by PHOTO OPTICAL CLOT DETECTION		34.29	%		

INTERPRETATION:-

1.INR is the parameter of choice in monitoring adequacy of oral anti-coagulant therapy. Appropriate therapeutic range varies with the disease and treatment intensity.

2. Prolonged INR suggests potential bleeding disorder /bleeding complications

3. Results should be clinically correlated.

4. Test conducted on Citrated Plasma

RECOMMENDED THERAPEUTIC RANGE FOR ORAL ANTI-COAGULANT THERAPY (INR)						
INDICATION	INTERNATIONAL NORMALIZED RATIO (INR)					
Treatment of venous thrombosis						
Treatment of pulmonary embolism						
Prevention of systemic embolism in tissue heart valves						
Valvular heart disease	Low Intensity		2.0 - 3.0			
Acute myocardial infarction		A				
Atrial fibrillation						
Bileaflet mechanical valve in aortic position						
Recurrent embolism						
Mechanical heart valve	High Intensity		2.5 - 3.5			





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com







	Dr. Vinay Chopr MD (Pathology & Mici Chairman & Consultai	robiology) ME	n Chopra D (Pathology) nt Pathologist
NAME	: Mrs. SALOCHNA		
AGE/ GENDER	: 38 YRS/FEMALE	PATIENT ID	: 1228944
COLLECTED BY	:	REG. NO./LAB NO.	: 012409050047
REFERRED BY	:	REGISTRATION DATE	: 05/Sep/2024 11:34 AM
BARCODE NO.	: 01516350	COLLECTION DATE	:05/Sep/2024 11:35AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 05/Sep/2024 12:49PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMB	ALA CANTT	
Test Name		Value Unit	Biological Reference interval
Antiphospholipid ar	tibodies ⁺		

COMMENTS:

The prothrombin time (PT) and its derived measures of prothrombin ratio (PR) and international normalized ratio (INR) are measures of the efficacy of the extrinsic pathway of coagulation. PT test reflects the adequacy of factors I (fibrinogen), II (prothrombin), V, VII, and X. It is used in conjunction with the activated partial thromboplastin time (aPTT) which measures the intrinsic pathway. The common causes of prolonged prothrombin time are : 1.Oral Anticoagulant therapy.

2.Liver disease.

3.Vit K. deficiency.

4.Disseminated intra vascular coagulation. 5.Factor 5, 7, 10 or Prothrombin dificiency

RECHECKED

End Of Report



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com

