



MD	Vinay Chopra (Pathology & Microbiology) irman & Consultant Pathologist	Dr. Yugam MD (I CEO & Consultant F	Pathology)
NAME: Mrs. MANJU GUIAGE/ GENDER: 69 YRS/FEMALECOLLECTED BY:REFERRED BY:BARCODE NO.: 01516985CLIENT CODE.: KOS DIAGNOSTION	PA RI RI CO C LAB RI	ATIENT ID EG. NO./LAB NO. EGISTRATION DATE DLLECTION DATE EPORTING DATE	: 1613838 : 012409150009 : 15/Sep/2024 08:23 AM : 15/Sep/2024 08:49AM : 15/Sep/2024 09:08AM
CLIENT ADDRESS : 6349/1, NICHOL Test Name	SON ROAD, AMBALA CANTT Value	Unit	Biological Reference interval
	SWASTHYA WELL COMPLETE BLOO		
RED BLOOD CELLS (RBCS) COUNT AND I	NDICES		
HAEMOGLOBIN (HB) by CALORIMETRIC	9.9 ^L	gm/dL	12.0 - 16.0
RED BLOOD CELL (RBC) COUNT	3.39 ^L	Millions/cr	nm 3.50 - 5.00
by HYDRO DYNAMIC FOCUSING, ELECTRIC, PACKED CELL VOLUME (PCV)	A <i>l IMPEDENCE</i> 31.2 ^L	%	37.0 - 50.0
by CALCULATED BY AUTOMATED HEMATOL MEAN CORPUSCULAR VOLUME (MCV) by CALCULATED BY AUTOMATED HEMATOL	LOGY ANALYZER 92.1	fL	80.0 - 100.0
MEAN CORPUSCULAR HAEMOGLOBIN (I	VICH) 29.1	pg	27.0 - 34.0
by CALCULATED BY AUTOMATED HEMATOL MEAN CORPUSCULAR HEMOGLOBIN CO by CALCULATED BY AUTOMATED HEMATOL	NC. (MCHC) 31.6 ^L	g/dL	32.0 - 36.0
RED CELL DISTRIBUTION WIDTH (RDW- by CALCULATED BY AUTOMATED HEMATOL		%	11.00 - 16.00
RED CELL DISTRIBUTION WIDTH (RDW-S	SD) 48.6	fL	35.0 - 56.0
by CALCULATED BY AUTOMATED HEMATOL MENTZERS INDEX by CALCULATED	ogy analyzer 27.17	RATIO	BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0
GREEN & KING INDEX by CALCULATED	38.44	RATIO	BETA THALASSEMIA TRAIT:<= 65.0 IRON DEFICIENCY ANEMIA: > 65.0
WHITE BLOOD CELLS (WBCS)			
TOTAL LEUCOCYTE COUNT (TLC) by FLOW CYTOMETRY BY SF CUBE & MICRO	5800 DSCOPY	/cmm	4000 - 11000
NUCLEATED RED BLOOD CELLS (nRBCS) by AUTOMATED 6 PART HEMATOLOGY ANA	NIL		0.00 - 20.00
NUCLEATED RED BLOOD CELLS (nRBCS) by CALCULATED BY AUTOMATED HEMATOL DIFFERENTIAL LEUCOCYTE COUNT (DLC)	OGY ANALYZER	%	< 10 %
NEUTROPHILS by flow cytometry by SF cube & micro	61 DSCOPY	%	50 - 70

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt - 133 001, Haryana

 KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





	Dr. Vinay Chop MD (Pathology & Mi Chairman & Consult	icrobiology)	Dr. Yugam MD CEO & Consultant	(Pathology)	
NAME :	Mrs. MANJU GUPTA				
AGE/ GENDER :	69 YRS/FEMALE	PA	ATIENT ID	: 1613838	
COLLECTED BY :		R	EG. NO./LAB NO.	: 012409150009	
REFERRED BY :		R	EGISTRATION DATE	: 15/Sep/2024 08:23 AM	
BARCODE NO. :	01516985	CO	DLLECTION DATE	: 15/Sep/2024 08:49AM	
CLIENT CODE. :	KOS DIAGNOSTIC LAB	R	EPORTING DATE	: 15/Sep/2024 09:08AM	
CLIENT ADDRESS :	6349/1, NICHOLSON ROAD, AM	BALA CANTT			
Test Name		Value	Unit	Biological Reference inter	rval
	Y SF CUBE & MICROSCOPY	28	%	20 - 40	
EOSINOPHILS	I SF COBE & MICROSCOPT	3	%	1 - 6	
-	Y SF CUBE & MICROSCOPY				
MONOCYTES	Y SF CUBE & MICROSCOPY	8	%	2 - 12	
BASOPHILS		0	%	0 - 1	
	Y SF CUBE & MICROSCOPY				
ABSOLUTE LEUKOCYTE					
ABSOLUTE NEUTROPHI	L COUN I Y SF CUBE & MICROSCOPY	3538	/cmm	2000 - 7500	
ABSOLUTE LYMPHOCYT		1624	/cmm	800 - 4900	
	Y SF CUBE & MICROSCOPY	174	1	10, 110	
ABSOLUTE EOSINOPHIL by FLOW CYTOMETRY B	LOUNT Y SF CUBE & MICROSCOPY	174	/cmm	40 - 440	
ABSOLUTE MONOCYTE	COUNT	464	/cmm	80 - 880	
by FLOW CYTOMETRY B ABSOLUTE BASOPHIL C	Y SF CUBE & MICROSCOPY	0	/cmm	0 - 110	
	Y SF CUBE & MICROSCOPY	0	/cmm	0 - 110	
PLATELETS AND OTHER	R PLATELET PREDICTIVE MARKE	<u>RS.</u>			
PLATELET COUNT (PLT)		191000	/cmm	150000 - 450000	
by HYDRO DYNAMIC FOC PLATELETCRIT (PCT)	USING, ELECTRICAL IMPEDENCE	0.22	%	0.10 - 0.36	
	USING, ELECTRICAL IMPEDENCE	0.22	70	0.10-0.30	
MEAN PLATELET VOLU		12	fL	6.50 - 12.0	
PLATELET LARGE CELL (CUSING, ELECTRICAL IMPEDENCE	73000	/cmm	30000 - 90000	
by HYDRO DYNAMIC FOC	USING, ELECTRICAL IMPEDENCE				
	RATIO (P-LCR) SUSING, ELECTRICAL IMPEDENCE	38.2	%	11.0 - 45.0	
PLATELET DISTRIBUTIO		16.9	%	15.0 - 17.0	
by HYDRO DYNAMIC FOC	USING, ELECTRICAL IMPEDENCE				
NOTE: TEST CONDUCT	ED ON EDTA WHOLE BLOOD				





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt - 133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com







Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist		Dr. Yugam MD CEO & Consultant	(Pathology)	
NAME	: Mrs. MANJU GUPTA			
AGE/ GENDER	: 69 YRS/FEMALE	РАТ	TENT ID	: 1613838
COLLECTED BY	:	REG	. NO./LAB NO.	: 012409150009
REFERRED BY		RFG	ISTRATION DATE	: 15/Sep/2024 08:23 AM
BARCODE NO.	: 01516985		LECTION DATE	: 15/Sep/2024 08:49AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		ORTING DATE	: 15/Sep/2024 12:45PM
			UNIING DATE	. 15/ 5Cp/ 2024 12.45F W
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	IBALA CAN I I		
Test Name		Value	Unit	Biological Reference interval
GLYCOSYLATED HAEN WHOLE BLOOD		6.4	OGLOBIN (HBA1C) %	4.0 - 6.4
by HPLC (HIGH PERFOR	RMANCE LIQUID CHROMATOGRAPHY) E PLASMA GLUCOSE RMANCE LIQUID CHROMATOGRAPHY)	136.98	mg/dL	60.00 - 140.00
	AS PER AMERICAN DI			
	REFERENCE GROUP	GLYCOS	SYLATED HEMOGLOGIB	(HBAIC) in %
	abetic Adults >= 18 years	/	<5.7	
	t Risk (Prediabetes)		5.7 - 6.4	
D	iagnosing Diabetes		>= 6.5	
			Age > 19 Years	7.0
Therapeut	ic goals for glycemic control	Goals of Th Actions Sug		< 7.0 >8.0
Therapeut	ic goals for glycemic control	Goals of Th Actions Sug		>8.0

KOS Diagnostic Lab

(A Unit of KOS Healthcare)

COMMENTS:

1.Glycosylated hemoglobin (HbA1c) test is three monthly monitoring done to assess compliace with therapeutic regimen in diabetic patients. 2.Since Hb1c reflects long term fluctuations in blood glucose concentration, a diabetic patient who has recently under good control may still have high concentration of HbAlc. Converse is true for a diabetic previously under good control but now poorly controlled.

3. Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or extensive co-morbid conditions, targetting a goal of < 7.0% may not be appropriate.

4. High HbA1c (>9.0 -9.5 %) is strongly associated with risk of development and rapid progression of microvascular and nerve complications 5. Any condition that shorten RBC life span like acute blood loss, hemolytic anemia falsely lower HbA1c results.

6.HbA1c results from patients with HbSS,HbSC and HbD must be interpreted with caution, given the pathological processes including anemia, increased red cell turnover, and transfusion requirement that adversely impact HbA1c as a marker of long-term gycemic control.

7.Specimens from patients with polycythemia or post-splenctomy may exhibit increse in HbA1c values due to a somewhat longer life span of the red cells.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT





	Dr. Vinay Che MD (Pathology & Chairman & Cons	Microbiology)	Dr. Yugam Ch MD (Path Consultant Path	ology)
NAME	: Mrs. MANJU GUPTA			
AGE/ GENDER	: 69 YRS/FEMALE	PATIENT ID	: 1	613838
COLLECTED BY	:	REG. NO./LAB	NO. : 0	012409150009
REFERRED BY	:	REGISTRATIC	N DATE : 1	5/Sep/2024 08:23 AM
BARCODE NO.	: 01516985	COLLECTION	DATE : 1	5/Sep/2024 08:49AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING I	DATE : 1	5/Sep/2024 09:43AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	ERYTH	ROCYTE SEDIMENTATION	RATE (ESR)	
	MENTATION RATE (ESR)	71 ^H	mm/1st hr	0 - 20
immune disease, but 2. An ESR can be affe as C-reactive protein 3. This test may also systemic lupus eryth CONDITION WITH LO A low ESR can be see	does not tell the health practitio cted by other conditions besides be used to monitor disease activi ematosus W ESR n with conditions that inhibit the	ner exactly where the inflammatinflammation. For this reason, the inflammation is the inflammation of the provide the inflammation of red blue the inflammation of red blue the inflammation of red blue the provide the providet the provid	tion is in the bod ne ESR is typically oth of the above ood cells, such a	ssociated with infection, cancer and autory y or what is causing it. y used in conjunction with other test such diseases as well as some others, such as s a high red blood cell count ties. Some changes in red cell shape (suc

NOTE:

(A Unit of KOS Healthcare)

 ESR and C - reactive protein (C-RP) are both markers of inflammation.
 Generally, ESR does not change as rapidly as does CRP, either at the start of inflammation or as it resolves.
 CRP is not affected by as many other factors as is ESR, making it a better marker of inflammation. If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
 Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.
 Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while exprise contrace and quiping may decrease it. aspirin, cortisone, and quinine may decrease it



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT





NAME	: Mrs. MANJU GUPTA			
AGE/ GENDER	: 69 YRS/FEMALE	PATI	ENT ID	: 1613838
COLLECTED BY	:	REG.	NO./LAB NO.	: 012409150009
REFERRED BY	:	REGIS	TRATION DATE	: 15/Sep/2024 08:23 AM
BARCODE NO.	: 01516985	COLL	ECTION DATE	: 15/Sep/2024 08:49AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE		: 15/Sep/2024 10:41AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,	AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
Test Name	CLIN	Value ICAL CHEMISTRY/		
Test Name	CLIN		BIOCHEMISTR	

3. A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) V DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com







SO 9001 : 2008 CERT	IFIED LAB		EXCELLENCE IN HEALTHCARE	& DIAGNOSTICS
		hopra & Microbiology) onsultant Pathologist	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME AGE/ GENDER COLLECTED BY REFERRED BY BARCODE NO. CLIENT CODE. CLIENT ADDRESS	: Mrs. MANJU GUPTA : 69 YRS/FEMALE : : : 01516985 : KOS DIAGNOSTIC LAB : 6349/1, NICHOLSON ROAI	REC REC COI REF	FIENT ID G. NO./LAB NO. GISTRATION DATE LLECTION DATE PORTING DATE	: 1613838 : 012409150009 : 15/Sep/2024 08:23 AM : 15/Sep/2024 08:49AM : 15/Sep/2024 10:41AM
Test Name		Value	Unit	Biological Reference interval
		LIPID PROFIL	E : BASIC	
CHOLESTEROL TOTA by CHOLESTEROL O		127.82	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0
TRIGLYCERIDES: SEF by GLYCEROL PHOSE	RUM phate oxidase (enzymatic)	120.11	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTEROL by SELECTIVE INHIBIT		46.03	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 - 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTEROL: by CALCULATED, SPE	SERUM ectrophotometry	57.77	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129.0 BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLESTE by CALCULATED, SPE	EROL: SERUM ECTROPHOTOMETRY	81.79	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159.0 BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTEROL by CALCULATED, SPE	: SERUM ectrophotometry	24.02	mg/dL	0.00 - 45.00
TOTAL LIPIDS: SERU by CALCULATED, SPE	M ectrophotometry	375.75	mg/dL	350.00 - 700.00
CHOLESTEROL/HDL		2.78	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0
LDL/HDL RATIO: SEF by CALCULATED, SPE	RUM Ectrophotometry	1.26	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt - 133 001, HaryanaKOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana0171-2643898, +91 99910 43898care@koshealthcare.comwww.koshealthcare.comwww.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





		Chopra y & Microbiology) Consultant Pathologist	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mrs. MANJU GUPTA			
AGE/ GENDER	: 69 YRS/FEMALE	PATIE	ENT ID	: 1613838
COLLECTED BY	:	REG. N	NO./LAB NO.	: 012409150009
REFERRED BY	:	REGIS	TRATION DATE	: 15/Sep/2024 08:23 AM
BARCODE NO.	: 01516985	COLLI	ECTION DATE	: 15/Sep/2024 08:49AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPO	RTING DATE	: 15/Sep/2024 10:41AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROA	AD, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
TRIGLYCERIDES/HD		2.61 ^L	RATIO	3.00 - 5.00

INTERPRETATION:

1. Measurements in the same patient can show physiological & analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues. 4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com







	Dr. Vinay Chop MD (Pathology & Mi Chairman & Consult	crobiology)	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mrs. MANJU GUPTA			
AGE/ GENDER	: 69 YRS/FEMALE	F	PATIENT ID	: 1613838
COLLECTED BY	:	F	REG. NO./LAB NO.	: 012409150009
REFERRED BY	:	F	REGISTRATION DATE	: 15/Sep/2024 08:23 AM
BARCODE NO.	: 01516985	(COLLECTION DATE	: 15/Sep/2024 08:49AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	F	REPORTING DATE	: 15/Sep/2024 10:41AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	BALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	LIVE		TEST (COMPLETE)	
BILIRUBIN TOTAL: SE by DIAZOTIZATION, SF		0.64	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
	ONJUGATED): SERUM	0.18	mg/dL	0.00 - 0.40
BILIRUBIN INDIRECT	(UNCONJUGATED): SERUM	0.46	mg/dL	0.10 - 1.00
SGOT/AST: SERUM by IFCC, WITHOUT PY	RIDOXAL PHOSPHATE	26.3	U/L	7.00 - 45.00
SGPT/ALT: SERUM by IFCC, WITHOUT PY	RIDOXAL PHOSPHATE	19.2	U/L	0.00 - 49.00
AST/ALT RATIO: SERI	M	1.37	RATIO	0.00 - 46.00
ALKALINE PHOSPHAT		76.61	U/L	40.0 - 130.0
GAMMA GLUTAMYL by SZASZ, SPECTROF	TRANSFERASE (GGT): SERUM	12.54	U/L	0.00 - 55.0
TOTAL PROTEINS: SE by BIURET, SPECTRO		7.14	gm/dL	6.20 - 8.00
ALBUMIN: SERUM by BROMOCRESOL GI	REEN	3.52	gm/dL	3.50 - 5.50
GLOBULIN: SERUM		3.62 ^H	gm/dL	2.30 - 3.50
by CALCULATED, SPE A : G RATIO: SERUM		0.97 ^L	RATIO	1.00 - 2.00

by CALCULATED, SPECTROPHOTOMETRY

INTERPRETATION

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Increased)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range. USE:- Differential diagnosis of diseases of hepatobiliary system and pancreas.





	Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Patholog		(Pathology)
NAME	: Mrs. MANJU GUPTA		
AGE/ GENDER	: 69 YRS/FEMALE	PATIENT ID	: 1613838
COLLECTED BY	:	REG. NO./LAB NO.	: 012409150009
REFERRED BY	:	REGISTRATION DATE	: 15/Sep/2024 08:23 AM
BARCODE NO.	: 01516985	COLLECTION DATE	: 15/Sep/2024 08:49AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 15/Sep/2024 10:41AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANT	Т	
Test Name	Value	Unit	Biological Reference interval

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) V DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com







NAME	: Mrs. MANJU GUPTA : 69 YRS/FEMALE			Pathologist
	: 69 YRS/FEMALE			
AGE/ GENDER			PATIENT ID	: 1613838
COLLECTED BY	:		REG. NO./LAB NO.	: 012409150009
REFERRED BY	:		REGISTRATION DATE	: 15/Sep/2024 08:23 AM
BARCODE NO.	: 01516985		COLLECTION DATE	: 15/Sep/2024 08:49AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 15/Sep/2024 12:39PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	AMBALA CANTI		
Test Name		Value	Unit	Biological Reference interva
	KIE		ON TEST (COMPLETE)	
UREA: SERUM		46.66	mg/dL	10.00 - 50.00
	TE DEHYDROGENASE (GLDH)	10.00	ing, at	
CREATININE: SERUM		1.26 ^H	mg/dL	0.40 - 1.20
by ENZYMATIC, SPECT BLOOD UREA NITROO		21.8	mg/dL	7.0 - 25.0
by CALCULATED, SPEC		21.0	ing/uL	7.0 - 23.0
BLOOD UREA NITROO	GEN (BUN)/CREATININE	17.3	RATIO	10.0 - 20.0
RATIO: SERUM				
by CALCULATED, SPEC		27.02	DATIO	
UREA/CREATININE RA		37.03	RATIO	
URIC ACID: SERUM		6.93 ^H	mg/dL	2.50 - 6.80
by URICASE - OXIDASI	E PEROXIDASE			
CALCIUM: SERUM by ARSENAZO III, SPEC		8.84	mg/dL	8.50 - 10.60
PHOSPHOROUS: SERU		3.43	mg/dL	2.30 - 4.70
	ATE, SPECTROPHOTOMETRY			
ELECTROLYTES				
sodium: serum		139.2	mmol/L	135.0 - 150.0
by ISE (ION SELECTIVE	ELECTRODE)			
POTASSIUM: SERUM by ISE (ION SELECTIVE		4.76	mmol/L	3.50 - 5.00
CHLORIDE: SERUM		104.4	mmol/L	90.0 - 110.0
by ISE (ION SELECTIVE				
ESTIMATED GLOMER	ULAR FILTERATION RATE			
ESTIMATED GLOMER	ULAR FILTERATION RATE	46.2		
(eGFR): SERUM				
by CALCULATED				

INTERPRETATION:

To differentiate between pre- and post renal azotemia.

INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt - 133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt - 133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com







Dr. Vinay Chop MD (Pathology & Mi Chairman & Consult					
NAME	: Mrs. MANJU GUPTA				
AGE/ GENDER	: 69 YRS/FEMALE	PA	TIENT ID	: 1613838	
COLLECTED BY	:	RE	G. NO./LAB NO.	:012409150009	
REFERRED BY		RE	GISTRATION DATE	: 15/Sep/2024 08:23	3 AM
BARCODE NO.	: 01516985		LLECTION DATE	: 15/Sep/2024 08:49	
CLIENT CODE.	: KOS DIAGNOSTIC LAB		PORTING DATE	: 15/Sep/2024 12:39	
CLIENT ADDRESS	: 6349/1, NICHOLSON RO		I ONING DAIL	. 15/ 560/ 2024 12.5	51 W
CLIENI ADDRESS	. 0349/1, MCHOLSON RO	AD, AMDALA CAN I I			
Test Name		Value	Unit	Biological	Reference interval
8. Reduced muscle m 9. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia 2. Prerenal azotemia DECREASED RATIO (<1 1. Acute tubular necr		s) NINE LEVELS: ely more than creatinine) ase.	(e.g. obstructive uropa	ithy).	
 Reduced muscle m Certain drugs (e.g. INCREASED RATIO (>2 Postrenal azotemia Prerenal azotemia DECREASED RATIO (<1 Acute tubular necr Low protein diet ar Severe liver disease Other causes of de Repeated dialysis (Inherited hyperam SIADH (syndrome c Pregnancy. DECREASED RATIO (<1 Phenacimide thera Rhabdomyolysis (r Muscular patients INAPPROPIATE RATIO 	(e.g. ureter colostomy) ass (subnormal creatinine p tetracycline, glucocorticoids 0:1) WITH ELEVATED CREATI (BUN rises disproportionate superimposed on renal dise 0:1) WITH DECREASED BUN : osis. d starvation. e. creased urea synthesis. urea rather than creatinine monemias (urea is virtually of inappropiate antidiuretic h 0:1) WITH INCREASED CREAT py (accelerates conversion c eleases muscle creatinine). who develop renal failure. : sis (acetoacetate causes fals	s) NINE LEVELS: ely more than creatinine) ase. diffuses out of extracellu absent in blood). harmone) due to tubular s FININE: of creatine to creatinine). se increase in creatinine v	lar fluid). ecretion of urea.		al ratio when dehydrati
 Reduced muscle m Certain drugs (e.g. INCREASED RATIO (>2 Postrenal azotemia Prerenal azotemia DECREASED RATIO (<1 Acute tubular necr Low protein diet ar Severe liver disease Other causes of de Repeated dialysis (Inherited hyperam SIADH (syndrome c Pregnancy. DECREASED RATIO (<1 Phenacimide thera Rhabdomyolysis (r Muscular patients INAPPROPIATE RATIO Diabetic ketoacido should produce an in Cephalosporin ther 	(e.g. ureter colostomy) ass (subnormal creatinine p tetracycline, glucocorticoids 0:1) WITH ELEVATED CREATI (BUN rises disproportionate superimposed on renal dise 0:1) WITH DECREASED BUN : osis. d starvation. 2. creased urea synthesis. urea rather than creatinine monemias (urea is virtually of inappropiate antidiuretic h 0:1) WITH INCREASED CREAT py (accelerates conversion of eleases muscle creatinine). who develop renal failure. : sis (acetoacetate causes fals creased BUN/creatinine rati apy (interferes with creatini	s) NINE LEVELS: ely more than creatinine) ase. diffuses out of extracellu absent in blood). harmone) due to tubular s FININE: of creatine to creatinine). se increase in creatinine v o).	lar fluid). ecretion of urea.		al ratio when dehydrati
8. Reduced muscle m 9. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia 2. Prerenal azotemia DECREASED RATIO (<1 1. Acute tubular necr 2. Low protein diet ar 3. Severe liver disease 4. Other causes of de 5. Repeated dialysis (6. Inherited hyperam 7. SIADH (syndrome c 8. Pregnancy. DECREASED RATIO (<1 1. Phenacimide thera 2. Rhabdomyolysis (r 3. Muscular patients INAPPROPIATE RATIO 1. Diabetic ketoacido should produce an in 2. Cephalosporin ther	(e.g. ureter colostomy) ass (subnormal creatinine p tetracycline, glucocorticoids 0:1) WITH ELEVATED CREATI (BUN rises disproportionate superimposed on renal dise 0:1) WITH DECREASED BUN : osis. d starvation. 2. creased urea synthesis. urea rather than creatinine monemias (urea is virtually of inappropiate antidiuretic h 0:1) WITH INCREASED CREAT py (accelerates conversion of eleases muscle creatinine). who develop renal failure. : sis (acetoacetate causes fals creased BUN/creatinine rati apy (interferes with creatini ULAR FILT<u>ERATION RATE</u>:	s) NINE LEVELS: ely more than creatinine) ase. diffuses out of extracellu absent in blood). harmone) due to tubular s FININE: of creatine to creatinine). se increase in creatinine v o). ne measurement).	lar fluid). ecretion of urea. vith certain methodolo	ogies,resulting in norma	al ratio when dehydrati
8. Reduced muscle m 9. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia 2. Prerenal azotemia DECREASED RATIO (<1 1. Acute tubular necr 2. Low protein diet ar 3. Severe liver disease 4. Other causes of de 5. Repeated dialysis (6. Inherited hyperam 7. SIADH (syndrome c 8. Pregnancy. DECREASED RATIO (<1 1. Phenacimide thera 2. Rhabdomyolysis (r 3. Muscular patients INAPPROPIATE RATIO 1. Diabetic ketoacido should produce an in 2. Cephalosporin ther ESTIMATED GLOMERL CKD STAGE	(e.g. ureter colostomy) ass (subnormal creatinine p tetracycline, glucocorticoids 0:1) WITH ELEVATED CREATI (BUN rises disproportionate superimposed on renal dise 0:1) WITH DECREASED BUN : osis. d starvation. e. creased urea synthesis. urea rather than creatinine monemias (urea is virtually of inappropiate antidiuretic h 0:1) WITH INCREASED CREAT py (accelerates conversion c eleases muscle creatinine). who develop renal failure. : sis (acetoacetate causes fals creased BUN/creatinine rati apy (interferes with creatini ULAR FILTERATION RATE: DESCRIPTIC Normal kidney f	S) NINE LEVELS: Ely more than creatinine) ase. diffuses out of extracellu absent in blood). harmone) due to tubular s FININE: of creatine to creatinine). Se increase in creatinine v o). ne measurement). DN GFR (mL/n Function >	lar fluid). ecretion of urea. vith certain methodolo nin/1.73m2) AS	ogies,resulting in norma SOCIATED FINDINGS No proteinuria	al ratio when dehydrati
8. Reduced muscle m 9. Certain drugs (e.g. INCREASED RATIO (>2 1. Postrenal azotemia 2. Prerenal azotemia DECREASED RATIO (<1 1. Acute tubular necr 2. Low protein diet ar 3. Severe liver disease 4. Other causes of de 5. Repeated dialysis (6. Inherited hyperam 7. SIADH (syndrome c 8. Pregnancy. DECREASED RATIO (<1 1. Phenacimide thera 2. Rhabdomyolysis (r 3. Muscular patients INAPPROPIATE RATIO 1. Diabetic ketoacido should produce an in 2. Cephalosporin ther ESTIMATED GLOMERL CKD STAGE	(e.g. ureter colostomy) ass (subnormal creatinine p tetracycline, glucocorticoids 0:1) WITH ELEVATED CREATI (BUN rises disproportionate superimposed on renal dise 0:1) WITH DECREASED BUN : osis. d starvation. 2. creased urea synthesis. urea rather than creatinine monemias (urea is virtually of inappropiate antidiuretic h 0:1) WITH INCREASED CREAT py (accelerates conversion c eleases muscle creatinine). who develop renal failure. : sis (acetoacetate causes fals creased BUN/creatinine rati apy (interferes with creatini ULAR FILTERATION RATE: DESCRIPTIO	S) NINE LEVELS: Ely more than creatinine) ase. diffuses out of extracellu absent in blood). harmone) due to tubular s FININE: of creatine to creatinine). Se increase in creatinine v o). ne measurement). DN GFR (mL/n Function > h GFR	lar fluid). ecretion of urea. vith certain methodolo nin/1.73m2) AS 90 P	ogies,resulting in norma SOCIATED FINDINGS	al ratio when dehydrati

G3b

G4

G5

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

Moderate decrease in GFR

Severe decrease in GFR

Kidney failure

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

30-59

15-29

<15

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com
 www.koshealthcare.com







	Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Patholog		(Pathology)
NAME	: Mrs. MANJU GUPTA		
AGE/ GENDER	: 69 YRS/FEMALE	PATIENT ID	: 1613838
COLLECTED BY	:	REG. NO./LAB NO.	: 012409150009
REFERRED BY	:	REGISTRATION DATE	: 15/Sep/2024 08:23 AM
BARCODE NO.	: 01516985	COLLECTION DATE	: 15/Sep/2024 08:49AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 15/Sep/2024 12:39PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANT	Т	
			/
Test Name	Value	Unit	Biological Reference interval

COMMENTS:

Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney.
 eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012
 In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure of CFD with the commended to measure

3. In patients, with eGFR cleaning between 45-59 minimit 1.73 m2 (G3) and without any marker of Kidney damage, it is recommended to measure eGFR with Cystatin C for confirmation of CKD
4. eGFR category G1 OR G2 does not fulfill the criteria for CKD, in the absence of evidence of Kidney Damage
5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure
6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C
7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com







	Microbiology) MD		(Pathology)	
: Mrs. MANJU GUPTA				
: 69 YRS/FEMALE	PATI	ENT ID	: 1613838	
:	REG.	NO./LAB NO.	:012409150009	
:	REGI	STRATION DATE	: 15/Sep/2024 08:23 AM	
: 01516985	COLL	ECTION DATE	: 15/Sep/2024 08:49AM	
: KOS DIAGNOSTIC LAB	REPO	RTING DATE	: 15/Sep/2024 12:57PM	
: 6349/1, NICHOLSON ROAD, AMB	BALA CANTT			
	Value	Unit	Biological Reference interval	
	ENDOCRINO	DLOGY		
THY	ROID FUNCTION	TEST: TOTAL		
	0.535	ng/mL	0.35 - 1.93	
NUM	3.1 ^L	µgm/dL	4.87 - 12.60	
ING HORMONE (TSH): SERUM NESCENT MICROPARTICLE	>100.000 ^H	μlU/mL	0.35 - 5.50	
	MD (Pathology & Mic Chairman & Consulta : Mrs. MANJU GUPTA : 69 YRS/FEMALE : : : 01516985 : KOS DIAGNOSTIC LAB : 6349/1, NICHOLSON ROAD, AME : 6349/1, NICHOLSON ROAD, AME : (T3): SERUM ESCENT MICROPARTICLE IMMUNOASSAY RUM	MD (Pathology & Microbiology) Chairman & Consultant Pathologist : Mrs. MANJU GUPTA : 69 YRS/FEMALE PATH : REG.1 : REG.1 : 01516985 COLL : 01516985 COLL : KOS DIAGNOSTIC LAB REPO : 6349/1, NICHOLSON ROAD, AMBALA CANTT : 6349/1, NICHOLSON ROAD, AMBALA CANTT Value Value CITAIN CONTINUE SERUM 0.535 ESCENT MICROPARTICLE IMMUNOASSAY) RUM 3.1 ^L	MD (Pathology & Microbiology) Chairman & Consultant Pathologist MC (CEO & Consultant E Mrs. MANJU GUPTA : 69 YRS/FEMALE PATIENT ID : REG. NO./LAB NO. : REGISTRATION DATE : 01516985 COLLECTION DATE : 01516985 COLLECTION DATE : KOS DIAGNOSTIC LAB REPORTING DATE : 6349/1, NICHOLSON ROAD, AMBALA CANTT : 6349/1, NICHOLSON ROAD, AMBALA CANTT : CISSERUM 0.535 ng/mL ESCENT MICROPARTICLE IMMUNOASSAY) NICHOLSON 3.1 ^L µgm/dL	

overproduction(hyperthyroidism) of T4 and/or T3.

CLINICAL CONDITION	T3	T4	TSH	
Primary Hypothyroidism:	Reduced	Reduced	Increased (Significantly)	
Subclinical Hypothyroidism:	Normal or Low Normal	Normal or Low Normal	High	
Primary Hyperthyroidism:	Increased	Increased	Reduced (at times undetectable)	
Subclinical Hyperthyroidism:	Normal or High Normal	Normal or High Normal	Reduced	

LIMITATIONS:-

1. T3 and T4 circulates in reversibly bound form with Thyroid binding globulins (TBG), and to a lesser extent albumin and Thyroid binding Pre Albumin so conditions in which TBG and protein levels alter such as pregnancy, excess estrogens, androgens, anabolic steroids and glucocorticoids may falsely affect the T3 and T4 levels and may cause false thyroid values for thyroid function tests.

2. Normal levels of T4 can also be seen in Hyperthyroid patients with :T3 Thyrotoxicosis, Decreased binding capacity due to hypoproteinemia or ingestion of certain drugs (eg: phenytoin , salicylates).

3. Serum T4 levles in neonates and infants are higher than values in the normal adult , due to the increased concentration of TBG in neonate serum.

4. TSH may be normal in central hypothyroidism, recent rapid correction of hyperthyroidism or hypothroidism, pregnancy, phenytoin therapy.

TRIIODOTH	PONINE (T3) THYROXINE (T4)		THYRONINE (T3) THYROXINE (T4) THYROID STIMULATING HORMON			ATING HORMONE (TSH)
Age	Refferance Range (ng/mL)	Age	Refferance Range (µg/dL)	Age	Reference Range (µIU/mL)	
0 - 7 Days	0.20 - 2.65	0 - 7 Days	5.90 - 18.58	0 - 7 Days	2.43 - 24.3	
7 Days - 3 Months	0.36 - 2.59	7 Days - 3 Months	6.39 - 17.66	7 Days - 3 Months	0.58 - 11.00	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



TEST PERFORMED AT KOS DIAGNOSTIC LAB. AMBALA CANTT





			n Chopra (Pathology) Pathologist
NAME	: Mrs. MANJU GUPTA		
AGE/ GENDER	: 69 YRS/FEMALE	PATIENT ID	: 1613838
COLLECTED BY	:	REG. NO./LAB NO.	: 012409150009
REFERRED BY	:	REGISTRATION DATE	: 15/Sep/2024 08:23 AM
BARCODE NO.	: 01516985	COLLECTION DATE	: 15/Sep/2024 08:49AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 15/Sep/2024 12:57PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CAI	NTT	

Test Name		Value Unit		Biological Reference interva		
3 - 6 Months	0.51 - 2.52	3 - 6 Months	6.75 - 17.04	3 Days – 6 Months	0.70 - 8.40	
6 - 12 Months	0.74 - 2.40	6 - 12 Months	7.10 - 16.16	6 – 12 Months	0.70 - 7.00	
1 - 10 Years	0.92 - 2.28	1 - 10 Years	6.00 - 13.80	1 – 10 Years	0.60 - 5.50	
11- 19 Years	0.35 - 1.93	11 - 19 Years	4.87- 13.20	11 – 19 Years	0.50 - 5.50	
> 20 years (Adults)	0.35 - 1.93	> 20 Years (Adults)	4.87 - 12.60	> 20 Years (Adults)	0.35- 5.50	
	RECON	/MENDATIONS OF TSH LI	EVELS DURING PRE	GNANCY (µIU/mL)	-	
	1st Trimester			0.10 - 2.50		
	2nd Trimester		0.20 - 3.00			
	3rd Trimester			0.30 - 4.10		

INCREASED TSH LEVELS:

1. Primary or untreated hypothyroidism may vary from 3 times to more than 100 times normal depending upon degree of hypofunction.

2. Hypothyroid patients receiving insufficient thyroid replacement therapy.

3. Hashimotos thyroiditis

4.DRUGS: Amphetamines, idonie containing agents & dopamine antagonist.

5.Neonatal period, increase in 1st 2-3 days of life due to post-natal surge

DECREASED TSH LEVELS:

1.Toxic multi-nodular goitre & Thyroiditis.

2. Over replacement of thyroid harmone in treatment of hypothyroidism.

3. Autonomously functioning Thyroid adenoma

4. Secondary pituatary or hypothalmic hypothyroidism

5. Acute psychiatric illness

6.Severe dehydration.

7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis.

8. Pregnancy: 1st and 2nd Trimester

*** End Of Report ***





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

