

KOS Diagnostic Lab

(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mr. SURENDER JAIN

AGE/ GENDER : 74 YRS/MALE PATIENT ID : 1619060

COLLECTED BY : REG. NO./LAB NO. : 012409200003

 REFERRED BY
 : 20/Sep/2024 06:51 AM

 BARCODE NO.
 : 01517296
 COLLECTION DATE
 : 20/Sep/2024 06:57 AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 20/Sep/2024 08:41 AM

CLIENT ADDRESS: 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

HAEMATOLOGY

PROTHROMBIN TIME STUDIES (PT/INR)

PT TEST (PATIENT) by PHOTO OPTICAL CLOT DETECTION	21.2 ^H	SECS	11.5 - 14.5
PT (CONTROL) by PHOTO OPTICAL CLOT DETECTION	12	SECS	
ISI by PHOTO OPTICAL CLOT DETECTION	1.1		
INTERNATIONAL NORMALISED RATIO (INR) by Photo optical clot detection	1.87 ^H		0.80 - 1.20
PT INDEX	56.6	%	

by PHOTO OPTICAL CLOT DETECTION

ADVICE

KINDLY CORRELATE CLINICALLY

INTERPRETATION:-

- 1.INR is the parameter of choice in monitoring adequacy of oral anti-coagulant therapy. Appropriate therapeutic range varies with the disease and treatment intensity.
- 2. Prolonged INR suggests potential bleeding disorder /bleeding complications
- 3. Results should be clinically correlated.
- 4. Test conducted on Citrated Plasma

RECOMMENDED THERAPEUTIC RANGE FOR ORAL ANTI-COAGULANT THERAPY (INR)				
INDICATION		INTERNATIONAL NORMALIZED RATIO (INR)		
Treatment of venous thrombosis				
Treatment of pulmonary embolism				
Prevention of systemic embolism in tissue heart valves				
Valvular heart disease	Low Intensity	\triangle	2.0 - 3.0	
Acute myocardial infarction				
Atrial fibrillation				
Bileaflet mechanical valve in aortic position				
Recurrent embolism				
Mechanical heart valve	High Intensity		2.5 - 3.5	



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS . MD (PATHOLOGY)





KOS Diagnostic Lab

(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME : Mr. SURENDER JAIN

AGE/ GENDER : 74 YRS/MALE PATIENT ID : 1619060

COLLECTED BY : REG. NO./LAB NO. : 012409200003

 REFERRED BY
 :
 REGISTRATION DATE
 : 20/Sep/2024 06:51 AM

 BARCODE NO.
 : 01517296
 COLLECTION DATE
 : 20/Sep/2024 06:57 AM

CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 20/Sep/2024 08:41AM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

Antiphospholipid antibodies+

COMMENTS:

The prothrombin time (PT) and its derived measures of prothrombin ratio (PR) and international normalized ratio (INR) are measures of the efficacy of the extrinsic pathway of coagulation. PT test reflects the adequacy of factors I (fibrinogen), II (prothrombin), V, VII, and X. It is used in conjunction with the activated partial thromboplastin time (aPTT) which measures the intrinsic pathway.

The common causes of prolonged prothrombin time are:

1. Oral Anticoagulant therapy.

2.Liver disease.

3. Vit K. deficiency.

4. Disseminated intra vascular coagulation.

5. Factor 5, 7, 10 or Prothrombin dificiency

RECHECKED.

*** End Of Report **



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUĞAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

