NAME	**: Mrs. SEEMA SHARMA**		
AGE/ GENDER	: 50 YRS/FEMALE	**PATIENT ID**	: 1621421
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012409220041**
REFERRED BY	:	**REGISTRATION DATE**	: 22/Sep/2024 10:03 AM
BARCODE NO.	: 01517476	**COLLECTION DATE**	: 22/Sep/2024 10:04AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 22/Sep/2024 10:18AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

HAEMATOLOGY

HAEMOGLOBIN (HB)

HAEMOGLOBIN (HB) *by CALORIMETRIC*	**11.3**[L]	**gm/dL**	**12.0 - 16.0**

INTERPRETATION:-

Hemoglobin is the protein molecule in red blood cells that carries oxygen from the lungs to the bodys tissues and returns carbon dioxide from the tissues back to the lungs.
A low hemoglobin level is referred to as ANEMIA or low red blood count.

ANEMIA (DECRESED HAEMOGLOBIN):

1) Loss of blood (traumatic injury, surgery, bleeding, colon cancer or stomach ulcer)
2) Nutritional deficiency (iron, vitamin B12, folate)
3) Bone marrow problems (replacement of bone marrow by cancer)
4) Suppression by red blood cell synthesis by chemotherapy drugs
5) Kidney failure
6) Abnormal hemoglobin structure (sickle cell anemia or thalassemia).

POLYCYTHEMIA (INCREASED HAEMOGLOBIN):

1) People in higher altitudes (Physiological)
2) Smoking (Secondary Polycythemia)
3) Dehydration produces a falsely rise in hemoglobin due to increased haemoconcentration
4) Advanced lung disease (for example, emphysema)
5) Certain tumors
6) A disorder of the bone marrow known as polycythemia rubra vera,
7) Abuse of the drug erythropoetin (Epogen) by athletes for blood doping purposes (increasing the amount of oxygen available to the body by chemically raising the production of red blood cells).

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Mrs. SEEMA SHARMA**		
AGE/ GENDER	: 50 YRS/FEMALE	**PATIENT ID**	: 1621421
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012409220041**
REFERRED BY	:	**REGISTRATION DATE**	: 22/Sep/2024 10:03 AM
BARCODE NO.	: 01517476	**COLLECTION DATE**	: 22/Sep/2024 10:04AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 22/Sep/2024 11:29AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

CLINICAL CHEMISTRY/BIOCHEMISTRY

GLUCOSE FASTING (F)

GLUCOSE FASTING (F): PLASMA *by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)*	93.9	mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0

INTERPRETATION

IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:

1. A fasting plasma glucose level below 100 mg/dl is considered normal.
2. A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
3. A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Mrs. SEEMA SHARMA**		
AGE/ GENDER	: 50 YRS/FEMALE	**PATIENT ID**	: 1621421
COLLECTED BY	:	**REG. NO./LAB NO.**	**: 012409220041**
REFERRED BY	:	**REGISTRATION DATE**	: 22/Sep/2024 10:03 AM
BARCODE NO.	: 01517476	**COLLECTION DATE**	: 22/Sep/2024 10:04AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 22/Sep/2024 11:29AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

URIC ACID

URIC ACID: SERUM	6.54	mg/dL	2.50 - 6.80

by URICASE - OXIDASE PEROXIDASE

INTERPRETATION:-

1.GOUT occurs when high levels of Uric Acid in the blood cause crystals to form & accumulate around a joint.
2.Uric Acid is the end product of purine metabolism . Uric acid is excreted to a large degree by the kidneys and to a smaller degree in the intestinal tract by microbial degradation.

INCREASED:-

(A).DUE TO INCREASED PRODUCTION:-

1.Idiopathic primary gout.
2.Excessive dietary purines (organ meats,legumes,anchovies, etc).
3.Cytolytic treatment of malignancies especially leukemais & lymphomas.
4.Polycythemai vera & myeloid metaplasia.
5.Psoriasis.
6.Sickle cell anaemia etc.

(B).DUE TO DECREASED EXCREATION (BY KIDNEYS)

1.Alcohol ingestion.
2.Thiazide diuretics.
3.Lactic acidosis.
4.Aspirin ingestion (less than 2 grams per day).
5.Diabetic ketoacidosis or starvation.
6.Renal failure due to any cause etc.

DECREASED:-

(A).DUE TO DIETARY DEFICIENCY

1.Dietary deficiency of Zinc, Iron and molybdenum.
2.Fanconi syndrome & Wilsons disease.
3.Multiple sclerosis .
4.Syndrome of inappropriate antidiuretic hormone (SIADH) secretion & low purine diet etc.

(B).DUE TO INCREASED EXCREATION

1.Drugs:-Probenecid , sulphinpyrazone, aspirin doses (more than 4 grams per day), corticosterroids and ACTH, anti-coagulants and estrogens etc.

*** End Of Report ***

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)