

KOS Diagnostic Lab (A Unit of KOS Healthcare)





Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mr. BRIJ BHUSHAN SAINI

AGE/ GENDER : 61 YRS/MALE **PATIENT ID** : 1626420

COLLECTED BY : 012409260052 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 26/Sep/2024 05:24 PM BARCODE NO. :01517772 **COLLECTION DATE** : 26/Sep/2024 05:30PM CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 26/Sep/2024 05:48PM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit **Biological Reference interval**

HAEMATOLOGY COMPLETE BLOOD COUNT (CBC)

RED BLOOD CELLS (RBCS) COUNT AND INDICES

HAEMOGLOBIN (HB) by CALORIMETRIC	13.3	gm/dL	12.0 - 17.0
RED BLOOD CELL (RBC) COUNT by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE	4.7	Millions/cmm	3.50 - 5.00
PACKED CELL VOLUME (PCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER	40.9	%	40.0 - 54.0
MEAN CORPUSCULAR VOLUME (MCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER	87	fL	80.0 - 100.0
MEAN CORPUSCULAR HAEMOGLOBIN (MCH) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER	28.4	pg	27.0 - 34.0
MEAN CORPUSCULAR HEMOGLOBIN CONC. (MCHC) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER	32.6	g/dL	32.0 - 36.0
RED CELL DISTRIBUTION WIDTH (RDW-CV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER	13.6	%	11.00 - 16.00
RED CELL DISTRIBUTION WIDTH (RDW-SD) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER	44.3	fL	35.0 - 56.0
MENTZERS INDEX by CALCULATED	18.51	RATIO	BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0
GREEN & KING INDEX by CALCULATED	25.27	RATIO	BETA THALASSEMIA TRAIT:<= 65.0 IRON DEFICIENCY ANEMIA: > 65.0
WHITE BLOOD CELLS (WBCS)			
TOTAL LEUCOCYTE COUNT (TLC) by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	7090	/cmm	4000 - 11000
NUCLEATED RED BLOOD CELLS (nRBCS) by automated 6 part hematology analyzer	NIL		0.00 - 20.00
NUCLEATED RED BLOOD CELLS (nRBCS) % by Calculated by automated hematology analyzer	NIL	%	< 10 %
DIFFERENTIAL LEUCOCYTE COUNT (DLC)			
NEUTROPHILS by Flow cytometry by SF cube & microscopy	60	%	50 - 70



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





CLIENT CODE.

KOS Diagnostic Lab

(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

: 26/Sep/2024 05:48PM

REPORTING DATE

NAME : Mr. BRIJ BHUSHAN SAINI

PATIENT ID : 1626420 **AGE/ GENDER** : 61 YRS/MALE

COLLECTED BY : 012409260052 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 26/Sep/2024 05:24 PM BARCODE NO. :01517772 **COLLECTION DATE** : 26/Sep/2024 05:30PM

: KOS DIAGNOSTIC LAB **CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name	Value	Unit	Biological Reference interval		
LYMPHOCYTES	27	%	20 - 40		
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY					
EOSINOPHILS	8 ^H	%	1 - 6		
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY					
MONOCYTES	5	%	2 - 12		
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY					
BASOPHILS	0	%	0 - 1		
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY					
ABSOLUTE LEUKOCYTES (WBC) COUNT					
ABSOLUTE NEUTROPHIL COUNT	4254	/cmm	2000 - 7500		
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY					
ABSOLUTE LYMPHOCYTE COUNT	1914	/cmm	800 - 4900		
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY					
ABSOLUTE EOSINOPHIL COUNT	567 ^H	/cmm	40 - 440		
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	05.4	,	00.000		
ABSOLUTE MONOCYTE COUNT	354	/cmm	80 - 880		
by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	0	/	0 110		
ABSOLUTE BASOPHIL COUNT by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY	0	/cmm	0 - 110		
	ADVEDE				
PLATELETS AND OTHER PLATELET PREDICTIVE MA	AKKEKS.				
PLATELET COUNT (PLT) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDEN	106000 ^L	/cmm	150000 - 450000		
PLATELETCRIT (PCT)	0.12	%	0.10 - 0.36		
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE		/0	0.10 - 0.30		
MEAN PLATELET VOLUME (MPV)	16 ^H	fL	6.50 - 12.0		
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDEN	VCE	· · ·	0.30 - 12.0		
PLATELET LARGE CELL COUNT (P-LCC)	73000	/cmm	30000 - 90000		
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENC					
PLATELET LARGE CELL RATIO (P-LCR)	65.6 ^H	%	11.0 - 45.0		
by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDEN	NCE				
PLATELET DISTRIBUTION WIDTH (PDW)	16.8	%	15.0 - 17.0		

KINDLY CORRELATE CLINICALLY

RECHECKED.

ADVICE

by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

