

Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mrs. HARPREET KAUR	PATIENT ID	: 1626774
AGE/ GENDER	: 46 YRS/FEMALE	REG. NO./LAB NO.	: 012409270032
COLLECTED BY	:	REGISTRATION DATE	: 27/Sep/2024 09:57 AM
REFERRED BY	: DR SURESH SHARMA	COLLECTION DATE	: 27/Sep/2024 09:59AM
BARCODE NO.	: 01517808	REPORTING DATE	: 27/Sep/2024 10:34AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

IMMUNOPATHOLOGY/SEROLOGY

VDRL TITRES

VDRL
 by IMMUNOCHROMATOGRAPHY
 END POINT TITRES
 by IMMUNOCHROMATOGRAPHY

REACTIVE

NON REACTIVE

1:2 DILUTION.

INTERPRETATION:

NOTE:

Titres of 1:8 and above are considered significant

COMMENTS:

- 1.This is a screening test for syphilis which is useful for following the progression of disease and response to therapy. Rising titers are of immense value in confirming the diagnosis.
- 2.Reactive results must be correlated with supporting clinical, historical and epidemiological evidence to arrive at a final diagnosis.
- 3.Biological false positive reactions exhibit low titers and are seen in conditions like Viral and Bacterial infections, Mycoplasma infection, Chlamydia infection, Malaria, Immunizations, Pregnancy, Autoimmune disorders & past history of Treponemal infection.
- 3.Subsequent testing of sera by one of specific treponemal antigen such as TPHA & FTA-ABS is recommended in these cases

*** End Of Report ***




DR.VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


DR.YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)

