



ISO 9001 : 2008 CERTI			N HEALTHCARE & DIAGNOSTICS	
	Dr. Vinay Chopra MD (Pathology & Micro	biology)	Yugam Chopra MD (Pathology)	
	Chairman & Consultant	Pathologist CEO & C	onsultant Pathologist	
NAME	: Mrs. SANTOSH			
AGE/ GENDER	: 50 YRS/FEMALE	PATIENT ID	: 1629385	
COLLECTED BY	: SURJESH	REG. NO./LAB N	0. : 012409300	038
REFERRED BY	:	REGISTRATION	1	10:16 AM
BARCODE NO.	: 01518011	COLLECTION DA	1	
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DA	TE : 30/Sep/2024	10:52AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBA	LA CANTT		
Test Name		Value l	Jnit Biolo	gical Reference interval
		HAEMATOLOGY		
	P	LATELET COUNT (P/C)		
PLATELET COUNT (PL			′cmm 1500	00 - 450000
MIĆROSCOPY NOTE: TEST CONDUCT	ED ON EDTA WHOLE BLOOD			
RECHECKED				
जनसञ्च कराज		0		
	N	Chobra		
	am	T		
	DR.VINAY CHOPRA CONSULTANT PATHOLOGIST	DR.YUGAM CHOPRA CONSULTANT PATHOLOGIS	т	
E128-2567-628	MBBS, MD (PATHOLOGY & MICROBIOLOG	(Y) MBBS , MD (PATHOLOGY)		

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



KOS Diagnostic Lab (A Unit of KOS Healthcare)

ISO 9001 : 2008 CERTIFIED LAB			EXCELLENCE IN HEALTHCARE & DIAGNOSTICS					
	Dr. Vinay Ch MD (Pathology & Chairman & Con		Dr. Yugan MD CEO & Consultant	(Pathology)				
NAME	: Mrs. SANTOSH							
AGE/ GENDER	: 50 YRS/FEMALE	PATI	ENT ID	: 1629385				
COLLECTED BY	: SURJESH		NO./LAB NO.	: 012409300038				
REFERRED BY			STRATION DATE	: 30/Sep/2024 10:16 AM				
BARCODE NO.	:01518011		ECTION DATE	: 30/Sep/2024 10:26AM				
CLIENT CODE.	: KOS DIAGNOSTIC LAB		RTING DATE	: 30/Sep/2024 10:20AM : 30/Sep/2024 11:33AM				
CLIENT CODE. CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,		KIING DATE	. 30/ Sep/ 2024 11.33AM				
CLIENT ADDRESS	. 0345/ 1, MCHOLSON ROAD,	AWDALA CAN I I						
Test Name		Value	Unit	Biological Reference interval				
CLINICAL CHEMISTRY/BIOCHEMISTRY								
GLUCOSE FASTING (F)								
GLUCOSE FASTING (by GLUCOSE OXIDAS	F): PLASMA SE - PEROXIDASE (GOD-POD)	186.74 ^H	mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0				
1. A fasting plasma g 2. A fasting plasma g test (after consumpti 3. A fasting plasma g such patients. A fasti		considered normal. ng/dl is considered as g nmended for all such pa is highly suggestive of d ss of 125 mg/dl on both		prediabetic. A fasting and post-prandial blood at post-prandial is strongly recommended for atory for diabetic state.	t all			
*** End Of Report ***								
回新新新闻	2	Λ						
	than -	yhop	a					
通过的通知								
	DR.VINAY CHOPRA	DR.YUGAM CH						
	CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICRO	CONSULTANT BIOLOGY) MBBS , MD (PA						

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



Page 2 of 2