



SU 9001 : 2008 CERTIFIED LAB			EXCELLENCE IN HEALTHCARE & DIAGNOSTICS							
		Dr. Vinay Cho MD (Pathology & M Chairman & Consu	1icrobiology)	Dr. Yugam MD CEO & Consultant	(Pathology)					
NAME	: Mr. RAKESH	[								
AGE/ GENDER	: 60 YRS/MALE		PATIENT ID		: 1636333					
COLLECTED BY	:		<b>REG. NO./LAB NO.</b>		: 012410060051					
REFERRED BY				REGISTRATION DATE	: 06/Oct/2024 05:33 PM					
BARCODE NO.	: 01518432			COLLECTION DATE	: 06/Oct/2024 05:34PM					
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE		: 07/Oct/2024 09:40AM					
<b>CLIENT ADDRESS</b> : 6349/1, NICHOLSON ROAL										
Test Name			Value	Unit	Biological Reference interval					
CLINICAL PATHOLOGY										
		URINE RO	UTINE & MICF	ROSCOPIC EXAMINAT	ION					
PHYSICAL EXAMINATION										
QUANTITY RECIEVED			10	ml						
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		PHOTOMETRY	10							
COLOUR			AMBER YELLOW		PALE YELLOW					
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY TRANSPARANCY		PHOTOMETRY	HAZY		CLEAR					
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		PHOTOMETRY	11/ 12 1		GLEMA					
SPECIFIC GRAVITY			1.01		1.002 - 1.030					
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY CHEMICAL EXAMINATION		PHOTOMETRY								
REACTION			ACIDIC							
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		PHOTOMETRY	Negative							
PROTEIN					NEGATIVE (-ve)					
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY SUGAR		PHOTOMETRY	Nogativo		NEGATIVE (-ve)					
SUGAK by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		PHOTOMETRY	Negative		NEGATIVE (-ve)					
рН			6.5		5.0 - 7.5					
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		PHOTOMETRY	Nogotivo							
BILIRUBIN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		PHOTOMETRY	Negative		NEGATIVE (-ve)					
NITRITE			Negative		NEGATIVE (-ve)					
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY.		PHOTOMETRY.	Nerroal		0.2 1.0					
UROBILINOGEN by dip stick/reflectance spectrophotometry		PHOTOMETRY	Normal	EU/dL	0.2 - 1.0					
KETONE BODIES			Negative		NEGATIVE (-ve)					
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		PHOTOMETRY	Norathus							
BLOOD by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		PHOTOMETRY	Negative		NEGATIVE (-ve)					
ASCORBIC ACID			NEGATIVE (	-ve)	NEGATIVE (-ve)					
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		PHOTOMETRY								
MICROSCOPIC EXAMINATION										

**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB. AMBALA CANTT







Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME	: Mr. RAKESH				
AGE/ GENDER	: 60 YRS/MALE	PATIENT	' ID	: 1636333	
COLLECTED BY	:	REG. NO./LAB NO. REGISTRATION DATE COLLECTION DATE REPORTING DATE		: 012410060051	
<b>REFERRED BY</b>	:			: 06/Oct/2024 05:33 PM	
BARCODE NO.	: 01518432			: 06/Oct/2024 05:34PM : 07/Oct/2024 09:40AM	
CLIENT CODE.	: KOS DIAGNOSTIC LAB				
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM				
Test Name		Value	Unit	Biological Reference interval	
RED BLOOD CELLS (RBCs) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT		NEGATIVE (-ve)	/HPF	0 - 3	
PUS CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT		12-15	/HPF	0 - 5	
EPITHELIAL CELLS by MICROSCOPY ON (	CENTRIFUGED URINARY SEDIMENT	1-3	/HPF	ABSENT	
CRYSTALS	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)	

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

BACTERIA by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT OTHERS

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT TRICHOMONAS VAGINALIS (PROTOZOA)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

\*\*\* End Of Report \*\*\*

NEGATIVE (-ve)

NEGATIVE (-ve)

NEGATIVE (-ve)

ABSENT





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com



NEGATIVE (-ve)

NEGATIVE (-ve)

NEGATIVE (-ve)

ABSENT