

Dr. Vinay Chopra  
MD (Pathology & Microbiology)  
Chairman & Consultant Pathologist

Dr. Yugam Chopra  
MD (Pathology)  
CEO & Consultant Pathologist

<b>NAME</b>	: Mrs. KALA WATI	<b>PATIENT ID</b>	: 1638705
<b>AGE/ GENDER</b>	: 83 YRS/FEMALE	<b>REG. NO./LAB NO.</b>	: <b>012410090028</b>
<b>COLLECTED BY</b>	: SURJESH	<b>REGISTRATION DATE</b>	: 09/Oct/2024 09:52 AM
<b>REFERRED BY</b>	:	<b>COLLECTION DATE</b>	: 09/Oct/2024 09:55AM
<b>BARCODE NO.</b>	: 01518585	<b>REPORTING DATE</b>	: 09/Oct/2024 11:08AM
<b>CLIENT CODE.</b>	: KOS DIAGNOSTIC LAB		
<b>CLIENT ADDRESS</b>	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

**CLINICAL CHEMISTRY/BIOCHEMISTRY**

**GLUCOSE RANDOM (R)**

<b>GLUCOSE RANDOM (R): PLASMA</b> <i>by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)</i>	154.03 <sup>H</sup>	mg/dL	<b>NORMAL: &lt; 140.00</b> <b>PREDIABETIC: 140.0 - 200.0</b> <b>DIABETIC: &gt; OR = 200.0</b>
---	---------------------	-------	---

**INTERPRETATION**

**IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:**

1. A random plasma glucose level below 140 mg/dl is considered normal.
2. A random glucose level between 140 - 200 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
3. A random glucose level of above 200 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.



DR. VINAY CHOPRA  
CONSULTANT PATHOLOGIST  
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR. YUGAM CHOPRA  
CONSULTANT PATHOLOGIST  
MBBS, MD (PATHOLOGY)



TEST PERFORMED AT: KOS DIAGNOSTIC LAB, AMBALA CANTT.


Dr. Vinay Chopra  
MD (Pathology & Microbiology)  
Chairman & Consultant Pathologist

Dr. Yugam Chopra  
MD (Pathology)  
CEO & Consultant Pathologist


<b>NAME</b>	: Mrs. KALA WATI	<b>PATIENT ID</b>	: 1638705
<b>AGE/ GENDER</b>	: 83 YRS/FEMALE	<b>REG. NO./LAB NO.</b>	: <b>012410090028</b>
<b>COLLECTED BY</b>	: SURJESH	<b>REGISTRATION DATE</b>	: 09/Oct/2024 09:52 AM
<b>REFERRED BY</b>	:	<b>COLLECTION DATE</b>	: 09/Oct/2024 09:55AM
<b>BARCODE NO.</b>	: 01518585	<b>REPORTING DATE</b>	: 09/Oct/2024 11:08AM
<b>CLIENT CODE.</b>	: KOS DIAGNOSTIC LAB		
<b>CLIENT ADDRESS</b>	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
<b>CREATININE</b>			
CREATININE: SERUM <i>by ENZYMATIC, SPECTROPHOTOMETRY</i>	1.27 <sup>H</sup>	mg/dL	0.40 - 1.20

\*\*\* End Of Report \*\*\*

DR. VINAY CHOPRA  
CONSULTANT PATHOLOGIST  
MBBS, MD (PATHOLOGY & MICROBIOLOGY)



DR. YUGAM CHOPRA  
CONSULTANT PATHOLOGIST  
MBBS, MD (PATHOLOGY)



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.