



AGE/ GENDER : 4 COLLECTED BY : SI REFERRED BY : BARCODE NO. : 0 CLIENT CODE. : K CLIENT ADDRESS : 6 Test Name URIC ACID: SERUM by URICASE - OXIDASE PEN INTERPRETATION:- 1.GOUT occurs when high 2.Uric Acid is the end proc intestinal tract by microb INCREASED:- (A).DUE TO INCREASED PR 1.Idiopathic primary gout 2.Excessive dietary purine 3.Cytolytic treatment of n 4.Polycythemai vera & my 5.Psoriasis. 6.Sickle cell anaemia etc. (B).DUE TO DECREASED EX 1.Alcohol ingestion. 2.Thiazide diuretics. 3.Lactic acidosis. 4.Aspirin ingestion (less th 5.Diabetic ketoacidosis on	ROXIDASE I levels of Uric Acid ir duct of purine metab ial degradation. ODUCTION:-	PAT REC REC COI 3 REF ROAD, AMBALA CANTT Value CLINICAL CHEMISTRY URIC A 6.45	CID mg/dL form & accumulate arc	3.60 - 7.70
COLLECTED BY : SI REFERRED BY : BARCODE NO. : 0 CLIENT CODE. : K CLIENT ADDRESS : 6 Test Name URIC ACID: SERUM by URICASE - OXIDASE PEI INTERPRETATION:- 1.GOUT occurs when high 2.Uric Acid is the end prod intestinal tract by microb INCREASED:- (A).DUE TO INCREASED PR 1.Idiopathic primary gout 2.Excessive dietary purine 3.Cytolytic treatment of n 4.Polycythemai vera & my 5.Psoriasis. 6.Sickle cell anaemia etc. (B).DUE TO DECREASED EX 1.Alcohol ingestion. 2.Thiazide diuretics. 3.Lactic acidosis. 4.Aspirin ingestion (less th 5.Diabetic ketoacidosis on	URJESH 1518668 OS DIAGNOSTIC LAH 349/1, NICHOLSON ROXIDASE Nevels of Uric Acid ir duct of purine metab ial degradation.	REC REC COI 3 REF ROAD, AMBALA CANTT Value CLINICAL CHEMISTRY URIC A 6.45	G. NO./LAB NO. GISTRATION DATE CLECTION DATE PORTING DATE Unit Y/BIOCHEMISTR CID mg/dL	: 012410100054 : 10/Oct/2024 06:33 PM : 10/Oct/2024 06:42PM : 10/Oct/2024 07:25PM Biological Reference interval Y 3.60 - 7.70
REFERRED BY : BARCODE NO. : 0 CLIENT CODE. : K CLIENT ADDRESS : 6 Test Name URIC ACID: SERUM by URICASE - OXIDASE PEN by URICASE - OXIDASE PEN (NTERPRETATION:- 1.GOUT occurs when high 2.Uric Acid is the end proc Intestinal tract by microb NCREASED:- (A).DUE TO INCREASED PR 1.Idiopathic primary gout 2.Excessive dietary purine 3.Cytolytic treatment of n 4.Polycythemai vera & my 5.Psoriasis. 6.Sickle cell anaemia etc. (B).DUE TO DECREASED EX 1.Alcohol ingestion. 2.Thiazide diuretics. 3.Lactic acidosis. 4.Aspirin ingestion (less th 5.Diabetic ketoacidosis on	1518668 COS DIAGNOSTIC LAB 349/1, NICHOLSON ROXIDASE Nevels of Uric Acid ir duct of purine metab ial degradation.	REC COI 3 REF ROAD, AMBALA CANTT Value CLINICAL CHEMISTRY URIC A 6.45	GISTRATION DATE CLECTION DATE PORTING DATE Unit Y/BIOCHEMISTR CID mg/dL form & accumulate are	: 10/Oct/2024 06:33 PM : 10/Oct/2024 06:42PM : 10/Oct/2024 07:25PM Biological Reference interval Y 3.60 - 7.70
ARCODE NO. : 0 CLIENT CODE. : K CLIENT ADDRESS : 6 Test Name JRIC ACID: SERUM by URICASE - OXIDASE PEN NUTERPRETATION:- 1.GOUT occurs when high 2.Uric Acid is the end proo ntestinal tract by microb NCREASED:- (A).DUE TO INCREASED PRO 1.Idiopathic primary gout 2.Excessive dietary purine 3.Cytolytic treatment of n 4.Polycythemai vera & my 5.Psoriasis. 5.Sickle cell anaemia etc. B).DUE TO DECREASED EX 1.Alcohol ingestion. 2.Thiazide diuretics. 3.Lactic acidosis. 4.Aspirin ingestion (less th 5.Diabetic ketoacidosis on	ROXIDASE I levels of Uric Acid ir duct of purine metab ial degradation.	COI REF ROAD, AMBALA CANTT Value CLINICAL CHEMISTRY URIC A 6.45	LECTION DATE PORTING DATE Unit Y/BIOCHEMISTR CID mg/dL	: 10/Oct/2024 06:42PM : 10/Oct/2024 07:25PM Biological Reference interval Y 3.60 - 7.70
CLIENT CODE. : K CLIENT ADDRESS : 6 Test Name URIC ACID: SERUM by URICASE - OXIDASE PEN NTERPRETATION:- 1.GOUT occurs when high 2.Uric Acid is the end proc ntestinal tract by microb NCREASED:- (A).DUE TO INCREASED PR 1.Idiopathic primary gout 2.Excessive dietary purine 3.Cytolytic treatment of n 4.Polycythemai vera & my 5.Psoriasis. 6.Sickle cell anaemia etc. (B).DUE TO DECREASED EX 1.Alcohol ingestion. 2.Thiazide diuretics. 3.Lactic acidosis. 4.Aspirin ingestion (less th 5.Diabetic ketoacidosis on	ROXIDASE I levels of Uric Acid ir duct of purine metab ial degradation.	3 REF ROAD, AMBALA CANTT Value CLINICAL CHEMISTR URIC A 6.45	PORTING DATE Unit Y/BIOCHEMISTR CID mg/dL	: 10/Oct/2024 07:25PM Biological Reference interval Y 3.60 - 7.70
CLIENT ADDRESS : 6 Test Name JRIC ACID: SERUM by URICASE - OXIDASE PEN NTERPRETATION:- I.GOUT occurs when high 2.Uric Acid is the end proo ntestinal tract by microb NCREASED:- A).DUE TO INCREASED PRO 1.Idiopathic primary gout 2.Excessive dietary purine 3.Cytolytic treatment of n 1.Polycythemai vera & my 5.Psoriasis. 5.Sickle cell anaemia etc. B).DUE TO DECREASED EX 1.Alcohol ingestion. 2.Thiazide diuretics. 3.Lactic acidosis. 1.Aspirin ingestion (less th 5.Diabetic ketoacidosis on	349/1, NICHOLSON ROXIDASE h levels of Uric Acid ir duct of purine metab ial degradation. ODUCTION:-	ROAD, AMBALA CANTT Value CLINICAL CHEMISTRY URIC A 6.45	Unit Y/BIOCHEMISTR CID mg/dL form & accumulate arc	Biological Reference interval Y 3.60 - 7.70
JRIC ACID: SERUM by URICASE - OXIDASE PEI I.GOUT occurs when high 2.Uric Acid is the end proo ntestinal tract by microb NCREASED:- (A).DUE TO INCREASED PR 1.Idiopathic primary gout 2.Excessive dietary purine 3.Cytolytic treatment of n 4.Polycythemai vera & my 5.Psoriasis. 5.Sickle cell anaemia etc. B).DUE TO DECREASED EX 1.Alcohol ingestion. 2.Thiazide diuretics. 3.Lactic acidosis. 4.Aspirin ingestion (less th 5.Diabetic ketoacidosis on	ROXIDASE I levels of Uric Acid ir duct of purine metab ial degradation. ODUCTION:-	Value CLINICAL CHEMISTR URIC A 6.45	Y/BIOCHEMISTR CID mg/dL form & accumulate arc	Y 3.60 - 7.70 pund a joint.
JRIC ACID: SERUM by URICASE - OXIDASE PEI INTERPRETATION:- I.GOUT occurs when high 2.Uric Acid is the end proo ntestinal tract by microb NCREASED:- A).DUE TO INCREASED PRO I.Idiopathic primary gout 2.Excessive dietary purine 3.Cytolytic treatment of n I.Polycythemai vera & my 5.Psoriasis. 5.Sickle cell anaemia etc. B).DUE TO DECREASED EX I.Alcohol ingestion. 2.Thiazide diuretics. 3.Lactic acidosis. I.Aspirin ingestion (less th 5.Diabetic ketoacidosis on	n levels of Uric Acid ir duct of purine metab ial degradation. ODUCTION:-	CLINICAL CHEMISTR URIC A 6.45	Y/BIOCHEMISTR CID mg/dL form & accumulate arc	Y 3.60 - 7.70 pund a joint.
by URICASE - OXIDASE PER INTERPRETATION:- 1.GOUT occurs when high 2.Uric Acid is the end proof ntestinal tract by microb NCREASED:- (A).DUE TO INCREASED PR 1.Idiopathic primary gout 2.Excessive dietary purine 3.Cytolytic treatment of n 4.Polycythemai vera & my 5.Psoriasis. 5.Sickle cell anaemia etc. B).DUE TO DECREASED EX 1.Alcohol ingestion. 2.Thiazide diuretics. 3.Lactic acidosis. 4.Aspirin ingestion (less th 5.Diabetic ketoacidosis on	n levels of Uric Acid ir duct of purine metab ial degradation. ODUCTION:-	URIC A 6.45	CID mg/dL form & accumulate arc	3.60 - 7.70 ound a joint.
by URICASE - OXIDASE PER <u>NTERPRETATION:-</u> .GOUT occurs when high 2.Uric Acid is the end proof ntestinal tract by microb NCREASED:- A).DUE TO INCREASED PR .Idiopathic primary gout 2.Excessive dietary purine .Cytolytic treatment of n .Polycythemai vera & my .Posoriasis. o.Sickle cell anaemia etc. B).DUE TO DECREASED EX .Alcohol ingestion. 2.Thiazide diuretics. .Lactic acidosis. .Aspirin ingestion (less th .Diabetic ketoacidosis on	n levels of Uric Acid ir duct of purine metab ial degradation. ODUCTION:-	URIC A 6.45	CID mg/dL form & accumulate arc	3.60 - 7.70 ound a joint.
by URICASE - OXIDASE PER <u>NTERPRETATION:-</u> .GOUT occurs when high 2.Uric Acid is the end proof ntestinal tract by microb NCREASED:- A).DUE TO INCREASED PR .Idiopathic primary gout 2.Excessive dietary purine 3.Cytolytic treatment of n I.Polycythemai vera & my 5.Psoriasis. o.Sickle cell anaemia etc. B).DUE TO DECREASED EX .Alcohol ingestion. 2.Thiazide diuretics. 3.Lactic acidosis. I.Aspirin ingestion (less th 5.Diabetic ketoacidosis on	n levels of Uric Acid ir duct of purine metab ial degradation. ODUCTION:-	6.45 In the blood cause crystals to the blood cause	mg/dL form & accumulate arc	ound a joint.
by URICASE - OXIDASE PER <u>NTERPRETATION:-</u> .GOUT occurs when high 2.Uric Acid is the end proof ntestinal tract by microb NCREASED:- A).DUE TO INCREASED PR .Idiopathic primary gout 2.Excessive dietary purine 3.Cytolytic treatment of n I.Polycythemai vera & my 5.Psoriasis. o.Sickle cell anaemia etc. B).DUE TO DECREASED EX .Alcohol ingestion. 2.Thiazide diuretics. 3.Lactic acidosis. I.Aspirin ingestion (less th 5.Diabetic ketoacidosis on	n levels of Uric Acid ir duct of purine metab ial degradation. ODUCTION:-	n the blood cause crystals to r	form & accumulate arc	ound a joint.
INTERPRETATION:- 1.GOUT occurs when high 2.Uric Acid is the end proof ntestinal tract by microb NCREASED:- (A).DUE TO INCREASED PR 1.Idiopathic primary gout 2.Excessive dietary purine 3.Cytolytic treatment of n 4.Polycythemai vera & my 5.Psoriasis. 6.Sickle cell anaemia etc. (B).DUE TO DECREASED EX 1.Alcohol ingestion. 2.Thiazide diuretics. 3.Lactic acidosis. 4.Aspirin ingestion (less to 5.Diabetic ketoacidosis on	n levels of Uric Acid ir duct of purine metab ial degradation. ODUCTION:-	n the blood cause crystals to olism . Uric acid is excreted to	form & accumulate ard o a large degree by the	ound a joint. A kidneys and to a smaller degree in the
5.Renal failure due to any DECREASED:- (A).DUE TO DIETARY DEFIC 1.Dietary deficiency of Zin 2.Fanconi syndrome & W 3.Multiple sclerosis . 4.Syndrome of inappropris	han 2 grams per day r starvation. r cause etc. I ENCY nc, Iron and molybden ilsons disease. ate antidiuretic horm).	purine diet etc.	
B).DUE TO INCREASED EX(I.Drugs:-Probenecid , sulp		n doses (more than 4 grams p	er day), corticosterroio	ds and ACTH, anti-coagulants and estrogens e

KOS Diagnostic Lab (A Unit of KOS Healthcare)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

V DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com







NAME	: Mr. DEEPAK AGGARWAL			
AGE/ GENDER	: 46 YRS/MALE	PATIEN	IT ID	: 1640308
COLLECTED BY	: SURJESH	REG. N	D./LAB NO.	: 012410100054
REFERRED BY	:	REGIST	RATION DATE	: 10/Oct/2024 06:33 PM
BARCODE NO.	: 01518668	COLLEG	TION DATE	: 10/Oct/2024 06:42PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPOR	TING DATE	: 10/Oct/2024 07:25PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,	AMBALA CANTT		
CLIENT ADDRESS Test Name	: 6349/1, NICHOLSON ROAD,	AMBALA CANTT	Unit	Biological Reference interval
				Biological Reference interval
		Value	//SEROLOGY	Biological Reference interval

KOS Diagnostic Lab (A Unit of KOS Healthcare)

4. As compared to ESR, CRP shows an earlier rise in inflammatory disorders which begins in 4-6 hrs, the intensity of the rise being higher than ESR and the recovery being earlier than ESR. Unlike ESR, CRP levels are not influenced by hematologic conditions like Anemia, Polycythemia etc., 5. Elevated values are consistent with an acute inflammatory process. **NOTE:**

1. Elevated C-reactive protein (CRP) values are nonspecific and should not be interpreted without a complete clinical history.

2. Oral contraceptives may increase CRP levels.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







	Dr. Vinay Ch MD (Pathology & Chairman & Cons	Microbiology)	Dr. Yugar MD EO & Consultant	(Pathology)
NAME	: Mr. DEEPAK AGGARWAL			
AGE/ GENDER	: 46 YRS/MALE	PATIEN	ГID	: 1640308
COLLECTED BY	: SURJESH	REG. NO.	./LAB NO.	: 012410100054
REFERRED BY	:	REGISTR	RATION DATE	: 10/Oct/2024 06:33 PM
BARCODE NO.	: 01518668		TION DATE	: 10/Oct/2024 06:42PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		ING DATE	: 10/Oct/2024 07:27PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A			
Test Name		Value	Unit	Biological Reference interval
		CLINICAL PATHO	LOGY	
	URINE RO	OUTINE & MICROSCO	PIC EXAMINAT	TION
PHYSICAL EXAMINA	TION			
QUANTITY RECIEVE		10	ml	
	CTANCE SPECTROPHOTOMETRY	10		
COLOUR by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY TRANSPARANCY by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		AMBER YELLOW		PALE YELLOW
		CLEAR		CLEAR
		CLEAR		CLEAR
SPECIFIC GRAVITY		1.01		1.002 - 1.030
-	TANCE SPECTROPHOTOMETRY			
CHEMICAL EXAMINA	ATION			
REACTION	CTANCE SPECTROPHOTOMETRY	ALKALINE		
PROTEIN		Negative		NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY	g		
SUGAR		Negative		NEGATIVE (-ve)
pH	CTANCE SPECTROPHOTOMETRY	7.5		5.0 - 7.5
1	TANCE SPECTROPHOTOMETRY	7.5		3.0 - 7.3
BILIRUBIN by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY		Negative		NEGATIVE (-ve)
NITRITE by DIP STICK/REFLEC	CTANCE SPECTROPHOTOMETRY.	Negative		NEGATIVE (-ve)
UROBILINOGEN		Normal	EU/dL	0.2 - 1.0
	CTANCE SPECTROPHOTOMETRY			
KETONE BODIES	TANCE SPECTROPHOTOMETRV	Negative		NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY BLOOD		Negative		NEGATIVE (-ve)
	CTANCE SPECTROPHOTOMETRY			
ASCORBIC ACID		NEGATIVE (-ve)		NEGATIVE (-ve)
by DIP STICK/REFLEC				

MICROSCOPIC EXAMINATION



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)









Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME	: Mr. DEEPAK AGGARWAL			
AGE/ GENDER	: 46 YRS/MALE	PATIENT	ID	: 1640308
COLLECTED BY	: SURJESH	REG. NO./	/LAB NO.	: 012410100054
REFERRED BY	:	REGISTR	ATION DATE	: 10/Oct/2024 06:33 PM
BARCODE NO.	: 01518668	COLLECT	ION DATE	: 10/Oct/2024 06:42PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTI	NG DATE	: 10/Oct/2024 07:27PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AN	MBALA CANTT		
Test Name		Value	Unit	Piological Deference interval
rest Name		value	Unit	Biological Reference interval
RED BLOOD CELLS (F	RBCs) CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)	/HPF	0 - 3
PUS CELLS	CENTRIFOGED ORINART SEDIMENT	1-3	/HPF	0 - 5
by MICROSCOPY ON	CENTRIFUGED URINARY SEDIMENT			
EPITHELIAL CELLS		0-2	/HPF	ABSENT
by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT CRYSTALS		NEGATIVE (-ve)		NEGATIVE (-ve)
	CENTRIFUGED URINARY SEDIMENT	NEORITIE (-VC)		
CASTS		NEGATIVE (-ve)		NEGATIVE (-ve)
	CENTRIFUGED URINARY SEDIMENT			
BACTERIA	CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
OTHERS	JENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)
	CENTRIFUGED URINARY SEDIMENT			

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT TRICHOMONAS VAGINALIS (PROTOZOA)

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

*** End Of Report ***

ABSENT





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com



ABSENT