

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



KOS Diagnostic Lab (A Unit of KOS Healthcare)

	Dr. Vinay Chopra MD (Pathology & Microbiology)		Dr. Yugam Chopra MD (Pathology)	
	Chairman & Consultar		CEO & Consultant	
NAME	: Mrs. JASWINDER KAUR			
AGE/ GENDER	: 56 YRS/FEMALE	PA	FIENT ID	: 1642035
COLLECTED BY	: SURJESH	RE	G. NO./LAB NO.	: 012410130019
REFERRED BY	:	RE	GISTRATION DATE	: 13/Oct/2024 10:31 AM
BARCODE NO.	:01518794	CO	LLECTION DATE	: 13/Oct/2024 10:45AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	RE	PORTING DATE	: 13/Oct/2024 11:24AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMB/	ALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	CLINICAL	CHEMISTR	Y/BIOCHEMISTR	Y
		GLUCOSE FA	STING (F)	
GLUCOSE FASTING (by glucose oxidas	F): PLASMA se - peroxidase (god-pod)	159.51 ^H	mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0
3. A fasting plasma g such patients. A fasti	ing plasma glucose level in excess of 1	25 mg/dl on bo	th occasions is confirm	at post-prandial is strongly recommended for all atory for diabetic state.
	*** [End Of Repo	ort ***	
	an	Yho	fra	
	DR.VINAY CHOPRA	DR.YUGAM	CHOPRA	
	CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLO		NT PATHOLOGIST (PATHOLOGY)	

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com

