



	<b>Dr. Vinay Chopr</b> MD (Pathology & Mic Chairman & Consulta	robiology)		(Pathology)	
NAME	: Mrs. BINDU SAHU				
AGE/ GENDER	: 50 YRS/FEMALE		PATIENT ID	: 1642226	
<b>COLLECTED BY</b>	:		REG. NO./LAB NO.	:012410130054	
<b>REFERRED BY</b>	:		<b>REGISTRATION DATE</b>	:13/0ct/2024 02:3	37 PM
BARCODE NO.	:01518829		COLLECTION DATE	:13/Oct/2024 02:3	38PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	:13/0ct/2024 02:5	56PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AME	BALA CANTT	·		
Test Name		Value	Unit	Biologica	l Reference interval
	SWAS	THYA WE	ELLNESS PANEL: 1.2		
	CON		OOD COUNT (CBC)		
RED BLOOD CELLS (RE	BCS) COUNT AND INDICES				
HAEMOGLOBIN (HB)		8.4 <sup>L</sup>	gm/dL	12.0 - 16.	0
RED BLOOD CELL (RBC	COUNT	3.04 <sup>L</sup>	Millions/	cmm 3.50 - 5.0	0
by HYDRO DYNAMIC FO	DCUSING, ELECTRICAL IMPEDENCE		%	37.0 - 50.	0
by CALCULATED BY AU	JTOMATED HEMATOLOGY ANALYZER	27.2 <sup>L</sup>			
MEAN CORPUSCULAR	VOLUME (MCV)	89.7	fL	80.0 - 100	0.0
	HAEMOGLOBIN (MCH)	27.7	pg	27.0 - 34.	.0
		aa al		22.0.26	0
	HEMOGLOBIN CONC. (MCHC)	30.8 <sup>L</sup>	g/dL	32.0 - 36.	
RED CELL DISTRIBUTI	ON WIDTH (RDW-CV) JTOMATED HEMATOLOGY ANALYZER	19.3 <sup>H</sup>	%	11.00 - 10	6.00
<b>RED CELL DISTRIBUTI</b>	ON WIDTH (RDW-SD)	63.9 <sup>H</sup>	fL	35.0 - 56.	.0
by CALCULATED BY AU MENTZERS INDEX	JTOMATED HEMATOLOGY ANALYZER	29.51	RATIO	BETA TH	ALASSEMIA TRAIT: < 13.0
by CALCULATED		27.01	NATIO		FICIENCY ANEMIA: >13.0
GREEN & KING INDEX		57.09	RATIO		ALASSEMIA TRAIT:<= 65.0
	())/D())			IRON DEF	FICIENCY ANEMIA: > 65.0
WHITE BLOOD CELLS		6130	/cmm	4000 - 11	000
	BY SF CUBE & MICROSCOPY	0130	7cmm	4000 - 11	000
NUCLEATED RED BLO	· · · · · · · · · · · · · · · · · · ·	NIL		0.00 - 20.	.00
NUCLEATED RED BLO		NIL	%	< 10 %	
by CALCULATED BY AU	TOMATED HEMATOLOGY ANALYZER				
	<u>CYTE COUNT (DLC)</u>				
	BY SE CUBE & MICROSCOPY	68	%	50 - 70	
NUCLEATED RED BLOG by CALCULATED BY AU DIFFERENTIAL LEUCO NEUTROPHILS	TOMATED HEMATOLOGY ANALYZER	NIL 68	%	< 10 % 50 - 70	





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com

 www.koshealthcare.com
 www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





	<b>Dr. Vinay Chop</b> MD (Pathology & Mi Chairman & Consult	icrobiology)	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mrs. BINDU SAHU			
AGE/ GENDER	: 50 YRS/FEMALE	PA	TIENT ID	: 1642226
COLLECTED BY		RI	EG. NO./LAB NO.	: 012410130054
REFERRED BY			EGISTRATION DATE	: 13/Oct/2024 02:37 PM
	: 01518829		DLLECTION DATE	: 13/Oct/2024 02:38PM
	: KOS DIAGNOSTIC LAB		EPORTING DATE	: 13/Oct/2024 02:56PM
	: 6349/1, NICHOLSON ROAD, AM		LF UNTING DATE	. 13/ OCt/ 2024 02.30F M
CLIENI ADDRESS	. 0349/1, NICHOLSON KOAD, AM	DALA CANTI		
Test Name		Value	Unit	Biological Reference interval
		25	%	20 - 40
EOSINOPHILS	BY SF CUBE & MICROSCOPY BY SF CUBE & MICROSCOPY	1 <sup>L</sup>	%	1 - 6
MONOCYTES	BY SF CUBE & MICROSCOPY	6	%	2 - 12
BASOPHILS	BY SF CUBE & MICROSCOPY	0	%	0 - 1
ABSOLUTE LEUKOCYTI	ES (WBC) COUNT			
ABSOLUTE NEUTROPH	IIL COUNT BY SF CUBE & MICROSCOPY	4168	/cmm	2000 - 7500
ABSOLUTE LYMPHOCY		1532	/cmm	800 - 4900
ABSOLUTE EOSINOPHI by FLOW CYTOMETRY E	L COUNT BY SF CUBE & MICROSCOPY	61	/cmm	40 - 440
ABSOLUTE MONOCYTE by FLOW CYTOMETRY E	E COUNT By SF CUBE & MICROSCOPY	368	/cmm	80 - 880
ABSOLUTE BASOPHIL ( by FLOW CYTOMETRY E	COUNT BY SF CUBE & MICROSCOPY	0	/cmm	0 - 110
PLATELETS AND OTHE	R PLATELET PREDICTIVE MARKE	<u>RS.</u>		
PLATELET COUNT (PLT by hydro dynamic for	) CUSING, ELECTRICAL IMPEDENCE	216000	/cmm	150000 - 450000
PLATELETCRIT (PCT) by HYDRO DYNAMIC FOR	CUSING, ELECTRICAL IMPEDENCE	0.2	%	0.10 - 0.36
MEAN PLATELET VOLU	IME (MPV) cusing, electrical impedence	9	fL	6.50 - 12.0
PLATELET LARGE CELL by HYDRO DYNAMIC FOR	COUNT (P-LCC) cusing, electrical impedence	47000	/cmm	30000 - 90000
PLATELET LARGE CELL by HYDRO DYNAMIC FOR	RATIO (P-LCR) CUSING, ELECTRICAL IMPEDENCE	22	%	11.0 - 45.0
	ON WIDTH (PDW) cusing, electrical impedence TED ON EDTA WHOLE BLOOD	16.5	%	15.0 - 17.0



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







	<b>Dr. Vinay C</b> MD (Pathology Chairman & Co		Dr. Yugan MD CEO & Consultant	(Pathology)
NAME	: Mrs. BINDU SAHU			
AGE/ GENDER	: 50 YRS/FEMALE	PA	TIENT ID	: 1642226
<b>COLLECTED BY</b>	:	REG	G. NO./LAB NO.	: 012410130054
<b>REFERRED BY</b>	:	RE	SISTRATION DATE	: 13/Oct/2024 02:37 PM
BARCODE NO.	: 01518829	CO	LECTION DATE	: 13/Oct/2024 02:38PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	RE	<b>PORTING DATE</b>	: 13/Oct/2024 03:15PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD	, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	ERYT	HROCYTE SEDIMEI	ITATION RATE (ES	R)
by RED CELL AGGRE INTERPRETATION: 1. ESR is a non-specifi immune disease, but 2. An ESR can be affe	MENTATION RATE (ESR) GATION BY CAPILLARY PHOTOME fic test because an elevated resu does not tell the health practiti ected by other conditions beside	57 <sup>H</sup> Ilt often indicates the oner exactly where the	mm/1st	hr 0 - 20
systemic lupus eryth CONDITION WITH LO A low ESR can be see (polycythaemia), sign as sickle cells in sick NOTE:	be used to monitor disease acti ematosus W ESR en with conditions that inhibit th hificantly high white blood cell o le cell anaemia) also lower the	e normal sedimentatio count (leucocytosis) , a ESR.	on of red blood cells, s	above diseases as well as some others, such as such as a high red blood cell count ormalities. Some changes in red cell shape (such
2. Generally, ESR doe	e protein (C-RP) are both marke as not change as rapidly as does I <b>by as many other factors as is E</b>	CRP, either at the star	t of inflammation or a narker of inflammation	s it resolves. <b>n</b> .

CKP is not affected by as many other factors as is ESK, making it a better marker of infinitiation.
 If the ESR is elevated, it is typically a result of two types of proteins, globulins or fibrinogen.
 Women tend to have a higher ESR, and menstruation and pregnancy can cause temporary elevations.
 Drugs such as dextran, methyldopa, oral contraceptives, penicillamine procainamide, theophylline, and vitamin A can increase ESR, while aspirin, cortisone, and quinine may decrease it





**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

MBBS, MD (PATHOLOGY)

Page 3 of 15

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





<b>s. BINDU SAHU</b> YRS/FEMALE		IENT ID	: 1642226
YRS/FEMALE			: 1642226
	REG		
		. NO./LAB NO.	: 012410130054
	REG	ISTRATION DATE	: 13/Oct/2024 02:37 PM
518829	COL	LECTION DATE	: 13/Oct/2024 02:38PM
S DIAGNOSTIC LAB	REP	ORTING DATE	: 13/Oct/2024 03:51PM
49/1, NICHOLSON ROAD, A	AMBALA CANTT		
	Value	Unit	Biological Reference interval
CLINI	CAL CHEMISTRY	/BIOCHEMISTR	Y
	GLUCOSE FAS	STING (F)	
	134.03 <sup>H</sup>	mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0
	49/1, NICHOLSON ROAD, A CLINI SMA ROXIDASE (GOD-POD) RICAN DIABETES ASSOCIAT level below 100 mg/dl is c	49/1, NICHOLSON ROAD, AMBALA CANTT Value CLINICAL CHEMISTRY GLUCOSE FAS SMA ROXIDASE (GOD-POD) RICAN DIABETES ASSOCIATION GUIDELINES: level below 100 mg/dl is considered normal.	49/1, NICHOLSON ROAD, AMBALA CANTT Value Unit CLINICAL CHEMISTRY/BIOCHEMISTR' GLUCOSE FASTING (F) ASMA ROXIDASE (GOD-POD) RICAN DIABETES ASSOCIATION GUIDELINES:

test (after consumption of 75 gms of glucose) is recommended for all such patients. 3. A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

MBBS, MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com



Page 4 of 15





KOS Diagnostic Lab (A Unit of KOS Healthcare)

30 9001 . 2008 CENT	TFIED LAB			
		hopra & Microbiology) onsultant Pathologist	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mrs. BINDU SAHU			
AGE/ GENDER	: 50 YRS/FEMALE	PAT	IENT ID	: 1642226
COLLECTED BY	:	REG	NO./LAB NO.	: 012410130054
<b>REFERRED BY</b>	:	REG	ISTRATION DATE	: 13/Oct/2024 02:37 PM
BARCODE NO.	: 01518829	COL	LECTION DATE	: 13/Oct/2024 02:38PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REP	ORTING DATE	: 13/Oct/2024 03:51PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD	), AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
		LIPID PROFILE	: BASIC	
CHOLESTEROL TOTA by CHOLESTEROL O		247.73 <sup>H</sup>	mg/dL	OPTIMAL: < 200.0 BORDERLINE HIGH: 200.0 - 239.0 HIGH CHOLESTEROL: > OR = 240.0
TRIGLYCERIDES: SEI by GLYCEROL PHOSE	RUM PHATE OXIDASE (ENZYMATIC)	229.33 <sup>H</sup>	mg/dL	OPTIMAL: < 150.0 BORDERLINE HIGH: 150.0 - 199.0 HIGH: 200.0 - 499.0 VERY HIGH: > OR = 500.0
HDL CHOLESTEROL ( by SELECTIVE INHIBIT		35.1	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0 - 60.0 HIGH HDL: > OR = 60.0
LDL CHOLESTEROL: by CALCULATED, SPI		166.76 <sup>H</sup>	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129.0 BORDERLINE HIGH: 130.0 - 159.0 HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLESTE by CALCULATED, SP	ROL: SERUM ECTROPHOTOMETRY	212.63 <sup>H</sup>	mg/dL	OPTIMAL: < 130.0 ABOVE OPTIMAL: 130.0 - 159.0 BORDERLINE HIGH: 160.0 - 189.0 HIGH: 190.0 - 219.0 VERY HIGH: > OR = 220.0
VLDL CHOLESTEROL	: SERUM Ectrophotometry	45.87 <sup>H</sup>	mg/dL	0.00 - 45.00
TOTAL LIPIDS: SERU		724.79 <sup>H</sup>	mg/dL	350.00 - 700.00
CHOLESTEROL/HDL by CALCULATED, SP	RATIO: SERUM ECTROPHOTOMETRY	7.06 <sup>H</sup>	RATIO	LOW RISK: 3.30 - 4.40 AVERAGE RISK: 4.50 - 7.0 MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0
LDL/HDL RATIO: SEI by CALCULATED, SPI	RUM ECTROPHOTOMETRY	4.75 <sup>H</sup>	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

KOS Central Lab:6349/1, Nicholson Road, Ambala Cantt -133 001, HaryanaKOS Molecular Lab:IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana0171-2643898, +91 99910 43898care@koshealthcare.comwww.koshealthcare.comwww.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





		Chopra gy & Microbiology) Consultant Pathologist	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mrs. BINDU SAHU			
AGE/ GENDER	: 50 YRS/FEMALE	PATIE	NT ID	: 1642226
COLLECTED BY	:	REG. N	0./LAB NO.	: 012410130054
REFERRED BY	:	REGIS	TRATION DATE	: 13/Oct/2024 02:37 PM
BARCODE NO.	: 01518829	COLLE	CTION DATE	: 13/Oct/2024 02:38PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPOI	RTING DATE	: 13/Oct/2024 03:51PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROA	AD, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
TRIGLYCERIDES/HD		6.53 <sup>H</sup>	RATIO	3.00 - 5.00

### **INTERPRETATION:**

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

3. Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues. 4. NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

MBBS, MD (PATHOLOGY)







	Dr. Vinay Cho MD (Pathology & N Chairman & Consu	1icrobiology)		(Pathology)
NAME	: Mrs. BINDU SAHU			
AGE/ GENDER	: 50 YRS/FEMALE		PATIENT ID	: 1642226
COLLECTED BY	:		REG. NO./LAB NO.	: 012410130054
<b>REFERRED BY</b>	•		<b>REGISTRATION DATE</b>	: 13/Oct/2024 02:37 PM
BARCODE NO.	: 01518829		COLLECTION DATE	: 13/Oct/2024 02:38PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 13/Oct/2024 02:581 M
				: 13/ OCI/ 2024 03:31PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AN	MBALA CAN I	1	
Test Name		Value	Unit	Biological Reference interval
	LIV	ER FUNCTIO	ON TEST (COMPLETE)	
BILIRUBIN TOTAL: S		0.31	mg/dL	INFANT: 0.20 - 8.00
	PECTROPHOTOMETRY	0.01	ing/ de	ADULT: 0.00 - 1.20
	CONJUGATED): SERUM	0.13	mg/dL	0.00 - 0.40
BILIRUBIN INDIRECT	(UNCONJUGATED): SERUM	0.18	mg/dL	0.10 - 1.00
SGOT/AST: SERUM		17.54	U/L	7.00 - 45.00
	RIDOXAL PHOSPHATE			
SGPT/ALT: SERUM		15.03	U/L	0.00 - 49.00
AST/ALT RATIO: SER	(RIDOXAL PHOSPHATE I IM	1.17	RATIO	0.00 - 46.00
by CALCULATED, SPE		1.17	IN THO	0.00 40.00
ALKALINE PHOSPHA by para nitrophen propanol	TASE: SERUM IYL PHOSPHATASE BY AMINO METHYL	89	U/L	40.0 - 150.0
	TRANSFERASE (GGT): SERUM	22	U/L	0.00 - 55.0
TOTAL PROTEINS: SI	ERUM	7.25	gm/dL	6.20 - 8.00
ALBUMIN: SERUM		3.65	gm/dL	3.50 - 5.50
GLOBULIN: SERUM	ECTROPHOTOMETRY	3.6 <sup>H</sup>	gm/dL	2.30 - 3.50
A : G RATIO: SERUM		1.01	RATIO	1.00 - 2.00

by CALCULATED, SPECTROPHOTOMETRY

# INTERPRETATION

NOTE: To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range.

USE:- Differential diagnosis of diseases of hepatobiliary system and pancreas.

## INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Increased)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







	Dr. Vinay Chopra MD (Pathology & Microt Chairman & Consultant I	viology) ME	m <b>Chopra</b> D (Pathology) ht Pathologist
NAME	: Mrs. BINDU SAHU		
AGE/ GENDER	: 50 YRS/FEMALE	PATIENT ID	: 1642226
COLLECTED BY	:	<b>REG. NO./LAB NO.</b>	: 012410130054
<b>REFERRED BY</b>	:	<b>REGISTRATION DATE</b>	: 13/Oct/2024 02:37 PM
BARCODE NO.	: 01518829	<b>COLLECTION DATE</b>	: 13/Oct/2024 02:38PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	<b>REPORTING DATE</b>	: 13/Oct/2024 03:51PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBAL	A CANTT	
Test Name	V	alue Unit	Biological Reference interval

#### DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

## PROGNOSTIC SIGNIFICANCE:

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST

MBBS, MD (PATHOLOGY)







	<b>Dr. Vinay Ch</b> MD (Pathology & Chairman & Con		Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mrs. BINDU SAHU			
AGE/ GENDER	: 50 YRS/FEMALE	PA	TIENT ID	: 1642226
COLLECTED BY	:	RI	EG. NO./LAB NO.	: 012410130054
REFERRED BY	:	RI	EGISTRATION DATE	: 13/Oct/2024 02:37 PM
BARCODE NO.	: 01518829		DLLECTION DATE	: 13/Oct/2024 02:38PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		EPORTING DATE	: 13/Oct/2024 03:59PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,			
Test Name		Value	Unit	Biological Reference interva
	кі	DNEY FUNCTION	TEST (COMPLETE)	
UREA: SERUM		14.48	mg/dL	10.00 - 50.00
	NATE DEHYDROGENASE (GLDH)			
CREATININE: SERUN		0.54	mg/dL	0.40 - 1.20
by ENZYMATIC, SPEC	DGEN (BUN): SERUM	6.77 <sup>L</sup>	mg/dL	7.0 - 25.0
by CALCULATED, SP	ECTROPHOTOMETRY	6.77-	ing/ dL	7.0 - 25.0
	OGEN (BUN)/CREATININE	12.54	RATIO	10.0 - 20.0
RATIO: SERUM				
by CALCULATED, SPE UREA/CREATININE F		26.81	RATIO	
by CALCULATED, SPE		20.01	IV(IIO	
URIC ACID: SERUM		3	mg/dL	2.50 - 6.80
by URICASE - OXIDAS	SE PEROXIDASE	0 60	ma/dl	9 50 10 40
CALCIUM: SERUM by ARSENAZO III, SPE	ECTROPHOTOMETRY	8.68	mg/dL	8.50 - 10.60
PHOSPHOROUS: SEF		2.5	mg/dL	2.30 - 4.70
	DATE, SPECTROPHOTOMETRY		, in the second s	
<u>ELECTROLYTES</u>				
SODIUM: SERUM		138.9	mmol/L	135.0 - 150.0
by ISE (ION SELECTIV POTASSIUM: SERUN		4.3	mmol/L	3.50 - 5.00
by ISE (ION SELECTIV		4.3	1111101/L	3.30 - 3.00
CHLORIDE: SERUM	,	104.18	mmol/L	90.0 - 110.0
by ISE (ION SELECTIV				
	RULAR FILTERATION RATE			
	RULAR FILTERATION RATE	112.1		
(eGFR): SERUM				
BY CALCULATED				

**INTERPRETATION:** 

To differentiate between pre- and post renal azotemia.

INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







CLIENT CODE.       : KOS DIAGNOSTIC LAB       REPORTING DATE       : 13/Oct/2024 03:59PM         CLIENT ADDRESS       : 6349/1, NICHOLSON ROAD, AMBALA CANTT       .       .         Test Name       Value       Unit       Biological Refere         3. Gl haemorrhage.       .       .       .       .         4. High protein intake.       .       .       .       .         5. Impaired renal function plus       .       .       .       .         6. Excess protein intake or production or tissue breakdown (e.g. infection, Gl bleeding, thyrotoxicosis, Cushing's syndrome, high burns, surgery, cachexia, high fever).       .       .       .       .         9. Certain drugs (e.g. ureter colostomy)       8. Reduced muscle mass (subnormal creatinine production)       .       .       .       .         9. Certain drugs (e.g. tetracycline, glucocorticoids)       .       .       .       .       .         INCREASED RATIO (<20:1) WITH ELEVATED CREATININE LEVELS:       . <th></th>	
COLLECTED BY       :       REG. NO./LAB NO.       : 012410130054         REFERRED BY       :       REGISTRATION DATE       : 13/Oct/2024 02:37 PM         BARCODE NO.       : 01518829       COLLECTION DATE       : 13/Oct/2024 02:37 PM         CLIENT CODE.       : KOS DIAGNOSTIC LAB       REPORTING DATE       : 13/Oct/2024 02:38 PM         CLIENT CODE.       : KOS DIAGNOSTIC LAB       REPORTING DATE       : 13/Oct/2024 02:35 PM         CLIENT ADDRESS       : 6349/1, NICHOLSON ROAD, AMBALA CANTT       : 13/Oct/2024 03:59 PM         Test Name       Value       Unit       Biological Refere         3. Gl haemorrhage.       .       .       .         4. High protein intake.       .       .       .       .         5. Impaired renal function plus       .       .       .       .         6. Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high burns, surgery, cachexia, high fever).       .       .         7. Urine reabsorption (e.g. ureter colostomy)       .       .       .         8. Reduced muscle mass (subnormal creatinine production)       .       .       .         9. Certain drugs (e.g. tetracycline, glucocorticoids)       .       .       .         INCREASED RATIO (<20:1) WITH DECREASED B	
REFERRED BY       :       REGISTRATION DATE       : 13/Oct/2024 02:37 PM         BARCODE NO.       : 01518829       COLLECTION DATE       : 13/Oct/2024 02:38 PM         CLIENT CODE.       : KOS DIAGNOSTIC LAB       REPORTING DATE       : 13/Oct/2024 03:59 PM         CLIENT ADDRESS       : 6349/1, NICHOLSON ROAD, AMBALA CANTT       : 13/Oct/2024 03:59 PM         Test Name       Value       Unit       Biological Refere         3. GI haemorrhage.       .       .       .         4. High protein intake.       .       .       .       .         5. Impaired renal function plus       .       .       .       .         6. Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high burns, surgery, cachexia, high fever).       .       .         7. Urine reabsorption (e.g. ureter colostomy)       .       .       .       .         8. Reduced muscle mass (subnormal creatinine production)       .       .       .       .       .         9. Certain drugs (e.g. tetracycline, glucocorticoids)       .       .       .       .       .         NCREASED RATIO (<20:1) WITH ELEVATED CREATININE LEVELSI       .       .       .       .       .         1. Acute tubular necrosis.       . <t< th=""><th></th></t<>	
REFERRED BY       :       REGISTRATION DATE       :       13/Oct/2024 02:37 PM         BARCODE NO.       :       :01518829       COLLECTION DATE       :       13/Oct/2024 02:38 PM         CLIENT CODE.       :       KOS DIAGNOSTIC LAB       REPORTING DATE       :       13/Oct/2024 03:59 PM         CLIENT ADDRESS       :       :       :       13/Oct/2024 03:59 PM       :         CLIENT ADDRESS       : <td></td>	
BARCODE NO.       : 01518829       COLLECTION DATE       : 13/Oct/2024 02:38PM         CLIENT CODE.       : KOS DIAGNOSTIC LAB       REPORTING DATE       : 13/Oct/2024 03:59PM         CLIENT ADDRESS       : 6349/1, NICHOLSON ROAD, AMBALA CANTT       Isological Refere         3. GI haemorrhage.       Value       Unit       Biological Refere         3. GI haemorrhage.       .       .       .       .         4. High protein intake.       .       .       .       .       .         5. Impaired renal function plus       .       .       .       .       .       .       .         6. Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high burns, surgery, cachexia, high fever).       .	
CLIENT CODE.       : KOS DIAGNOSTIC LAB       REPORTING DATE       : 13/Oct/2024 03:59PM         CLIENT ADDRESS       : 6349/1, NICHOLSON ROAD, AMBALA CANTT       .       .         Test Name       Value       Unit       Biological Refere         3. Gl haemorrhage.       .       .       .       .         4. High protein intake.       .       .       .       .         5. Impaired renal function plus       .       .       .       .         6. Excess protein intake or production or tissue breakdown (e.g. infection, Gl bleeding, thyrotoxicosis, Cushing's syndrome, high burns, surgery, cachexia, high fever).       .       .       .       .         9. Certain drugs (e.g. ureter colostomy)       8. Reduced muscle mass (subnormal creatinine production)       .       .       .       .         9. Certain drugs (e.g. tetracycline, glucocorticoids)       .       .       .       .       .         INCREASED RATIO (<20:1) WITH ELEVATED CREATININE LEVELS:	
CLIENT ADDRESS       : 6349/1, NICHOLSON ROAD, AMBALA CANTT         Test Name       Value       Unit       Biological Refere         3. GI haemorrhage.       4. High protein intake.       5. Impaired renal function plus         6. Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high burns, surgery, cachexia, high fever).       7. Urine reabsorption (e.g. ureter colostomy)         8. Reduced muscle mass (subnormal creatinine production)       9. Certain drugs (e.g. tetracycline, glucocorticoids)         INCREASED RATIO (>20:1) WITH ELEVATED CREATININE LEVELS:       1. Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).         2. Prerenal azotemia superimposed on renal disease.       DECREASED RATIO (>1) WITH DECREASED BUN :         1. Acute tubular necrosis.       2. Low protein diet and starvation.         3. Severe liver disease.       4. Other causes of decreased urea synthesis.         5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).       5. Hoherited hyperatmonemias (urea is virtually absent in blood).	
Test Name       Value       Unit       Biological Refere         3. GI haemorrhage.       4. High protein intake.       5. Impaired renal function plus         6. Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high burns, surgery, cachexia, high fever).       7. Urine reabsorption (e.g. ureter colostomy)         8. Reduced muscle mass (subnormal creatinine production)       9. Certain drugs (e.g. tetracycline, glucocorticoids)         INCREASED RATIO (>20:1) WITH ELEVATED CREATININE LEVELS:       1. Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).         2. Prerenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).       2. Prerenal azotemia superimposed on renal disease.         DECREASED RATIO (<10:1) WITH DECREASED BUN :	
<ol> <li>GI haemorrhage.</li> <li>High protein intake.</li> <li>Impaired renal function plus</li> <li>Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high burns, surgery, cachexia, high fever).</li> <li>Urine reabsorption (e.g. ureter colostomy)</li> <li>Reduced muscle mass (subnormal creatinine production)</li> <li>Certain drugs (e.g. tetracycline, glucocorticoids)</li> <li>INCREASED RATIO (&gt;20:1) WITH ELEVATED CREATININE LEVELS:</li> <li>Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).</li> <li>Prerenal azotemia superimposed on renal disease.</li> <li>DECREASED RATIO (&lt;10:1) WITH DECREASED BUN :         <ul> <li>Acute tubular necrosis.</li> <li>Low protein diet and starvation.</li> <li>Severe liver disease.</li> <li>Other causes of decreased urea synthesis.</li> <li>Requeted dialysis (urea rather than creatinine diffuses out of extracellular fluid).</li> <li>Inherited hyperammonemias (urea is virtually absent in blood).</li> </ul> </li> </ol>	
<ol> <li>GI haemorrhage.</li> <li>High protein intake.</li> <li>Impaired renal function plus</li> <li>Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high burns, surgery, cachexia, high fever).</li> <li>Urine reabsorption (e.g. ureter colostomy)</li> <li>Reduced muscle mass (subnormal creatinine production)</li> <li>Certain drugs (e.g. tetracycline, glucocorticoids)</li> <li>INCREASED RATIO (&gt;20:1) WITH ELEVATED CREATININE LEVELS:</li> <li>Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).</li> <li>Prerenal azotemia superimposed on renal disease.</li> <li>DECREASED RATIO (&lt;10:1) WITH DECREASED BUN :         <ul> <li>Acute tubular necrosis.</li> <li>Low protein diet and starvation.</li> <li>Severe liver disease.</li> <li>Other causes of decreased urea synthesis.</li> <li>Requeted dialysis (urea rather than creatinine diffuses out of extracellular fluid).</li> <li>Inherited hyperammonemias (urea is virtually absent in blood).</li> </ul> </li> </ol>	
<ul> <li>4. High protein intake.</li> <li>5. Impaired renal function plus</li> <li>6. Excess protein intake or production or tissue breakdown (e.g. infection, GI bleeding, thyrotoxicosis, Cushing's syndrome, high burns, surgery, cachexia, high fever).</li> <li>7. Urine reabsorption (e.g. ureter colostomy)</li> <li>8. Reduced muscle mass (subnormal creatinine production)</li> <li>9. Certain drugs (e.g. tetracycline, glucocorticoids)</li> <li>INCREASED RATIO (&gt;20:1) WITH ELEVATED CREATININE LEVELS:</li> <li>1. Postrenal azotemia (BUN rises disproportionately more than creatinine) (e.g. obstructive uropathy).</li> <li>2. Prerenal azotemia superimposed on renal disease.</li> <li>DECREASED RATIO (&lt;10:1) WITH DECREASED BUN : <ul> <li>1. Acute tubular necrosis.</li> <li>2. Low protein diet and starvation.</li> <li>3. Severe liver disease.</li> <li>4. Other causes of decreased urea synthesis.</li> <li>5. Repeated dialysis (urea rather than creatinine diffuses out of extracellular fluid).</li> <li>6. Inherited hyperammonemias (urea is virtually absent in blood).</li> </ul> </li> </ul>	ו protein diet,
<ol> <li>7. SIADH (syndrome of inappropiate antidiuretic harmone) due to tubular secretion of urea.</li> <li>8. Pregnancy.</li> <li>DECREASED RATIO (&lt;10:1) WITH INCREASED CREATININE:</li> <li>1. Phenacimide therapy (accelerates conversion of creatine to creatinine).</li> <li>2. Rhabdomyolysis (releases muscle creatinine).</li> </ol>	
3. Muscular patients who develop renal failure. INAPPROPIATE RATIO:	
1. Diabetic ketoacidosis (acetoacetate causes false increase in creatinine with certain methodologies, resulting in normal ratio	
should produce an increased BUN/creatinine ratio).	when dehydra
2. Cephalosporin therapy (interferes with creatinine measurement). ESTIMATED GLOMERULAR FILTERATION RATE:	when dehydra
CKD STAGE DESCRIPTION GFR (mL/min/1.73m2) ASSOCIATED FINDINGS	when dehydra
	when dehydra

	0.12 0.1.102		•••••••••••••••••••••••••••••••••••••••	
Γ	G1	Normal kidney function	>90	No proteinuria
ſ	G2	Kidney damage with normal or high GFR	>90	Presence of Protein , Albumin or cast in urine
Γ	G3a	Mild decrease in GFR	60 -89	
Γ	G3b	Moderate decrease in GFR	30-59	
Γ	G4	Severe decrease in GFR	15-29	
Γ	G5	Kidney failure	<15	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)









	<b>Dr. Vinay Chopra</b> MD (Pathology & Microbiology Chairman & Consultant Pathole		(Pathology)
NAME	: Mrs. BINDU SAHU		
AGE/ GENDER	: 50 YRS/FEMALE	PATIENT ID	: 1642226
COLLECTED BY	:	REG. NO./LAB NO.	: 012410130054
REFERRED BY	:	<b>REGISTRATION DATE</b>	: 13/Oct/2024 02:37 PM
BARCODE NO.	: 01518829	<b>COLLECTION DATE</b>	: 13/Oct/2024 02:38PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	<b>REPORTING DATE</b>	: 13/Oct/2024 03:59PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CAN	ITT	
<u> </u>			
Test Name	Value	Unit	Biological Reference interval

COMMENTS:

Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney.
 eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012
 In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure of CFD with the commended to measure

KOS Diagnostic Lab (A Unit of KOS Healthcare)

3. In patients, with eGFR cleaning between 45-59 minimit 1.73 m2 (G3) and without any marker of Kidney damage, it is recommended to measure eGFR with Cystatin C for confirmation of CKD
4. eGFR category G1 OR G2 does not fulfill the criteria for CKD, in the absence of evidence of Kidney Damage
5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure
6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C
7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







	Dr. Vinay Chopr MD (Pathology & Mic Chairman & Consulta	robiology)	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mrs. BINDU SAHU			
AGE/ GENDER	: 50 YRS/FEMALE	P	ATIENT ID	: 1642226
COLLECTED BY	:	R	EG. NO./LAB NO.	: 012410130054
REFERRED BY	:	R	EGISTRATION DATE	: 13/Oct/2024 02:37 PM
BARCODE NO.	:01518829	C	OLLECTION DATE	: 13/Oct/2024 02:38PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	R	EPORTING DATE	: 13/Oct/2024 03:51PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMB	ALA CANTT		
Test Name		Value	Unit	Biological Reference interval
		ENDOCR	INOLOGY	
	ТНУГ	ROID FUNCT	ION TEST: TOTAL	
TRIIODOTHYRONINE by CMIA (CHEMILUMIN	E (T3): SERUM IESCENT MICROPARTICLE IMMUNOASSAY,	1.017	ng/mL	0.35 - 1.93
THYROXINE (T4): SEF by CMIA (CHEMILUMIN	RUM iescent microparticle immunoassay,	7.52	μgm/dL	4.87 - 12.60
	ING HORMONE (TSH): SERUM	4.343	µIU/mL	0.35 - 5.50

overproduction(hyperthyroidism) of T4 and/or T3.

CLINICAL CONDITION	T3	T4	TSH
Primary Hypothyroidism:	Reduced	Reduced	Increased (Significantly)
Subclinical Hypothyroidism:	Normal or Low Normal	Normal or Low Normal	High
Primary Hyperthyroidism:	Increased	Increased	Reduced (at times undetectable)
Subclinical Hyperthyroidism:	Normal or High Normal	Normal or High Normal	Reduced

#### LIMITATIONS:-

1. T3 and T4 circulates in reversibly bound form with Thyroid binding globulins (TBG), and to a lesser extent albumin and Thyroid binding Pre Albumin so conditions in which TBG and protein levels alter such as pregnancy, excess estrogens, androgens, anabolic steroids and glucocorticoids may falsely affect the T3 and T4 levels and may cause false thyroid values for thyroid function tests.

2. Normal levels of T4 can also be seen in Hyperthyroid patients with :T3 Thyrotoxicosis, Decreased binding capacity due to hypoproteinemia or ingestion of certain drugs (eg: phenytoin , salicylates).

3. Serum T4 levies in neonates and infants are higher than values in the normal adult , due to the increased concentration of TBG in neonate serum.

4. TSH may be normal in central hypothyroidism, recent rapid correction of hyperthyroidism or hypothroidism, pregnancy, phenytoin therapy.

TRIIODOTHY	(RONINE (T3)	THYROX	NE (T4)	THYROID STIMUL	ATING HORMONE (TSH)
Age	Refferance Range (ng/mL)	Age	Refferance Range (µg/dL)	Age	Reference Range ( μIU/mL)
0-7 Days	0.20 - 2.65	0 - 7 Days	5.90 - 18.58	0 - 7 Days	2.43 - 24.3
7 Days - 3 Months	0.36 - 2.59	7 Days - 3 Months	6.39 - 17.66	7 Days - 3 Months	0.58 - 11.00
3 - 6 Months	0.51 - 2.52	3 - 6 Months	6.75 - 17.04	3 Days – 6 Months	0.70 - 8.40





**DR.VINAY CHOPRA** CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







		Dr. Vinay Cho MD (Pathology & Chairman & Cons	Microbiology)		gam Chopra MD (Pathology) ıltant Pathologist	
NAME	: Mrs. BINI	DU SAHU				
AGE/ GENDER	: 50 YRS/FE	EMALE	I	PATIENT ID	: 1642226	
COLLECTED BY	:		I	REG. NO./LAB NO.	:0124101300	054
<b>REFERRED BY</b>	:		I	REGISTRATION DAT	<b>TE</b> : 13/Oct/2024	02:37 PM
BARCODE NO.	:01518829		(	COLLECTION DATE	:13/Oct/2024	02:38PM
CLIENT CODE.	: KOS DIAG	NOSTIC LAB	I	REPORTING DATE	: 13/0ct/2024	03:51PM
CLIENT ADDRESS	: 6349/1, N	ICHOLSON ROAD, A	MBALA CANTT			
Test Name			Value	Unit	Biolog	gical Reference interval
6 - 12 Months	0.74 - 2.40	6 - 12 Months	7.10 - 16.16	6 – 12 Months	0.70 - 7.00	

0.74 - 2.40	6 - 12 Months	7.10 – 16.16	6 – 12 Months	0.70 - 7.00
0.92 - 2.28	1 - 10 Years	6.00 - 13.80	1 – 10 Years	0.60 - 5.50
0.35 - 1.93	11 - 19 Years	4.87- 13.20	11 – 19 Years	0.50 - 5.50
0.35 - 1.93	> 20 Years (Adults)	4.87 - 12.60	> 20 Years (Adults)	0.35- 5.50
RECOM	VIENDATIONS OF TSH LE	VELS DURING PREGN	ANCY ( μIU/mL)	
1st Trimester			0.10 – 2.50	
2nd Trimester			0.20 - 3.00	
3rd Trimester			0.30 – 4.10	
	0.92 - 2.28 0.35 - 1.93 0.35 - 1.93 RECOMI 1st Trimester 2nd Trimester	0.92 - 2.28         1 - 10 Years           0.35 - 1.93         11 - 19 Years           0.35 - 1.93         > 20 Years (Adults)           RECOMMENDATIONS OF TSH LE           1st Trimester         2nd Trimester	0.92 - 2.28         1 - 10 Years         6.00 - 13.80           0.35 - 1.93         11 - 19 Years         4.87- 13.20           0.35 - 1.93         > 20 Years (Adults)         4.87 - 12.60           RECOMMENDATIONS OF TSH LEVELS DURING PREGN           1st Trimester         2nd Trimester	0.92 - 2.28         1 - 10 Years         6.00 - 13.80         1 - 10 Years           0.35 - 1.93         11 - 19 Years         4.87 - 13.20         11 - 19 Years           0.35 - 1.93         > 20 Years (Adults)         4.87 - 12.60         > 20 Years (Adults)           RECOMMENDATIONS OF TSH LEVELS DURING PREGNANCY ( μIU/mL)           1st Trimester         0.10 - 2.50           2nd Trimester         0.20 - 3.00

### INCREASED TSH LEVELS:

1.Primary or untreated hypothyroidism may vary from 3 times to more than 100 times normal depending upon degree of hypofunction.

2.Hypothyroid patients receiving insufficient thyroid replacement therapy.

3.Hashimotos thyroiditis

4.DRUGS: Amphetamines, idonie containing agents & dopamine antagonist.

5.Neonatal period, increase in 1st 2-3 days of life due to post-natal surge

DECREASED TSH LEVELS:

1.Toxic multi-nodular goitre & Thyroiditis.

2. Over replacement of thyroid harmone in treatment of hypothyroidism.

3. Autonomously functioning Thyroid adenoma

4. Secondary pituatary or hypothalmic hypothyroidism

5. Acute psychiatric illness

6.Severe dehydration.

7.DRUGS: Glucocorticoids, Dopamine, Levodopa, T4 replacement therapy, Anti-thyroid drugs for thyrotoxicosis.

8.Pregnancy: 1st and 2nd Trimester





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







NAME: Mrs. BINDU SAHUAGE/ GENDER: 50 YRS/FEMALEPATIENT ID: 1642226COLLECTED BY:REG. NO./LAB NO.: 012410130054REFERRED BY:REGISTRATION DATE: 13/Oct/2024 02:37 PMBARCODE NO.: 01518829COLLECTION DATE: 13/Oct/2024 02:38PMCLIENT CODE.: KOS DIAGNOSTIC LABREPORTING DATE: 13/Oct/2024 03:05PMCLIENT ADDRESS: 6349/1, NICHOLSON ROAD, AMBALA CANTTBiological Reference intervalCLINICAL PATHOLOGYURINE ROUTINE & WICROSCOPIC EXAMINATIONPHYSICAL EXAMINATIONQUANTITY RECIEVED10ml
COLLECTED BY:REG. NO./LAB NO.: 012410130054REFERRED BY:REGISTRATION DATE: 13/Oct/2024 02:37 PMBARCODE NO.: 01518829COLLECTION DATE: 13/Oct/2024 02:38PMCLIENT CODE.: KOS DIAGNOSTIC LABREPORTING DATE: 13/Oct/2024 03:05PMCLIENT ADDRESS: 6349/1, NICHOLSON ROAD, AMBALA CANTTImage: Client Addression and the state of
REFERRED BY       :       REGISTRATION DATE       : 13/Oct/2024 02:37 PM         BARCODE NO.       : 01518829       COLLECTION DATE       : 13/Oct/2024 02:38 PM         CLIENT CODE.       : KOS DIAGNOSTIC LAB       REPORTING DATE       : 13/Oct/2024 03:05 PM         CLIENT ADDRESS       : 6349/1, NICHOLSON ROAD, AMBALA CANTT       : 13/Oct/2024 03:05 PM         Test Name       Value       Unit       Biological Reference interval         CLINICAL PATHOLOGY         URINE ROUTINE & MICROSCOPIC EXAMINATION         PHYSICAL EXAMINATION
REFERRED BY       :       REGISTRATION DATE       : 13/Oct/2024 02:37 PM         BARCODE NO.       : 01518829       COLLECTION DATE       : 13/Oct/2024 02:38 PM         CLIENT CODE.       : KOS DIAGNOSTIC LAB       REPORTING DATE       : 13/Oct/2024 03:05 PM         CLIENT ADDRESS       : 6349/1, NICHOLSON ROAD, AMBALA CANTT       : 13/Oct/2024 03:05 PM         Test Name       Value       Unit       Biological Reference interval         CLINICAL PATHOLOGY         URINE ROUTINE & MICROSCOPIC EXAMINATION         PHYSICAL EXAMINATION
BARCODE NO.: 01518829COLLECTION DATE: 13/Oct/2024 02:38PMCLIENT CODE.: KOS DIAGNOSTIC LABREPORTING DATE: 13/Oct/2024 03:05PMCLIENT ADDRESS: 6349/1, NICHOLSON ROAD, AMBALA CANTTTest NameValueUnitBiological Reference intervalCLINICAL PATHOLOGY URINE ROUTINE & MICROSCOPIC EXAMINATIONPHYSICAL EXAMINATION
CLIENT CODE.       : KOS DIAGNOSTIC LAB       REPORTING DATE       : 13/Oct/2024 03:05PM         CLIENT ADDRESS       : 6349/1, NICHOLSON ROAD, AMBALA CANTT       Image: Client Addression of the state o
CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT         Test Name       Value       Unit       Biological Reference interval         CLINICAL PATHOLOGY         URINE ROUTINE & MICROSCOPIC EXAMINATION         PHYSICAL EXAMINATION
Test Name     Value     Unit     Biological Reference interval       CLINICAL PATHOLOGY URINE ROUTINE & MICROSCOPIC EXAMINATION       PHYSICAL EXAMINATION
CLINICAL PATHOLOGY URINE ROUTINE & MICROSCOPIC EXAMINATION PHYSICAL EXAMINATION
URINE ROUTINE & MICROSCOPIC EXAMINATION PHYSICAL EXAMINATION
PHYSICAL EXAMINATION
QUANTITY RECIEVED 10 ml
COLOUR AMBER YELLOW PALE YELLOW
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY
TRANSPARANCY CLEAR CLEAR
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY SPECIFIC GRAVITY <=1.005 1.002 - 1.030
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY
CHEMICAL EXAMINATION
REACTION ACIDIC
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY
PROTEIN Negative NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY
SUGAR Negative NEGATIVE (-ve)
pH 5.5 5.0 - 7.5
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY
BILIRUBIN Negative NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY
NITRITE Negative NEGATIVE (-ve) by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY.
UROBILINOGEN Normal EU/dL 0.2 - 1.0
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY
KETONE BODIES Negative NEGATIVE (-ve)
by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY  PLOOD  Negative Negati
BLOOD Negative NEGATIVE (-ve)
ASCORBIC ACID NEGATIVE (-ve) NEGATIVE (-ve)

MICROSCOPIC EXAMINATION



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







Dr. Vinay Chopra

MD (Pathology & Microbiology) Chairman & Consultant Pathologist Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME	: Mrs. BINDU SAHU			
AGE/ GENDER	: 50 YRS/FEMALE	PATIENT	ID	: 1642226
COLLECTED BY	:	REG. NO./	'LAB NO.	: 012410130054
REFERRED BY	:	REGISTRA	ATION DATE	: 13/Oct/2024 02:37 PM
BARCODE NO.	:01518829	COLLECT	ION DATE	: 13/Oct/2024 02:38PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTI	NG DATE	: 13/Oct/2024 03:05PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AI	MBALA CANTT		
CLIENT ADDRESS Test Name	: 6349/1, NICHOLSON ROAD, AI	MBALA CANTT Value	Unit	Biological Reference interval
Test Name RED BLOOD CELLS (F			Unit /HPF	Biological Reference interval
Test Name RED BLOOD CELLS (F by MICROSCOPY ON ( PUS CELLS	RBCs)	Value		•

NEGATIVE (-ve) CRYSTALS NEGATIVE (-ve) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT CASTS NEGATIVE (-ve) NEGATIVE (-ve) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT BACTERIA NEGATIVE (-ve) NEGATIVE (-ve) by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT NEGATIVE (-ve) NEGATIVE (-ve) OTHERS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT TRICHOMONAS VAGINALIS (PROTOZOA) ABSENT ABSENT

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT

\*\*\* End Of Report \*\*\*





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

