

Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Baby. AASHVI	PATIENT ID	: 1644145
AGE/ GENDER	: 13 MONTH(S)/FEMALE	REG. NO./LAB NO.	: 012410150046
COLLECTED BY	:	REGISTRATION DATE	: 15/Oct/2024 03:08 PM
REFERRED BY	:	COLLECTION DATE	: 15/Oct/2024 03:09PM
BARCODE NO.	: 01518950	REPORTING DATE	: 15/Oct/2024 05:15PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

CLINICAL PATHOLOGY

STOOL ROUTINE AND MICROSCOPIC EXAMINATION


PHYSICAL EXAMINATION


COLOUR / APPEARANCE	YELLOWISH		YELLOWISH BROWN
CONSISTENCY	SLIGHTLY LOOSE		SEMI- FORMED/FORMED
PUS	ABSENT		ABSENT
MUCOUS	PRESENT		ABSENT
BLOOD	NEGATIVE (-ve)		NEGATIVE (-ve)
PARASITES	NOT SEEN		NOT SEEN

MICROSCOPIC EXAMINATION

PUS CELLS <i>by MICROSCOPY</i>	NEGATIVE (-ve)	/HPF	0 - 5
RED BLOOD CELLS (RBCs) <i>by MICROSCOPY</i>	NEGATIVE (-ve)	/HPF	0 - 3
OVA <i>by MICROSCOPY</i>	NOT SEEN		NOT SEEN
CYSTS <i>by MICROSCOPY</i>	NOT SEEN		NOT SEEN
STOOL FOR VIBRIO CHOLERA <i>by MICROSCOPY</i>	NO DARTING MOTILITY SEEN		
STOOL FOR FAT GLOBULES <i>by MICROSCOPY</i>	SEEN ++		NOT SEEN




DR. VINAY CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


DR. YUGAM CHOPRA
 CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)



TEST PERFORMED AT: KOS DIAGNOSTIC LAB, AMBALA CANTT.


Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist


Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	: Baby. AASHVI	PATIENT ID	: 1644145
AGE/ GENDER	: 13 MONTH(S)/FEMALE	REG. NO./LAB NO.	: 012410150046
COLLECTED BY	:	REGISTRATION DATE	: 15/Oct/2024 03:08 PM
REFERRED BY	:	COLLECTION DATE	: 15/Oct/2024 03:09PM
BARCODE NO.	: 01518950	REPORTING DATE	: 15/Oct/2024 05:15PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
STOOL FOR pH			
STOOL pH	6.5		5.0 - 9.0




DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)


DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)



TEST PERFORMED AT: KOS DIAGNOSTIC LAB, AMBALA CANTT.

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	: Baby. AASHVI	PATIENT ID	: 1644145
AGE/ GENDER	: 13 MONTH(S)/FEMALE	REG. NO./LAB NO.	: 012410150046
COLLECTED BY	:	REGISTRATION DATE	: 15/Oct/2024 03:08 PM
REFERRED BY	:	COLLECTION DATE	: 15/Oct/2024 03:09PM
BARCODE NO.	: 01518950	REPORTING DATE	: 15/Oct/2024 05:15PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

STOOL FOR REDUCING SUBSTANCES

STOOL FOR REDUCING SUBSTANCES

POSITIVE (+ve)

NEGATIVE (-ve)

*** End Of Report ***



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)



TEST PERFORMED AT: KOS DIAGNOSTIC LAB, AMBALA CANTT.