Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Dr. ABHA MITTAL**		
AGE/ GENDER	: 59 YRS/Female	**PATIENT ID**	: 1645512
COLLECTED BY	: SURJESH	**REG. NO./LAB NO.**	**: 012410160056**
REFERRED BY	:	**REGISTRATION DATE**	: 16/Oct/2024 07:10 PM
BARCODE NO.	: 01519015	**COLLECTION DATE**	: 16/Oct/2024 07:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 16/Oct/2024 07:24PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

HAEMATOLOGY

HAEMOGLOBIN (HB)

HAEMOGLOBIN (HB) *by CALORIMETRIC*	12.1	gm/dL	12.0 - 16.0

INTERPRETATION:-

Hemoglobin is the protein molecule in red blood cells that carries oxygen from the lungs to the bodys tissues and returns carbon dioxide from the tissues back to the lungs.

A low hemoglobin level is referred to as ANEMIA or low red blood count.

ANEMIA (DECRESED HAEMOGLOBIN):

1) Loss of blood (traumatic injury, surgery, bleeding, colon cancer or stomach ulcer)
2) Nutritional deficiency (iron, vitamin B12, folate)
3) Bone marrow problems (replacement of bone marrow by cancer)
4) Suppression by red blood cell synthesis by chemotherapy drugs
5) Kidney failure
6) Abnormal hemoglobin structure (sickle cell anemia or thalassemia).

POLYCYTHEMIA (INCREASED HAEMOGLOBIN):

1) People in higher altitudes (Physiological)
2) Smoking (Secondary Polycythemia)
3) Dehydration produces a falsely rise in hemoglobin due to increased haemoconcentration
4) Advanced lung disease (for example, emphysema)
5) Certain tumors
6) A disorder of the bone marrow known as polycythemia rubra vera,
7) Abuse of the drug erythropoetin (Epogen) by athletes for blood doping purposes (increasing the amount of oxygen available to the body by chemically raising the production of red blood cells).

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Dr. ABHA MITTAL**		
AGE/ GENDER	: 59 YRS/Female	**PATIENT ID**	: 1645512
COLLECTED BY	: SURJESH	**REG. NO./LAB NO.**	**: 012410160056**
REFERRED BY	:	**REGISTRATION DATE**	: 16/Oct/2024 07:10 PM
BARCODE NO.	: 01519015	**COLLECTION DATE**	: 16/Oct/2024 07:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 16/Oct/2024 07:24PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
TOTAL LEUCOCYTE COUNT (TLC)			
TOTAL LEUCOCYTE COUNT (TLC)	7610	/cmm	4000 - 11000

by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Dr. ABHA MITTAL**		
AGE/ GENDER	: 59 YRS/Female	**PATIENT ID**	: 1645512
COLLECTED BY	: SURJESH	**REG. NO./LAB NO.**	**: 012410160056**
REFERRED BY	:	**REGISTRATION DATE**	: 16/Oct/2024 07:10 PM
BARCODE NO.	: 01519015	**COLLECTION DATE**	: 16/Oct/2024 07:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 16/Oct/2024 07:24PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
DIFFERENTIAL LEUCOCYTE COUNT (DLC)			
NEUTROPHILS *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	58	%	50 - 70
LYMPHOCYTES *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	30	%	20 - 40
EOSINOPHILS *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	4	%	1 - 6
MONOCYTES *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	8	%	2 - 12
BASOPHILS *by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY*	0	%	0 - 1

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Dr. ABHA MITTAL**		
AGE/ GENDER	: 59 YRS/Female	**PATIENT ID**	: 1645512
COLLECTED BY	: SURJESH	**REG. NO./LAB NO.**	**: 012410160056**
REFERRED BY	:	**REGISTRATION DATE**	: 16/Oct/2024 07:10 PM
BARCODE NO.	: 01519015	**COLLECTION DATE**	: 16/Oct/2024 07:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 16/Oct/2024 07:24PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

PROTHROMBIN TIME STUDIES (PT/INR)

Test Name	Value	Unit	Biological Reference interval
PT TEST (PATIENT) *by PHOTO OPTICAL CLOT DETECTION*	11.6	SECS	11.5 - 14.5
PT (CONTROL) *by PHOTO OPTICAL CLOT DETECTION*	12	SECS	
ISI *by PHOTO OPTICAL CLOT DETECTION*	1.1		
INTERNATIONAL NORMALISED RATIO (INR) *by PHOTO OPTICAL CLOT DETECTION*	0.96		0.80 - 1.20
PT INDEX *by PHOTO OPTICAL CLOT DETECTION*	103.45	%	

INTERPRETATION:-

1.INR is the parameter of choice in monitoring adequacy of oral anti-coagulant therapy. Appropiate therapeutic range varies with the disease and treatment intensity.
2. Prolonged INR suggests potential bleeding disorder /bleeding complications
3. Results should be clinically correlated.
4. *Test conducted on Citrated Plasma*

RECOMMENDED THERAPEUTIC RANGE FOR ORAL ANTI-COAGULANT THERAPY (INR)		
INDICATION		**INTERNATIONAL NORMALIZED RATIO (INR)**
Treatment of venous thrombosis	Low Intensity	2.0 - 3.0
Treatment of pulmonary embolism		
Prevention of systemic embolism in tissue heart valves		
Valvular heart disease		
Acute myocardial infarction		
Atrial fibrillation		
Bileaflet mechanical valve in aortic position		
Recurrent embolism	High Intensity	2.5 - 3.5
Mechanical heart valve		
Antiphospholipid antibodies+		

COMMENTS:

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Dr. ABHA MITTAL**		
AGE/ GENDER	: 59 YRS/Female	**PATIENT ID**	: 1645512
COLLECTED BY	: SURJESH	**REG. NO./LAB NO.**	**: 012410160056**
REFERRED BY	:	**REGISTRATION DATE**	: 16/Oct/2024 07:10 PM
BARCODE NO.	: 01519015	**COLLECTION DATE**	: 16/Oct/2024 07:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 16/Oct/2024 07:24PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

The prothrombin time (PT) and its derived measures of prothrombin ratio (PR) and international normalized ratio (INR) are measures of the efficacy of the extrinsic pathway of coagulation. PT test reflects the adequacy of factors I (fibrinogen), II (prothrombin), V, VII, and X. It is used in conjunction with the activated partial thromboplastin time (aPTT) which measures the intrinsic pathway.
The common causes of prolonged prothrombin time are :
1.Oral Anticoagulant therapy.
2.Liver disease.
3.Vit K. deficiency.
4.Disseminated intra vascular coagulation.
5.Factor 5, 7 , 10 or Prothrombin dificiency

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Dr. ABHA MITTAL**		
AGE/ GENDER	: 59 YRS/Female	**PATIENT ID**	: 1645512
COLLECTED BY	: SURJESH	**REG. NO./LAB NO.**	**: 012410160056**
REFERRED BY	:	**REGISTRATION DATE**	: 16/Oct/2024 07:10 PM
BARCODE NO.	: 01519015	**COLLECTION DATE**	: 16/Oct/2024 07:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 16/Oct/2024 07:30PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

ACTIVATED PARTIAL THROMBOPLASTIN TIME (APTT)

APTT (PATIENT VALUE) *by PHOTO OPTICAL CLOT DETECTION*	31.5	SECS	28.6 - 38.2

INTERPRETATION:-

The activated partial thromboplastin time (aPTT or APTT) is a performance indicator measuring the efficacy of both the **intrinsic** (now referred to as the contact activation pathway) and the common coagulation pathways. Apart from detecting abnormalities in blood clotting, it is also used to monitor the treatment effects with heparin, a major anticoagulant. It is used in conjunction with the prothrombin time (PT) which measures the extrinsic pathway.

COMMON CAUSES OF PROLONGED APTT :-

1. Disseminated intravascular coagulation.
2. Liver disease.
3. Massive transfusion with stored blood.
4. Heparin administration or contamination.
5. A circulating Anticogulant.
6. Deficiency of a coagulation Factor other than factor 7.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Dr. ABHA MITTAL**		
AGE/ GENDER	: 59 YRS/Female	**PATIENT ID**	: 1645512
COLLECTED BY	: SURJESH	**REG. NO./LAB NO.**	**: 012410160056**
REFERRED BY	:	**REGISTRATION DATE**	: 16/Oct/2024 07:10 PM
BARCODE NO.	: 01519015	**COLLECTION DATE**	: 16/Oct/2024 07:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 16/Oct/2024 07:43PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

CLINICAL CHEMISTRY/BIOCHEMISTRY

GLUCOSE RANDOM (R)

GLUCOSE RANDOM (R): PLASMA *by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)*	103.39	mg/dL	NORMAL: < 140.00 PREDIABETIC: 140.0 - 200.0 DIABETIC: > 0R = 200.0

INTERPRETATION

IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:

1. A random plasma glucose level below 140 mg/dl is considered normal.
2. A random glucose level between 140 - 200 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prnadial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
3. A random glucose level of above 200 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Dr. ABHA MITTAL**		
AGE/ GENDER	: 59 YRS/Female	**PATIENT ID**	: 1645512
COLLECTED BY	: SURJESH	**REG. NO./LAB NO.**	**: 012410160056**
REFERRED BY	:	**REGISTRATION DATE**	: 16/Oct/2024 07:10 PM
BARCODE NO.	: 01519015	**COLLECTION DATE**	: 16/Oct/2024 07:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 16/Oct/2024 07:43PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

LIVER FUNCTION TEST (COMPLETE)

Test Name	Value	Unit	Biological Reference interval
BILIRUBIN TOTAL: SERUM *by DIAZOTIZATION, SPECTROPHOTOMETRY*	0.42	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
BILIRUBIN DIRECT (CONJUGATED): SERUM *by DIAZO MODIFIED, SPECTROPHOTOMETRY*	0.11	mg/dL	0.00 - 0.40
BILIRUBIN INDIRECT (UNCONJUGATED): SERUM *by CALCULATED, SPECTROPHOTOMETRY*	0.31	mg/dL	0.10 - 1.00
SGOT/AST: SERUM *by IFCC, WITHOUT PYRIDOXAL PHOSPHATE*	18.2	U/L	7.00 - 45.00
SGPT/ALT: SERUM *by IFCC, WITHOUT PYRIDOXAL PHOSPHATE*	23.9	U/L	0.00 - 49.00
AST/ALT RATIO: SERUM *by CALCULATED, SPECTROPHOTOMETRY*	0.76	RATIO	0.00 - 46.00
ALKALINE PHOSPHATASE: SERUM *by PARA NITROPHENYL PHOSPHATASE BY AMINO METHYL PROPANOL*	71.32	U/L	40.0 - 130.0
GAMMA GLUTAMYL TRANSFERASE (GGT): SERUM *by SZASZ, SPECTROPHTOMETRY*	37.42	U/L	0.00 - 55.0
TOTAL PROTEINS: SERUM *by BIURET, SPECTROPHOTOMETRY*	6.95	gm/dL	6.20 - 8.00
ALBUMIN: SERUM *by BROMOCRESOL GREEN*	4.04	gm/dL	3.50 - 5.50
GLOBULIN: SERUM *by CALCULATED, SPECTROPHOTOMETRY*	2.91	gm/dL	2.30 - 3.50
A : G RATIO: SERUM *by CALCULATED, SPECTROPHOTOMETRY*	1.39	RATIO	1.00 - 2.00

INTERPRETATION

NOTE:- **To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range.**

USE:- Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

DRUG HEPATOTOXICITY	> 2
ALCOHOLIC HEPATITIS	> 2 (Highly Suggestive)
CIRRHOSIS	1.4 - 2.0
INTRAHEPATIC CHOLESTATIS	> 1.5

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Dr. ABHA MITTAL**		
AGE/ GENDER	: 59 YRS/Female	**PATIENT ID**	: 1645512
COLLECTED BY	: SURJESH	**REG. NO./LAB NO.**	**: 012410160056**
REFERRED BY	:	**REGISTRATION DATE**	: 16/Oct/2024 07:10 PM
BARCODE NO.	: 01519015	**COLLECTION DATE**	: 16/Oct/2024 07:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 16/Oct/2024 07:43PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
HEPATOCELLULAR CARCINOMA & CHRONIC HEPATITIS	> 1.3 (Slightly Increased)		

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)
2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

PROGNOSTIC SIGNIFICANCE:

NORMAL	< 0.65
GOOD PROGNOSTIC SIGN	0.3 - 0.6
POOR PROGNOSTIC SIGN	1.2 - 1.6

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Dr. ABHA MITTAL**		
AGE/ GENDER	: 59 YRS/Female	**PATIENT ID**	: 1645512
COLLECTED BY	: SURJESH	**REG. NO./LAB NO.**	**: 012410160056**
REFERRED BY	:	**REGISTRATION DATE**	: 16/Oct/2024 07:10 PM
BARCODE NO.	: 01519015	**COLLECTION DATE**	: 16/Oct/2024 07:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 16/Oct/2024 07:43PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
UREA			
UREA: SERUM *by UREASE - GLUTAMATE DEHYDROGENASE (GLDH)*	20.26	mg/dL	10.00 - 50.00

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Dr. ABHA MITTAL**		
AGE/ GENDER	: 59 YRS/Female	**PATIENT ID**	: 1645512
COLLECTED BY	: SURJESH	**REG. NO./LAB NO.**	**: 012410160056**
REFERRED BY	:	**REGISTRATION DATE**	: 16/Oct/2024 07:10 PM
BARCODE NO.	: 01519015	**COLLECTION DATE**	: 16/Oct/2024 07:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 16/Oct/2024 07:43PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
CREATININE			
CREATININE: SERUM *by ENZYMATIC, SPECTROPHOTOMETRY*	0.87	mg/dL	0.40 - 1.20

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Dr. ABHA MITTAL**		
AGE/ GENDER	: 59 YRS/Female	**PATIENT ID**	: 1645512
COLLECTED BY	: SURJESH	**REG. NO./LAB NO.**	**: 012410160056**
REFERRED BY	:	**REGISTRATION DATE**	: 16/Oct/2024 07:10 PM
BARCODE NO.	: 01519015	**COLLECTION DATE**	: 16/Oct/2024 07:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 16/Oct/2024 07:43PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
ELECTROLYTES COMPLETE PROFILE			
SODIUM: SERUM *by ISE (ION SELECTIVE ELECTRODE)*	**131.2L**	**mmol/L**	**135.0 - 150.0**
POTASSIUM: SERUM *by ISE (ION SELECTIVE ELECTRODE)*	4.25	mmol/L	3.50 - 5.00
CHLORIDE: SERUM *by ISE (ION SELECTIVE ELECTRODE)*	98.4	mmol/L	90.0 - 110.0

INTERPRETATION:-

SODIUM:-

Sodium is the major cation of extra-cellular fluid. Its primary function in the body is to chemically maintain osmotic pressure & acid base balance & to transmit nerve impulse.

HYPONATREMIA (LOW SODIUM LEVEL) CAUSES:-

1. Low sodium intake.
2. Sodium loss due to diarrhea & vomiting with adequate water and iadequate salt replacement.
3. Diuretics abuses.
4. Salt loosing nephropathy.
5. Metabolic acidosis.
6. Adrenocortical issuficiency .
7. Hepatic failure.

HYPERNATREMIA (INCREASED SODIUM LEVEL) CAUSES:-

1. Hyperapnea (Prolonged)
2. Diabetes insipidus
3. Diabetic acidosis
4. Cushings syndrome
5. Dehydration

POTASSIUM:-

Potassium is the major cation in the intracellular fluid. 90% of potassium is concentrated within the cells. When cells are damaged, potassium is released in the blood.

HYPOKALEMIA (LOW POTASSIUM LEVELS):-

1. Diarrhoea, vomiting & malabsorption.
2. Severe Burns.
3. Increased Secretions of Aldosterone

HYPERKALEMIA (INCREASED POTASSIUM LEVELS):-

1. Oliguria
2. Renal failure or Shock
3. Respiratory acidosis

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Dr. ABHA MITTAL**		
AGE/ GENDER	: 59 YRS/Female	**PATIENT ID**	: 1645512
COLLECTED BY	: SURJESH	**REG. NO./LAB NO.**	**: 012410160056**
REFERRED BY	:	**REGISTRATION DATE**	: 16/Oct/2024 07:10 PM
BARCODE NO.	: 01519015	**COLLECTION DATE**	: 16/Oct/2024 07:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 16/Oct/2024 07:43PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
4.Hemolysis of blood			

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Dr. ABHA MITTAL**		
AGE/ GENDER	: 59 YRS/Female	**PATIENT ID**	: 1645512
COLLECTED BY	: SURJESH	**REG. NO./LAB NO.**	**: 012410160056**
REFERRED BY	:	**REGISTRATION DATE**	: 16/Oct/2024 07:10 PM
BARCODE NO.	: 01519015	**COLLECTION DATE**	: 16/Oct/2024 07:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 16/Oct/2024 07:54PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

IMMUNOPATHOLOGY/SEROLOGY

HEPATITIS C VIRUS (HCV) ANTIBODIES SCREENING

HEPATITIS C ANTIBODY (HCV) TOTAL RESULT *by IMMUNOCHROMATOGRAPHY*	NON - REACTIVE		

INTERPRETATION:

1.Anti HCV total antibody assay identifies presence IgG antibodies in the serum . It is a useful screening test with a specificity of nearly 99%.
2.It becomes positive approximately 24 weeks after exposure. The test can not isolate an active ongoing HCV infection from an old infection that has been cleared. All positive results must be confirmed for active disease by an HCV PCR test .

FALSE NEGATIVE RESULTS SEEN IN:

1.Window period
2.Immunocompromised states.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Dr. ABHA MITTAL**		
AGE/ GENDER	: 59 YRS/Female	**PATIENT ID**	: 1645512
COLLECTED BY	: SURJESH	**REG. NO./LAB NO.**	**: 012410160056**
REFERRED BY	:	**REGISTRATION DATE**	: 16/Oct/2024 07:10 PM
BARCODE NO.	: 01519015	**COLLECTION DATE**	: 16/Oct/2024 07:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 16/Oct/2024 07:54PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

ANTI HUMAN IMMUNODEFICIENCY VIRUS (HIV) ANTIBODIES HIV (1 & 2) SCREENING

HIV 1/2 AND P24 ANTIGEN RESULT — NON - REACTIVE
by IMMUNOCHROMATOGRAPHY

INTERPRETATION:-

1.AIDS is caused by at least 2 known types of HIV viruses, HIV-1 and HIV HIV-2.
2.This NACO approved immuno-chromatographic solid phase ELISA assay detects antibodies against both HIV-1 and HIV-2 viruses.
3.The test is used for routine serologic screening of patients at risk for HIV-1 or HIV-2 infection.
4.All screening ELISA assays for HIV antibody detection have high sensitivity but have low specificity.
5.At this laboratory, all positive samples are cross checked for positivity with two alternate assays prior to reporting.

NOTE:-

1.Confirmatory testing by Western blot is recommended for patients who are reactive for HIV by this assay.
2.Antibodies against HIV-1 and HIV-2 are usually not detectable until 6 to 12 weeks following exposure (window period) and are almost always detectable by 12 months.
3.The test is not recommended for children born to HIV infected mothers till the child turns two years old (as HIV antibodies may be transmitted passively to the child trans-placentally).

FALSE NEGATIVE RESULT SEEN IN:

1.Window period
2.Severe immuno-suppression including advanced AIDS.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Dr. ABHA MITTAL**		
AGE/ GENDER	: 59 YRS/Female	**PATIENT ID**	: 1645512
COLLECTED BY	: SURJESH	**REG. NO./LAB NO.**	**: 012410160056**
REFERRED BY	:	**REGISTRATION DATE**	: 16/Oct/2024 07:10 PM
BARCODE NO.	: 01519015	**COLLECTION DATE**	: 16/Oct/2024 07:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 16/Oct/2024 07:54PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

HEPATITIS B SURFACE ANTIGEN (HBsAg) SCREENING

HEPATITIS B SURFACE ANTIGEN (HBsAg) RESULT *by IMMUNOCHROMATOGRAPHY*	NON REACTIVE		

INTERPRETATION:-

1.HBsAG is the first serological marker of HBV infection to appear in the blood (approximately 30-60 days after infection and prior to the onset of clinical disease). It is also the last viral protein to disappear from blood and usually disappears by three months after infection in self limiting acute Hepatitis B viral infection.

2.Persistence of HBsAg in blood for more than six months implies chronic infection. It is the most common marker used for diagnosis of an acute Hepatitis B infection but has very limited role in assessing patients suffering from chronic hepatitis.

FALSE NEGATIVE RESULT SEEN IN:

1.Window period.

2.Infection with HBsAg mutant strains

3.Hepatitis B Surface antigen (HBsAg) is the earliest indicator of HBV infection. Usually it appears in 27 - 41 days (as early as 14 days).

4.Appears 7 - 26 days before biochemical abnormalities. Peaks as ALT rises. Persists during the acute illness. Usually disappears 12- 20 weeks after the onset of symptoms / laboratory abnormalities in 90% of cases.

5.Is the most reliable serologic marker of HBV infection. Persistence > 6 months defines carrier state. May also be found in chronic infection.Hepatitis B vaccination does not cause a positive HBsAg. Titers are not of clinical value.

NOTE:-

1.All reactive HBsAG Should be reconfirmed with neutralization test(HBsAg confirmatory test).

2.Anti - HAV IgM appears at the same time as symptoms in > 99% of cases, peaks within the first month, becomes nondetectable in 12 months (usually 6 months). Presence confirms diagnosis of recent acute infection.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Dr. ABHA MITTAL**		
AGE/ GENDER	: 59 YRS/Female	**PATIENT ID**	: 1645512
COLLECTED BY	: SURJESH	**REG. NO./LAB NO.**	**: 012410160056**
REFERRED BY	:	**REGISTRATION DATE**	: 16/Oct/2024 07:10 PM
BARCODE NO.	: 01519015	**COLLECTION DATE**	: 16/Oct/2024 07:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 16/Oct/2024 07:54PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval

VDRL

VDRL *by IMMUNOCHROMATOGRAPHY*	NON REACTIVE		NON REACTIVE

INTERPRETATION:

1.Does not become positive until 7 - 10 days after appearance ofchancre.
2.***High titer (>1:16) - active disease.***
3.***Low titer (<1:8) - biological falsepositive test in 90% cases or due to late or late latent syphillis.***
4.Treatment of primary syphillis causes progressive decline tonegative VDRL within 2 years.
5.Rising titer (4X) indicates relapse,reinfection, or treatment failure and need for retreatment.
6.May benonreactive in early primary, late latent, and late syphillis (approx. 25% ofcases).
7.Reactive and weakly reactive tests should always be confirmedwith FTA-ABS (fluorescent treponemal antibody absorptiontest).

SHORTTERM FALSE POSITIVE TEST RESULTS (<6 MONTHS DURATION) MAY OCCURIN:

1.Acute viral illnesses (e.g., hepatitis, measles, infectious mononucleosis)
2.M. pneumoniae; Chlamydia; Malaria infection.
3.Some immunizations
4.Pregnancy (rare)

LONGTERM FALSE POSITIVE TEST RESULTS (>6 MONTHS DURATION) MAY OCCUR IN:

1.Serious underlying disease e.g., collagen vascular diseases, leprosy ,malignancy.
2.Intravenous drug users.
3.Rheumatoid arthritis, thyroiditis, AIDS, Sjogren's syndrome.
4.<l0 % of patients older thanage 70 years.
5.Patients taking some anti-hypertensive drugs.

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

NAME	**: Dr. ABHA MITTAL**		
AGE/ GENDER	: 59 YRS/Female	**PATIENT ID**	: 1645512
COLLECTED BY	: SURJESH	**REG. NO./LAB NO.**	**: 012410160056**
REFERRED BY	:	**REGISTRATION DATE**	: 16/Oct/2024 07:10 PM
BARCODE NO.	: 01519015	**COLLECTION DATE**	: 16/Oct/2024 07:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 16/Oct/2024 07:34PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

CLINICAL PATHOLOGY

URINE ROUTINE & MICROSCOPIC EXAMINATION

Test Name	Value	Unit	Biological Reference interval
PHYSICAL EXAMINATION			
QUANTITY RECIEVED *by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY*	10	ml	
COLOUR *by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY*	AMBER YELLOW		PALE YELLOW
TRANSPARANCY *by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY*	CLEAR		CLEAR
SPECIFIC GRAVITY *by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY*	<=1.005		1.002 - 1.030
CHEMICAL EXAMINATION			
REACTION *by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY*	ACIDIC		
PROTEIN *by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY*	Negative		NEGATIVE (-ve)
SUGAR *by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY*	Negative		NEGATIVE (-ve)
pH *by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY*	6		5.0 - 7.5
BILIRUBIN *by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY*	Negative		NEGATIVE (-ve)
NITRITE *by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY.*	Negative		NEGATIVE (-ve)
UROBILINOGEN *by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY*	Normal	EU/dL	0.2 - 1.0
KETONE BODIES *by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY*	Negative		NEGATIVE (-ve)
BLOOD *by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY*	Negative		NEGATIVE (-ve)
ASCORBIC ACID *by DIP STICK/REFLECTANCE SPECTROPHOTOMETRY*	NEGATIVE (-ve)		NEGATIVE (-ve)
MICROSCOPIC EXAMINATION			

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME	**: Dr. ABHA MITTAL**		
AGE/ GENDER	: 59 YRS/Female	**PATIENT ID**	: 1645512
COLLECTED BY	: SURJESH	**REG. NO./LAB NO.**	**: 012410160056**
REFERRED BY	:	**REGISTRATION DATE**	: 16/Oct/2024 07:10 PM
BARCODE NO.	: 01519015	**COLLECTION DATE**	: 16/Oct/2024 07:13PM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	**REPORTING DATE**	: 16/Oct/2024 07:34PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
RED BLOOD CELLS (RBCs) *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	NEGATIVE (-ve)	/HPF	0 - 3
PUS CELLS *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	2-3	/HPF	0 - 5
EPITHELIAL CELLS *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	5-6	/HPF	ABSENT
CRYSTALS *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	NEGATIVE (-ve)		NEGATIVE (-ve)
CASTS *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	NEGATIVE (-ve)		NEGATIVE (-ve)
BACTERIA *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	NEGATIVE (-ve)		NEGATIVE (-ve)
OTHERS *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	NEGATIVE (-ve)		NEGATIVE (-ve)
TRICHOMONAS VAGINALIS (PROTOZOA) *by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT*	ABSENT		ABSENT

*** End Of Report ***

DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)