

KOS Diagnostic Lab

(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mrs. KAUSHAL

AGE/ GENDER : 63 YRS/FEMALE **PATIENT ID** : 1653785

COLLECTED BY :012410260014 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 26/Oct/2024 10:19 AM BARCODE NO. :01519559 **COLLECTION DATE** : 26/Oct/2024 10:19AM CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 26/Oct/2024 11:26AM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Value Unit **Biological Reference interval Test Name**

CLINICAL CHEMISTRY/BIOCHEMISTRY GLUCOSE POST PRANDIAL (PP)

GLUCOSE POST PRANDIAL (PP): PLASMA by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD) 144.4^H NORMAL: < 140.00 mg/dL

PREDIABETIC: 140.0 - 200.0 DIABETIC: > 0R = 200.0

INTERPRETATION
IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:

1. A post-prandial plasma glucose level below 140 mg/dl is considered normal.

2. A post-prandial glucose level between 140 - 200 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.

3. A post-prandial plasma glucose level of above 200 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





KOS Diagnostic Lab

(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME : Mrs. KAUSHAL

by ENZYMATIC, SPECTROPHOTOMETRY

AGE/ GENDER : 63 YRS/FEMALE **PATIENT ID** : 1653785

COLLECTED BY : REG. NO./LAB NO. : 012410260014

 REFERRED BY
 : 26/Oct/2024 10:19 AM

 BARCODE NO.
 : 01519559
 COLLECTION DATE
 : 26/Oct/2024 10:19 AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 26/Oct/2024 11:26 AM

CLIENT ADDRESS: 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

CREATININE

CREATININE: SERUM 1.86 $^{\rm H}$ mg/dL 0.40 - 1.20

*** End Of Report ***



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

