

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



	Dr. Vinay Chopra MD (Pathology & Micr Chairman & Consultar	obiology)	Dr. Yugam C MD (Pa CEO & Consultant Pat	thology)
NAME	: Mr. ANURAG SHARMA			
AGE/ GENDER	: 49 YRS/MALE	PATI	ENT ID :	1659385
COLLECTED BY	:	REG.	NO./LAB NO.	012411030010
REFERRED BY	:	REGI	STRATION DATE	03/Nov/2024 09:50 AM
BARCODE NO.	: 01519960			03/Nov/2024 09:52AM
CLIENT CODE. CLIENT ADDRESS	: KOS DIAGNOSTIC LAB : 6349/1, NICHOLSON ROAD, AMB.		ORTING DATE	03/Nov/2024 10:41AM
Test Name		Value	Unit	Biological Reference interval
			ESS PANEL: 1.0 COUNT (CBC)	
ED BLOOD CELL	S (RBCS) COUNT AND INDICES			
IAEMOGLOBIN (H	(B)	10.7 ^L	gm/dL	12.0 - 17.0
ED BLOOD CELL ((RBC) COUNT FOCUSING, ELECTRICAL IMPEDENCE	3.05 ^L	Millions/cm	am 3.50 - 5.00
ACKED CELL VOL		33.2 ^L	%	40.0 - 54.0
AEAN CORPUSCUL	AR VOLUME (MCV) AUTOMATED HEMATOLOGY ANALYZER	108.6 ^H	fL	80.0 - 100.0
MEAN CORPUSCUL	AR HAEMOGLOBIN (MCH)	35 ^H	pg	27.0 - 34.0
MEAN CORPUSCUL	AR HEMOGLOBIN CONC. (MCHC)	32.2	g/dL	32.0 - 36.0
RED CELL DISTRIB	BUTION WIDTH (RDW-CV) AUTOMATED HEMATOLOGY ANALYZER	13.9	%	11.00 - 16.00
RED CELL DISTRIB	BUTION WIDTH (RDW-SD) AUTOMATED HEMATOLOGY ANALYZER	56.6 ^H	fL	35.0 - 56.0
MENTZERS INDEX by CALCULATED		35.61	RATIO	BETA THALASSEMIA TRAIT: < 13.0 IRON DEFICIENCY ANEMIA: >13.0
GREEN & KING INI by calculated		49.38	RATIO	BETA THALASSEMIA TRAIT:<= 65.0 IRON DEFICIENCY ANEMIA: > 65.0
ИНІТЕ ВІ ООЛ СЕ		7850	/cmm	4000 - 11000
WHITE BLOOD CE		1000		
TOTAL LEUCOCYTI by flow cytometr NUCLEATED RED I	E COUNT (TLC) y by sf cube & microscopy BLOOD CELLS (nRBCS) rt hematology analyzer	NIL		0.00 - 20.00

KOS Diagnostic Lab (A Unit of KOS Healthcare)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME	: Mr. ANURAG SHARMA		
AGE/ GENDER	: 49 YRS/MALE	PATIENT ID	: 1659385
COLLECTED BY	:	REG. NO./LAB NO.	: 012411030010
REFERRED BY	:	REGISTRATION DATE	: 03/Nov/2024 09:50 AM
BARCODE NO.	: 01519960	COLLECTION DATE	: 03/Nov/2024 09:52AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 03/Nov/2024 10:41AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Value	Unit	Biological Reference interval
<u>c)</u>		
55 Y	%	50 - 70
30 YY	%	20 - 40
	%	1 - 6
Y		2 - 12
	%	0 - 1
4318 YY	/cmm	2000 - 7500
2355 Y	/cmm	800 - 4900
	/cmm	40 - 440
	/cmm	80 - 880
OH OH	/cmm	0 - 110
	/cmm	0.0 - 999.0
DICTIVE MARKERS.		
	/cmm	150000 - 450000
	%	0.10 - 0.36
	fL	6.50 - 12.0
37000 EDENCE	/cmm	30000 - 90000
32.9 EDENCE	%	11.0 - 45.0
16.8	%	15.0 - 17.0
	C)55 30 30 9 6 9 9 9 0 9 0 9 2355 471^{H} 706 9 0^{H} 0 0 0 0 0 0 113000^{L} 0.13 $20ENCE$ 11 37000 $20ENCE$ 32.9	C) 55 % Y 30 % Y 6 % Y 6 % Y 6 % Y 9 % Y 9 % Y 2355 /cmm Y 2355 /cmm Y 706 /cmm Y 0^H /cmm DICTTIVE MARKERS. 113000^L /cmm EDENCE 0.13 $\%$ EDENCE 37000 /cmm EDENCE 32.9 $\%$ EDENCE 32.9 $\%$



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







	Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist		(Pathology)
NAME	: Mr. ANURAG SHARMA		
AGE/ GENDER	: 49 YRS/MALE	PATIENT ID	: 1659385
COLLECTED BY	:	REG. NO./LAB NO.	: 012411030010
REFERRED BY	:	REGISTRATION DATE	: 03/Nov/2024 09:50 AM
BARCODE NO.	: 01519960	COLLECTION DATE	: 03/Nov/2024 09:52AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 03/Nov/2024 10:41AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		
Test Name	Value	Unit	Biological Reference interval

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD

RECHECKED.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)





TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



	Dr. Vinay ChopraDr. Yugam ChopraMD (Pathology & Microbiology)MD (Pathology)Chairman & Consultant PathologistCEO & Consultant Pathologist			(Pathology)
NAME	: Mr. ANURAG SHARMA			
AGE/ GENDER	: 49 YRS/MALE	PAT	IENT ID	: 1659385
COLLECTED BY	:	REG	NO./LAB NO.	: 012411030010
REFERRED BY	:	REG	ISTRATION DATE	: 03/Nov/2024 09:50 AM
BARCODE NO.	: 01519960	COL	LECTION DATE	: 03/Nov/2024 09:52AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REP	ORTING DATE	:03/Nov/2024 10:19AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	MBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	ERYTHRO	CYTE SEDIMEN	TATION RATE (I	ESR)
mmune disease, but 2. An ESR can be affe as C-reactive protein 3. This test may also systemic lupus eryth	t does not tell the health practitione ected by other conditions besides in be used to monitor disease activity ematosus W ESR	er exactly where the iflammation. For this	inflammation is in the reason, the ESR is typ erapy in both of the al	on associated with infection, cancer and auto- body or what is causing it. orically used in conjunction with other test such bove diseases as well as some others, such as





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







	MD	Vinay Chopra (Pathology & Microbiol irman & Consultant Pat	ogy)	Yugam Chopra MD (Pathology) nsultant Pathologist	
NAME	: Mr. ANURAG SH	IARMA			
AGE/ GENDER	: 49 YRS/MALE		PATIENT ID	: 1659385	
COLLECTED BY	:		REG. NO./LAB NO.	. : 012411030010	
REFERRED BY	:		REGISTRATION D	DATE : 03/Nov/2024 09:50 AM	
BARCODE NO.	:01519960		COLLECTION DAT	TE : 03/Nov/2024 09:52AM	
CLIENT CODE.	: KOS DIAGNOSTI	C LAB	REPORTING DATI	E : 03/Nov/2024 10:41AM	
CLIENT ADDRESS	: 6349/1, NICHOI	SON ROAD, AMBALA (CANTT		
Test Name		Val	ue Un	nit Biological Reference inte	rval
		CLINICAL CH	EMISTRY/BIOCHE	MISTRY	
		GLU	COSE FASTING (F)		
GLUCOSE FASTIN	G (F): PLASMA Se - peroxidase (god	10	6.47 ^H mg	g/dL NORMAL: < 100.0 PREDIABETIC: 100.0 - 12	05 O

IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:

A fasting plasma glucose level below 100 mg/dl is considered normal.
 A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood

test (after consumption of 75 gms of glucose) is recommended for all such patients. 3. A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT





		Chopra & Microbiology) onsultant Pathologist		(Pathology)
JAME	: Mr. ANURAG SHARMA			
GE/ GENDER	: 49 YRS/MALE		PATIENT ID	: 1659385
COLLECTED BY	:		REG. NO./LAB NO.	: 012411030010
REFERRED BY	:		REGISTRATION DATE	: 03/Nov/2024 09:50 AM
BARCODE NO.	: 01519960		COLLECTION DATE	: 03/Nov/2024 09:52AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 03/Nov/2024 10:41AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAI	D, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
		LIPID PRO	OFILE : BASIC	
CHOLESTEROL TO	TAL: SERUM	92.36	mg/dL	OPTIMAL: < 200.0
by CHOLESTEROL OX	(IDASE PAP		Ū	BORDERLINE HIGH: 200.0 -
				239.0 HIGH CHOLESTEROL: > OR =
				240.0
RIGLYCERIDES: S		79.97	mg/dL	OPTIMAL: < 150.0
by GLYCEROL PHOSP	PHATE OXIDASE (ENZYMATIC)			BORDERLINE HIGH: 150.0 - 199.0
				HIGH: 200.0 - 499.0
			(17	VERY HIGH: $> OR = 500.0$
IDL CHOLESTERO	L (DIRECT): SERUM	18.78 ^L	mg/dL	LOW HDL: < 30.0 BORDERLINE HIGH HDL: 30.0
				60.0
			(17	HIGH HDL: $> OR = 60.0$
DL CHOLESTEROI		57.59	mg/dL	OPTIMAL: < 100.0 ABOVE OPTIMAL: 100.0 - 129.
				BORDERLINE HIGH: 130.0 -
				159.0
				HIGH: 160.0 - 189.0 VERY HIGH: > OR = 190.0
NON HDL CHOLEST	TEROL: SERUM	73.58	mg/dL	OPTIMAL: < 130.0
by CALCULATED, SPE	CTROPHOTOMETRY			ABOVE OPTIMAL: 130.0 - 159.
				BORDERLINE HIGH: 160.0 - 189.0
				HIGH: 190.0 - 219.0
		15.00		VERY HIGH: $> OR = 220.0$
LDL CHOLESTER(by CALCULATED, SPE		15.99	mg/dL	0.00 - 45.00
TOTAL LIPIDS: SER	RUM	264.69^L	mg/dL	350.00 - 700.00
by CALCULATED, SPE CHOLESTEROL/HD		4.92 ^H	RATIO	LOW RISK: 3.30 - 4.40
by CALCULATED, SPE		4.32	MATIO	AVERAGE RISK: 4.50 - 7.0
				MODERATE RISK: 7.10 - 11.0 HIGH RISK: > 11.0



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





		h opra & Microbiology) onsultant Pathologis		(Pathology)
NAME	: Mr. ANURAG SHARMA			
AGE/ GENDER	: 49 YRS/MALE		PATIENT ID	: 1659385
COLLECTED BY	:		REG. NO./LAB NO.	: 012411030010
REFERRED BY	:		REGISTRATION DATE	: 03/Nov/2024 09:50 AM
BARCODE NO.	:01519960		COLLECTION DATE	:03/Nov/2024 09:52AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	:03/Nov/2024 10:41AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAI), AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
LDL/HDL RATIO: S by CALCULATED, SPE		3.07 ^H	RATIO	LOW RISK: 0.50 - 3.0 MODERATE RISK: 3.10 - 6.0 HIGH RISK: > 6.0
TRIGLYCERIDES/H by CALCULATED, SPE		4.26	RATIO	3.00 - 5.00

INTERPRETATION:

1. Measurements in the same patient can show physiological analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL & LDL Cholesterol.

2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.

 Low HDL levels are associated with increased risk for Atherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.
 NLA-2014 identifies Non HDL Cholesterol (an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants) along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL & Non HDL

5. Additional testing for Apolipoprotein B, hsCRP,Lp(a) & LP-PLA2 should be considered among patients with moderate risk for ASCVD for risk refinement





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







Dr. Yugam Chopra

MD (Pathology & Mic Chairman & Consult		crobiology)	MD (CEO & Consultant	(Pathology)
NAME	: Mr. ANURAG SHARMA			
AGE/ GENDER	: 49 YRS/MALE	P	ATIENT ID	: 1659385
COLLECTED BY	:	R	EG. NO./LAB NO.	: 012411030010
REFERRED BY	:	R	EGISTRATION DATE	: 03/Nov/2024 09:50 AM
BARCODE NO.	: 01519960	C	OLLECTION DATE	: 03/Nov/2024 09:52AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	R	EPORTING DATE	:03/Nov/2024 12:04PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMI	BALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	LIVER	FUNCTION 1	FEST (COMPLETE)	
BILIRUBIN TOTAL: by DIAZOTIZATION, SF	SERUM PECTROPHOTOMETRY	5.11 ^H	mg/dL	INFANT: 0.20 - 8.00 ADULT: 0.00 - 1.20
	C (CONJUGATED): SERUM	2.83 ^H	mg/dL	0.00 - 0.40
BILIRUBIN INDIRE	CT (UNCONJUGATED): SERUM	2.28 ^H	mg/dL	0.10 - 1.00
SGOT/AST: SERUM by IFCC, WITHOUT PY	RIDOXAL PHOSPHATE	77.1 ^H	U/L	7.00 - 45.00
SGPT/ALT: SERUM by IFCC, WITHOUT PY	RIDOXAL PHOSPHATE	29.8	U/L	0.00 - 49.00
AST/ALT RATIO: SI by CALCULATED, SPE		2.59	RATIO	0.00 - 46.00
ALKALINE PHOSPH by PARA NITROPHENT PROPANOL	IATASE: SERUM yl phosphatase by amino methyl	135.12 ^H	U/L	40.0 - 130.0
GAMMA GLUTAMY by SZASZ, SPECTROF	L TRANSFERASE (GGT): SERUM	78.3 ^H	U/L	0.00 - 55.0
TOTAL PROTEINS: by BIURET, SPECTRO		7.13	gm/dL	6.20 - 8.00
ALBUMIN: SERUM by BROMOCRESOL G	REEN	2.7 ^L	gm/dL	3.50 - 5.50
GLOBULIN: SERUM		4.43 ^H	gm/dL	2.30 - 3.50

Dr. Vinay Chopra

by CALCULATED, SPECTROPHOTOMETRY INTERPRETATION

A : G RATIO: SERUM

by CALCULATED, SPECTROPHOTOMETRY

NOTE:- To be correlated in individuals having SGOT and SGPT values higher than Normal Referance Range. USE: - Differential diagnosis of diseases of hepatobiliary system and pancreas.

INCREASED:

> 2
> 2 (Highly Suggestive)
1.4 - 2.0
> 1.5
> 1.3 (Slightly Increased)
-

0.61^L



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

RATIO

1.00 - 2.00







Test Name		Value	Unit	Biological Reference interval
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	MBALA CANTT		
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING	DATE : 03/	Nov/2024 12:04PM
BARCODE NO.	: 01519960	COLLECTION	DATE : 03/	Nov/2024 09:52AM
REFERRED BY	:	REGISTRATI	DN DATE : 03/	Nov/2024 09:50 AM
COLLECTED BY	:	REG. NO./LAI	B NO. : 012	2411030010
AGE/ GENDER	: 49 YRS/MALE	PATIENT ID	: 165	9385
NAME	: Mr. ANURAG SHARMA			
	MD (Pathology & Chairman & Cons	Microbiology)	MD (Patholo K Consultant Patholo	pgy)
	Dr. Vinay Cho	opra I [Dr. Yugam Chop	ora

DECREASED:

1. Acute Hepatitis due to virus, drugs, toxins (with AST increased 3 to 10 times upper limit of normal)

2. Extra Hepatic cholestatis: 0.8 (normal or slightly decreased).

GOOD PROGNOSTIC SIGN 0.3 - 0.6	
POOR PROGNOSTIC SIGN 1.2 - 1.6	



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







	Dr. Vinay Cho MD (Pathology & M Chairman & Consu	1icrobiology)	Dr. Yugam MD (I CEO & Consultant F	Pathology)			
NAME	: Mr. ANURAG SHARMA						
AGE/ GENDER	: 49 YRS/MALE	Р	ATIENT ID	: 1659385			
COLLECTED BY	:	R	EG. NO./LAB NO.	: 012411030010			
REFERRED BY		R	EGISTRATION DATE	: 03/Nov/2024 09:50 AM			
BARCODE NO.	: : 01519960		OLLECTION DATE	: 03/Nov/2024 09:52AM			
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE		: 03/Nov/2024 11:00AM			
CLIENT ADDRESS							
CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT							
Test Name		Value	Unit	Biological Reference interval			
	KIDNE	V FUNCTION	TEST (COMPLETE)				
	RIDNI			10.00 50.00			
UREA: SERUM by UREASE - GLUTAM	ATE DEHYDROGENASE (GLDH)	17.31	mg/dL	10.00 - 50.00			
CREATININE: SERUM		1.14	mg/dL	0.40 - 1.40			
by ENZYMATIC, SPEC		0.00	(),	7.0.07.0			
BLOOD UREA NITR by CALCULATED, SPE	OGEN (BUN): SERUM	8.09	mg/dL	7.0 - 25.0			
-	COGEN (BUN)/CREATININE	7.1 ^L	RATIO	10.0 - 20.0			
RATIO: SERUM		/.1					
by CALCULATED, SPE		15 10	DATIO				
UREA/CREATININI by CALCULATED, SPE		15.18	RATIO				
URIC ACID: SERUM		6.39	mg/dL	3.60 - 7.70			
by URICASE - OXIDAS	E PEROXIDASE		. / 17	0.50, 10.00			
CALCIUM: SERUM by ARSENAZO III, SPE	CTROPHOTOMETRY	8.03 ^L	mg/dL	8.50 - 10.60			
PHOSPHOROUS: SE		3.45	mg/dL	2.30 - 4.70			
	ATE, SPECTROPHOTOMETRY						
ELECTROLYTES							
SODIUM: SERUM by ISE (ION SELECTIV		143.5	mmol/L	135.0 - 150.0			
POTASSIUM: SERU		4.27	mmol/L	3.50 - 5.00			
by ISE (ION SELECTIVE ELECTRODE)							
CHLORIDE: SERUM by ISE (ION SELECTIVE ELECTRODE)		107.63	mmol/L	90.0 - 110.0			
	E ELECTRODE) IERULAR FILTERATION RATE						
	ERULAR FILTERATION RATE	78.8					

INTERPRETATION:

To differentiate between pre- and post renal azotemia.

INCREASED RATIO (>20:1) WITH NORMAL CREATININE:

1. Prerenal azotemia (BUN rises without increase in creatinine) e.g. heart failure, salt depletion, dehydration, blood loss) due to decreased glomerular filtration rate.

2. Catabolic states with increased tissue breakdown.

3. GI haemorrhage.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







	1	Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist		Dr. Yugam Chopra MD (Pathology) st CEO & Consultant Pathologist				
IAME	: Mr. ANURAC	G SHARMA						
GE/ GENDER	: 49 YRS/MAL	Е	РА	TIENT ID	: 165938	85		
COLLECTED BY	•		RE	G. NO./LAB NO.	: 01241	1030010		
EFERRED BY				GISTRATION DA		v/2024 09:5	0 AM	
ARCODE NO.	: 01519960			LLECTION DATE		v/2024 09:5		
CLIENT CODE.	: KOS DIAGNO			PORTING DATE	: 03/No	v/2024 11:0	UAM	
LIENT ADDRESS	: 6349/1, NIC	HOLSON ROAD, AMB	ALA CANTT					
Fest Name			Value	Unit		Biological	Reference i	nterval
		roportionately more	than creatinine)	(e.g. obstructive u	uropathy).			
CKD STAGE CKD STAGE CKD STAGE CKD STAGE CKD STAGE CKD STAGE CKD STAGE CKD STAGE CALL CA	superimposed o 10:1) WITH DECR osis. Ind starvation. e. creased urea syn (urea rather than imonemias (urea of inappropiate a 10:1) WITH INCRE py (accelerates of eleases muscle of who develop ren creased BUN/cro rapy (interferes of JLAR FILTERATIO	n renal disease. EASED BUN : n creatinine diffuses of a is virtually absent in antidiuretic harmone) EASED CREATININE: conversion of creating creatinine). nal failure. e causes false increase eatinine ratio). with creatinine measu N RATE: DESCRIPTION	but of extracellu blood). due to tubular s e to creatinine). e in creatinine v rement). GFR (mL/r	secretion of urea. with certain metho nin/1.73m2)	odologies,resulti ASSOCIATED F	INDINGS	Il ratio when c	dehydratio
CREASED RATIO (< Acute tubular necr Low protein diet ar Severe liver diseas Other causes of de Repeated dialysis Inherited hyperam SIADH (syndrome of Pregnancy. CREASED RATIO (< Phenacimide thera Rhabdomyolysis (r Muscular patients NAPPROPIATE RATIO Diabetic ketoacido hould produce an in Cephalosporin ther STIMATED GLOMERI CKD STAGE G1	superimposed o 10:1) WITH DECR osis. Ind starvation. e. creased urea syr (urea rather than imonemias (urea of inappropiate a 10:1) WITH INCRE py (accelerates of vho develop real creased BUN/creased apy (interferes of JLAR FILTERATIO Nor	An renal disease. EASED BUN : An creatinine diffuses of a is virtually absent in antidiuretic harmone) EASED CREATININE: conversion of creating creatinine). nal failure. e causes false increase eatinine ratio). with creatinine measu N RATE: DESCRIPTION mal kidney function	but of extracellu blood). due to tubular s e to creatinine). e in creatinine v rement).	lar fluid). secretion of urea. with certain metho nin/1.73m2)	odologies,resulti ASSOCIATED F No protein	INDINGS	Il ratio when c	dehydratio
ECREASED RATIO (< Acute tubular necr Low protein diet ar Severe liver diseas Other causes of de Repeated dialysis Inherited hyperam SIADH (syndrome of Pregnancy. ECREASED RATIO (< Phenacimide thera Rhabdomyolysis (r Muscular patients NAPPROPIATE RATIO Diabetic ketoacido hould produce an in Cephalosporin ther STIMATED GLOMERI CKD STAGE	superimposed o 10:1) WITH DECR osis. Ind starvation. e. creased urea syr (urea rather than imonemias (urea of inappropiate a 10:1) WITH INCRE py (accelerates of veleases muscle of who develop real creased BUN/creased py (interferes v JLAR FILTERATIO Nor Kin	n renal disease. EASED BUN : n creatinine diffuses of a is virtually absent in antidiuretic harmone) EASED CREATININE: conversion of creating creatinine). nal failure. e causes false increase eatinine ratio). with creatinine measu N RATE: DESCRIPTION	but of extracellu blood). due to tubular s e to creatinine). e in creatinine v rement).	lar fluid). secretion of urea. with certain metho nin/1.73m2)	odologies,resulti ASSOCIATED F	INDINGS nuria Protein ,	I ratio when c	dehydratio
ECREASED RATIO (< Acute tubular necr Low protein diet ar Severe liver diseas Other causes of de Repeated dialysis (Inherited hyperam SIADH (syndrome of Pregnancy. ECREASED RATIO (< Phenacimide thera Rhabdomyolysis (r Muscular patients JAPPROPIATE RATIO Diabetic ketoacido nould produce an in Cephalosporin ther STIMATED GLOMERI G1 G2 G3a	superimposed o 10:1) WITH DECR osis. Ind starvation. e. ecreased urea syr (urea rather than imonemias (urea of inappropiate a 10:1) WITH INCRE py (accelerates of veleases muscle of who develop real is (acetoacetate creased BUN/creased py (interferes v JLAR FILTERATIO Nor Kin Mor Kin Min	An renal disease. EASED BUN : An creatinine diffuses of a is virtually absent in antidiuretic harmone) EASED CREATININE: conversion of creating creatinine). nal failure. e causes false increase eatinine ratio). with creatinine measu N RATE: DESCRIPTION mal kidney function dney damage with ormal or high GFR_ Id decrease in GFR	but of extracellu blood). due to tubular s e to creatinine). e in creatinine v rement).	lar fluid). secretion of urea. with certain metho <u>nin/1.73m2)</u> 90 90	odologies,resulti ASSOCIATED F No protein Presence of F	INDINGS nuria Protein ,	Il ratio when c	dehydratio
ECREASED RATIO (< Acute tubular necr Low protein diet an Severe liver diseas Other causes of de Repeated dialysis (Inherited hyperam SIADH (syndrome of Pregnancy. ECREASED RATIO (< Phenacimide thera Rhabdomyolysis (r Muscular patients VAPPROPIATE RATIO Diabetic ketoacido hould produce an in Cephalosporin ther STIMATED GLOMERI G1 G2 G3a G3a	superimposed o 10:1) WITH DECR osis. and starvation. e. creased urea syn (urea rather than imonemias (urea of inappropiate a 10:1) WITH INCRE upy (accelerates of celeases muscle of who develop ren creased BUN/creased sis (acetoacetate icreased BUN/creased DIAR FILTERATION LAR FILTERATION Nor Kin Model	An renal disease. EASED BUN : An creatinine diffuses of a is virtually absent in antidiuretic harmone) EASED CREATININE: conversion of creating creatinine). nal failure. e causes false increase eatinine ratio). with creatinine measu N RATE: DESCRIPTION mal kidney function dney damage with ormal or high GFR Id decrease in GFR erate decrease in GFR	but of extracellu blood). due to tubular s e to creatinine). e in creatinine v rement). GFR (mL/r GFR (mL/r 30 60 30	lar fluid). secretion of urea. with certain metho <u>nin/1.73m2)</u> 90 90 0 -89 0-59	odologies,resulti ASSOCIATED F No protein Presence of F	INDINGS nuria Protein ,	I ratio when c	dehydratio
ECREASED RATIO (< Acute tubular necr Low protein diet ar Severe liver diseas Other causes of de Repeated dialysis (Inherited hyperam SIADH (syndrome of Pregnancy. ECREASED RATIO (< Phenacimide thera Rhabdomyolysis (r Muscular patients VAPPROPIATE RATIO Diabetic ketoacido hould produce an in Cephalosporin ther STIMATED GLOMERI G1 G2 G3a	superimposed o 10:1) WITH DECR osis. and starvation. e. creased urea syn (urea rather than imonemias (urea of inappropiate a 10:1) WITH INCRE upy (accelerates of celeases muscle of who develop ren creased BUN/creased sis (acetoacetate icreased BUN/creased DIAR FILTERATION LAR FILTERATION Nor Kin Model	An renal disease. EASED BUN : An creatinine diffuses of a is virtually absent in antidiuretic harmone) EASED CREATININE: conversion of creating creatinine). nal failure. e causes false increase eatinine ratio). with creatinine measu N RATE: DESCRIPTION mal kidney function dney damage with ormal or high GFR_ Id decrease in GFR	but of extracellu blood). due to tubular s e to creatinine). e in creatinine v rement). GFR (mL/r 60 60 11	lar fluid). secretion of urea. with certain metho <u>nin/1.73m2)</u> 90 90	odologies,resulti ASSOCIATED F No protein Presence of F	INDINGS nuria Protein ,	Il ratio when c	dehydratio



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)









F 960 C	PATIENT ID REG. NO./LAB NO. REGISTRATION DATE COLLECTION DATE REPORTING DATE	: 1659385 : 012411030010 : 03/Nov/2024 09:50 AM : 03/Nov/2024 09:52AM : 03/Nov/2024 11:00AM
F P60 C AGNOSTIC LAB F	REG. NO./LAB NO. REGISTRATION DATE COLLECTION DATE	: 03/Nov/2024 09:50 AM : 03/Nov/2024 09:52AM
960 C	REG. NO./LAB NO. REGISTRATION DATE COLLECTION DATE	: 03/Nov/2024 09:50 AM : 03/Nov/2024 09:52AM
F	REG. NO./LAB NO.	: 012411030010
/MALE P	PATIENT ID	: 1659385
IURAG SHARMA		
MD (Pathology & Microbiology) Chairman & Consultant Pathologist		(Pathology)
N		MD (Pathology & Microbiology) MD Chairman & Consultant Pathologist CEO & Consultan

COMMENTS:

Estimated Glomerular filtration rate (eGFR) is the sum of filtration rates in all functioning nephrons and so an estimation of the GFR provides a measure of functioning nephrons of the kidney.
 eGFR calculated using the 2009 CKD-EPI creatinine equation and GFR category reported as per KDIGO guideline 2012
 In patients, with eGFR creatinine between 45-59 ml/min/1.73 m2 (G3) and without any marker of Kidney damage, It is recommended to measure of CFD with the commended to measure

3. In patients, with eGFR cleaning between 45-59 minimit 1.73 m2 (G3) and without any marker of Kidney damage, it is recommended to measure eGFR with Cystatin C for confirmation of CKD
4. eGFR category G1 OR G2 does not fulfill the criteria for CKD, in the absence of evidence of Kidney Damage
5. In a suspected case of Acute Kidney Injury (AKI), measurement of eGFR should be done after 48-96 hours of any Intervention or procedure
6. eGFR calculated by Serum Creatinine may be less accurate due to certain factors like Race, Muscle Mass, Diet, Certain Drugs. In such cases, eGFR should be calculated using Serum Cystatin C
7. A decrease in eGFR implies either progressive renal disease, or a reversible process causing decreased nephron function (eg, severe dehydration).

ADVICE:

KDIGO guideline, 2012 recommends Chronic Kidney Disease (CKD) should be classified based on cause, eGFR category and Albuminuria (ACR) category. GFR & ACR category combined together reflect risk of progression and helps Clinician to identify the individual who are progressing at more rapid rate than anticipated





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)







	Dr. Vinay Choj MD (Pathology & M Chairman & Consul	& Microbiology) MD (Pathology)		
NAME	: Mr. ANURAG SHARMA			
AGE/ GENDER	: 49 YRS/MALE	PATIEN	ГID	: 1659385
COLLECTED BY	:		./LAB NO.	: 012411030010
REFERRED BY	:		RATION DATE	: 03/Nov/2024 09:50 AM
BARCODE NO. CLIENT CODE.	: 01519960 : KOS DIAGNOSTIC LAB		FION DATE FING DATE	: 03/Nov/2024 09:52AM : 03/Nov/2024 03:12PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AN			. 03/ 100/ 2024 03.121 W
Test Name		Value	Unit	Biological Reference interval
		CLINICAL PATH	OLOGY	
	URINE ROU	TINE & MICROSCO	PIC EXAMINA	ATION
PHYSICAL EXAMIN	ATION			
QUANTITY RECIEV	ED TANCE SPECTROPHOTOMETRY	10	ml	
COLOUR	TANCE SPECTROPHOTOMETRY	PALE YELLOW		PALE YELLOW
by DIP STICK/REFLEC TRANSPARANCY	TANCE SPECTROPHOTOMETRY	HAZY		CLEAR
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY			
SPECIFIC GRAVITY by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	1.01		1.002 - 1.030
CHEMICAL EXAMI	NATION			
REACTION	TANCE SPECTROPHOTOMETRY	ACIDIC		
PROTEIN		Trace		NEGATIVE (-ve)
by DIP STICK/REFLEC SUGAR	TANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
	TANCE SPECTROPHOTOMETRY			
pH by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	6		5.0 - 7.5
BILIRUBIN	TANCE SPECTROPHOTOMETRY	Positive		NEGATIVE (-ve)
NITRITE		Negative		NEGATIVE (-ve)
by DIP STICK/REFLEC UROBILINOGEN	TANCE SPECTROPHOTOMETRY.	Normal	EU/dL	0.2 - 1.0
by DIP STICK/REFLEC KETONE BODIES	TANCE SPECTROPHOTOMETRY			
by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	Negative		NEGATIVE (-ve)
BLOOD by DIP STICK/REFLEC	TANCE SPECTROPHOTOMETRY	2+		NEGATIVE (-ve)
ASCORBIC ACID	TANCE SPECTROPHOTOMETRY	NEGATIVE (-ve)		NEGATIVE (-ve)
MICROSCOPIC EXA				
RED BLOOD CELLS	(RBCs) ENTRIFUGED URINARY SEDIMENT	10-15	/HPF	0 - 3





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) V DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







EXCELLENCE IN HEALTHCARE & DIAGNOSTICS

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME	: Mr. ANURAG SHARMA				
AGE/ GENDER	: 49 YRS/MALE		ATIENT ID	: 1659385	
COLLECTED BY	:	RE	EG. NO./LAB NO.	: 012411030010	
REFERRED BY	:	RE	EGISTRATION DATE	: 03/Nov/2024 09:50 AM	
BARCODE NO.	: 01519960		DLLECTION DATE	: 03/Nov/2024 09:52AM	
CLIENT CODE.	: KOS DIAGNOSTIC LAB		EPORTING DATE	: 03/Nov/2024 03:12PM	
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD,	AMBALA CANTT			
Test Name		Value	Unit	Biological Reference interval	
PUS CELLS		2-4	/HPF	0 - 5	

Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	2-4	/ 111 F	0 - 3	
EPITHELIAL CELLS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	1-2	/HPF	ABSENT	
CRYSTALS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)	
CASTS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)	
BACTERIA by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)	
OTHERS by MICROSCOPY ON CENTRIFUGED URINARY SEDIMENT	NEGATIVE (-ve)		NEGATIVE (-ve)	
TRICHOMONAS VAGINALIS (PROTOZOA)	ABSENT		ABSENT	

*** End Of Report ***



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

V DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

