

Dr. Vinay Chopra  
MD (Pathology & Microbiology)  
Chairman & Consultant Pathologist

Dr. Yugam Chopra  
MD (Pathology)  
CEO & Consultant Pathologist

NAME : Mrs. AMITA DOGRA  
AGE/ GENDER : 63 YRS/FEMALE  
COLLECTED BY :  
REFERRED BY :  
BARCODE NO. : 01520004  
CLIENT CODE. : KOS DIAGNOSTIC LAB  
CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

PATIENT ID : 1659761  
REG. NO./LAB NO. : 012411030054  
REGISTRATION DATE : 03/Nov/2024 08:52 PM  
COLLECTION DATE : 03/Nov/2024 08:54PM  
REPORTING DATE : 03/Nov/2024 09:02PM

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

HAEMATOLOGY  
PLATELET COUNT (P/C)

PLATELET COUNT (PLT) by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE & MICROSCOPY	149000 <sup>L</sup>	/cmm	150000 - 450000
---	---------------------	------	-----------------

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD



DR.VINAY CHOPRA  
CONSULTANT PATHOLOGIST  
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA  
CONSULTANT PATHOLOGIST  
MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra  
 MD (Pathology & Microbiology)  
 Chairman & Consultant Pathologist

Dr. Yugam Chopra  
 MD (Pathology)  
 CEO & Consultant Pathologist

<b>NAME</b>	: Mrs. AMITA DOGRA	<b>PATIENT ID</b>	: 1659761
<b>AGE/ GENDER</b>	: 63 YRS/FEMALE	<b>REG. NO./LAB NO.</b>	: 012411030054
<b>COLLECTED BY</b>	:	<b>REGISTRATION DATE</b>	: 03/Nov/2024 08:52 PM
<b>REFERRED BY</b>	:	<b>COLLECTION DATE</b>	: 03/Nov/2024 08:54PM
<b>BARCODE NO.</b>	: 01520004	<b>REPORTING DATE</b>	: 03/Nov/2024 10:47PM
<b>CLIENT CODE.</b>	: KOS DIAGNOSTIC LAB		
<b>CLIENT ADDRESS</b>	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

### IMMUNOPATHOLOGY/SEROLOGY

#### DENGUE FEVER ANTIGEN NS1 - ELISA (QUANTITATIVE)

DENGUE NS1 ANTIGEN QUANTITATIVE by ELISA (ENZYME LINKED IMMUNOSORBENT ASSAY)	0.218	INDEX	NEGATIVE: < 0.90 BORDERLINE: 0.90 - 1.10 POSITIVE: >=1.10
DENGUE NS1 ANTIGEN RESULT by ELISA (ENZYME LINKED IMMUNOSORBENT ASSAY)	NEGATIVE (-ve)		NEGATIVE (-ve)

#### INTERPRETATION


DENGUE ANTIGEN NS1		
VALUE	UNIT	RESULT
< 0.90	INDEX	NEGATIVE (-ve)
0.90 - 1.10	INDEX	BORDERLINE
>=1.10	INDEX	POSITIVE (+ve)

1.The test becomes positive within 0-9 days of exposure to the virus (positive results are obtained within 24 hours of exposure in the overwhelming majority of patients) and generally remains positive till 15 days after exposure. The Dengue NS-1 antigen test is extremely useful in the early diagnosis of the disease thus helping in proper follow up and monitoring of the patients.  
 2.The IgM antibodies on the other hand take a minimum of 5-10 days in primary infection and 4-5 days in secondary infections to test positive and hence are suitable for the diagnosis of dengue fever only when the fever is approximately one week old.

\*\*\* End Of Report \*\*\*



  
 DR.VINAY CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)

  
 DR.YUGAM CHOPRA  
 CONSULTANT PATHOLOGIST  
 MBBS, MD (PATHOLOGY)

