

KOS Diagnostic Lab

(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Master. RIYANSH GUPTA

AGE/ GENDER : 1 YRS/MALE PATIENT ID : 1660379

COLLECTED BY: SURJESH REG. NO./LAB NO. : 012411040069

REFERRED BY : CENTRAL PHOENIX CLUB (AMBALA CANTT) **REGISTRATION DATE** : 04/Nov/2024 02:10 PM **BARCODE NO.** : 01520074 **COLLECTION DATE** : 04/Nov/2024 02:57PM

CLIENT CODE. : KOS DIAGNOSTIC LAB **REPORTING DATE** : 04/Nov/2024 04:42PM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

CLINICAL PATHOLOGY STOOL ROUTINE AND MICROSCOPIC EXAMINATION

PHYSICAL EXAMINATION

COLOUR / APPEARANCE YELLOWISH YELLOWISH BROWN
CONSISTENCY SOFT SEMI- FORMED/FORMED

PUSABSENTABSENTMUCOUSABSENTABSENT

BLOOD NEGATIVE (-ve) NEGATIVE (-ve)
PARASITES NOT SEEN NOT SEEN

MICROSCOPIC EXAMINATION

PUS CELLS NEGATIVE (-ve) /HPF 0 - 5 by MICROSCOPY

RED BLOOD CELLS (RBCs) NEGATIVE (-ve) /HPF 0 - 3

by MICROSCOPY

OVA NOT SEEN NOT SEEN NOT SEEN

CYSTS NOT SEEN NOT SEEN

STOOL FOR VIBRIO CHOLERA NO DARTING MOTILITY SEEN

by MICROSCOPY
STOOL FOR FAT GLOBULES NOT SEEN NOT SEEN

by MICROSCOPY

by MICROSCOPY



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)



OCCULT BLOOD

by IMMUNOCHROMATOGRAPHY



KOS Diagnostic Lab

(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME : Master. RIYANSH GUPTA

AGE/ GENDER : 1 YRS/MALE **PATIENT ID** : 1660379

COLLECTED BY: SURJESH REG. NO./LAB NO. : 012411040069

REFERRED BY : CENTRAL PHOENIX CLUB (AMBALA CANTT) REGISTRATION DATE : 04/Nov/2024 02:10 PM BARCODE NO. : 01520074 COLLECTION DATE : 04/Nov/2024 02:57PM

CLIENT CODE. : KOS DIAGNOSTIC LAB **REPORTING DATE** : 04/Nov/2024 04:42PM

CLIENT ADDRESS: 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

STOOL FOR OCCULT BLOOD

POSITIVE (+ve)

NEGATIVE (-ve)

*** End Of Report ***



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS , MD (PATHOLOGY)

