



| | Dr. Vinay Chopra MD (Pathology & Microbiology Chairman & Consultant Patholo | | (Pathology) |
|--------------------|--|--------------------------|-------------------------------|
| NAME | : Mrs. SANTOSH | | |
| AGE/ GENDER | : 67 YRS/FEMALE | PATIENT ID | : 1615762 |
| COLLECTED BY | : | REG. NO./LAB NO. | : 012411060059 |
| REFERRED BY | : CIVIL HOSPITAL (AMBALA CANTT) | REGISTRATION DATE | :06/Nov/202404:13PM |
| BARCODE NO. | : 01520247 | COLLECTION DATE | :06/Nov/202404:14PM |
| CLIENT CODE. | : KOS DIAGNOSTIC LAB | REPORTING DATE | : 06/Nov/2024 05:20PM |
| CLIENT ADDRESS | : 6349/1, NICHOLSON ROAD, AMBALA CAN | TT | |
| Test Name | Value | Unit | Biological Reference interval |

VIRAL MARKERS COMBO PANEL: 1.0

HEPATITIS C VIRUS (HCV) ANTIBODIES SCREENING

HEPATITIS C ANTIBODY (HCV) TOTAL

NON - REACTIVE

RESULT by IMMUNOCHROMATOGRAPHY

INTERPRETATION:

1.Anti HCV total antibody assay identifies presence IgG antibodies in the serum . It is a useful screening test with a specificity of nearly 99%. 2.It becomes positive approximately 24 weeks after exposure. The test can not isolate an active ongoing HCV infection from an old infection that has been cleared. All positive results must be confirmed for active disease by an HCV PCR test . FALSE NEGATIVE RESULTS SEEN IN:

1.Window period

2.Immunocompromised states.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



Page 1 of 4





| CLIENT ADDRESS | : 6349/1, NICHOLSON ROAD, AMBALA (| ANT I | |
|--------------------|---|--------------------------|-------------------------|
| CLIENT ADDRESS | . 6240/1 NICHOLSON DOAD AMDALA | ANTTT | |
| CLIENT CODE. | : KOS DIAGNOSTIC LAB | REPORTING DATE | :06/Nov/202405:20PM |
| BARCODE NO. | : 01520247 | COLLECTION DATE | :06/Nov/2024 04:14PM |
| REFERRED BY | : CIVIL HOSPITAL (AMBALA CANTT) | REGISTRATION DATE | : 06/Nov/2024 04:13 PM |
| COLLECTED BY | : | REG. NO./LAB NO. | : 012411060059 |
| AGE/ GENDER | : 67 YRS/FEMALE | PATIENT ID | : 1615762 |
| NAME | : Mrs. SANTOSH | | |
| | Chairman & Consultant Pat | | |
| | Dr. Vinay Chopra MD (Pathology & Microbiol | Dr. Yugan | ו Chopra (Pathology) |

ANTI HUMAN IMMUNODEFICIENCY VIRUS (HIV) ANTIBODIES HIV (1 & 2) SCREENING

HIV 1/2 AND P24 ANTIGEN RESULT by IMMUNOCHROMATOGRAPHY NON - REACTIVE

INTERPRETATION:-

1.AIDS is caused by at least 2 known types of HIV viruses, HIV-1 and HIV HIV-2.

2. This NACO approved immuno-chromatographic solid phase ELISA assay detects antibodies against both HIV-1 and HIV-2 viruses.

3. The test is used for routine serologic screening of patients at risk for HIV-1 or HIV-2 infection.

4.All screening ELISA assays for HIV antibody detection have high sensitivity but have low specificity.

5.At this laboratory, all positive samples are cross checked for positivity with two alternate assays prior to reporting.

NOTE:-

1.Confirmatory testing by Western blot is recommended for patients who are reactive for HIV by this assay.

KOS Diagnostic Lab (A Unit of KOS Healthcare)

2. Antibodies against HIV-1 and HIV-2 are usually not detectable until 6 to 12 weeks following exposure (window period) and are almost always detectable by 12 months.

3. The test is not recommended for children born to HIV infected mothers till the child turns two years old (as HIV antibodies may be transmitted passively to the child trans-placentally).

FALSE NEGATIVE RESULT SEEN IN:

1. Window period

2.Severe immuno-suppression including advanced AIDS.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)







| CLIENT CODE. CLIENT ADDRESS | : KOS DIAGNOSTIC LAB : 6349/1, NICHOLSON ROAD, AMBALA CAN | REPORTING DATE ITT | : 06/Nov/2024 05:20PM |
|--------------------------------|---|------------------------------|-----------------------|
| BARCODE NO. | : 01520247 | COLLECTION DATE | :06/Nov/202404:14PM |
| REFERRED BY | : CIVIL HOSPITAL (AMBALA CANTT) | REGISTRATION DATE | :06/Nov/2024 04:13 PM |
| COLLECTED BY | : | REG. NO./LAB NO. | : 012411060059 |
| AGE/ GENDER | : 67 YRS/FEMALE | PATIENT ID | : 1615762 |
| NAME | : Mrs. SANTOSH | | |
| | Dr. Vinay Chopra MD (Pathology & Microbiology Chairman & Consultant Patholo | | (Pathology) |

KOS Diagnostic Lab (A Unit of KOS Healthcare)

HEPATITIS B SURFACE ANTIGEN (HBsAg) SCREENING

HEPATITIS B SURFACE ANTIGEN (HBsAg)

NON REACTIVE

RESULT by IMMUNOCHROMATOGRAPHY

INTERPRETATION:-

1.HBsAG is the first serological marker of HBV infection to appear in the blood (approximately 30-60 days after infection and prior to the onset of clinical disease). It is also the last viral protein to disappear from blood and usually disappears by three months after infection in self limiting acute Hepatitis B viral infection.

2.Persistence of HBsAg in blood for more than six months implies chronic infection. It is the most common marker used for diagnosis of an acute Hepatitis B infection but has very limited role in assessing patients suffering from chronic hepatitis.

FALSE NEGATIVE RESULT SEEN IN:

1. Window period.

2.Infection with HBsAg mutant strains

3. Hepatitis B Surface antigen (HBsAg) is the earliest indicator of HBV infection. Usually it appears in 27 - 41 days (as early as 14 days).

4.Appears 7 - 26 days before biochemical abnormalities. Peaks as ALT rises. Persists during the acute illness. Usually disappears 12- 20 weeks after the onset of symptoms / laboratory abnormalities in 90% of cases.

5.Is the most reliable serologic marker of HBV infection. Persistence > 6 months defines carrier state. May also be found in chronic infection. Hepatitis B vaccination does not cause a positive HBsAg. Titers are not of clinical value.

NOTE:-

1.All reactive HBsAG Should be reconfirmed with neutralization test(HBsAg confirmatory test).

2.Anti - HAV IgM appears at the same time as symptoms in > 99% of cases, peaks within the first month, becomes nondetectable in 12 months (usually 6 months). Presence confirms diagnosis of recent acute infection.





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com





TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



| | Dr. Vinay Cho MD (Pathology & N Chairman & Consu | licrobiology) | Dr. Yugan MD EO & Consultant | (Pathology) |
|--|---|---|--|--|
| NAME AGE/ GENDER COLLECTED BY REFERRED BY BARCODE NO. CLIENT CODE. CLIENT ADDRESS | : Mrs. SANTOSH : 67 YRS/FEMALE : : CIVIL HOSPITAL (AMBALA CA) : 01520247 : KOS DIAGNOSTIC LAB : 6349/1, NICHOLSON ROAD, A) | NTT) REGISTR COLLECT REPORT | T ID /LAB NO. ATION DATE TON DATE ING DATE | : 1615762 : 012411060059 : 06/Nov/2024 04:13 PM : 06/Nov/2024 04:14PM : 06/Nov/2024 05:20PM |
| Test Name | | Value | Unit | Biological Reference interval |
| | | VDRL | | |
| 4.Treatment of prim 5.Rising titer (4X) ind 5.May benonreactive | blogical falsepositive test in 90% ca ary syphillis causes progressive dec icates relapse,reinfection, or treatr e in early primary, late latent, and | line tonegative VDRL with nent failure and need for late syphillis (approx. 25% | nin 2 years. retreatment. | |
| SHORTTERM FALSE P 1.Acute viral illnesse 2.M. pneumoniae; C 3.Some immunizatio 4.Pregnancy (rare) LONGTERM FALSE PC 1.Serious underlying 2.Intravenous drug u 3.Rheumatoid arthri 4. <io %="" o<="" of="" patients="" td=""><td>DSITIVE TEST RESULTS (<6 MONTHS s (e.g., hepatitis, measles, infection hlamydia; Malaria infection. ns SITIVE TEST RESULTS (>6 MONTHS I disease e.g., collagen vascular dis isers. tis, thyroiditis, AIDS, Sjogren's synd ider thanage 70 years.</td><td>DURATION) MAY OCCURII us mononucleosis) DURATION) MAY OCCUR II eases, leprosy ,malignand</td><td>iorescent trepon N: N:</td><td>emal antibody absorptiontest).</td></io> | DSITIVE TEST RESULTS (<6 MONTHS s (e.g., hepatitis, measles, infection hlamydia; Malaria infection. ns SITIVE TEST RESULTS (>6 MONTHS I disease e.g., collagen vascular dis isers. tis, thyroiditis, AIDS, Sjogren's synd ider thanage 70 years. | DURATION) MAY OCCURII us mononucleosis) DURATION) MAY OCCUR II eases, leprosy ,malignand | iorescent trepon N: N: | emal antibody absorptiontest). |
| SHORTTERM FALSE P 1.Acute viral illnesse 2.M. pneumoniae; C 3.Some immunizatio 4.Pregnancy (rare) LONGTERM FALSE PC 1.Serious underlying 2.Intravenous drug u 3.Rheumatoid arthri 4. <io %="" o<="" of="" patients="" td=""><td>OSITIVE TEST RESULTS (<6 MONTHS s (e.g., hepatitis, measles, infection hlamydia; Malaria infection. ns SITIVE TEST RESULTS (>6 MONTHS I disease e.g., collagen vascular dis isers. tis, thyroiditis, AIDS, Sjogren's synd ider thanage 70 years. ne anti-hypertensive drugs.</td><td>DURATION) MAY OCCURII us mononucleosis) DURATION) MAY OCCUR II eases, leprosy ,malignand</td><td>iorescent trepon N: N: Sy.</td><td>emal antibody absorptiontest).</td></io> | OSITIVE TEST RESULTS (<6 MONTHS s (e.g., hepatitis, measles, infection hlamydia; Malaria infection. ns SITIVE TEST RESULTS (>6 MONTHS I disease e.g., collagen vascular dis isers. tis, thyroiditis, AIDS, Sjogren's synd ider thanage 70 years. ne anti-hypertensive drugs. | DURATION) MAY OCCURII us mononucleosis) DURATION) MAY OCCUR II eases, leprosy ,malignand | iorescent trepon N: N: Sy. | emal antibody absorptiontest). |

DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

Ľ7

22 C N

