

KOS Diagnostic Lab (A Unit of KOS Healthcare)





Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Miss. BHAVIKA

AGE/ GENDER : 13 YRS/FEMALE **PATIENT ID** : 1667051

COLLECTED BY REG. NO./LAB NO. :012411090053

REFERRED BY **REGISTRATION DATE** : 09/Nov/2024 05:50 PM BARCODE NO. :01520442 **COLLECTION DATE** : 09/Nov/2024 05:51PM CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 09/Nov/2024 06:09PM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit **Biological Reference interval**

HAEMATOLOGY PLATELET COUNT (P/C)

PLATELET COUNT (PLT) 313000 /cmm

by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE & MICROSCOPY

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD



CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST



150000 - 450000



KOS Diagnostic Lab

(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Miss. BHAVIKA

AGE/ GENDER : 13 YRS/FEMALE **PATIENT ID** : 1667051

COLLECTED BY :012411090053 REG. NO./LAB NO.

REFERRED BY **REGISTRATION DATE** : 09/Nov/2024 05:50 PM BARCODE NO. :01520442 **COLLECTION DATE** : 09/Nov/2024 05:51PM CLIENT CODE. : KOS DIAGNOSTIC LAB REPORTING DATE : 09/Nov/2024 06:39PM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Value Unit **Biological Reference interval Test Name**

IMMUNOPATHOLOGY/SEROLOGY DENGUE FEVER COMBO SCREENING - (NS1 ANTIGEN, IgG AND IgM)

DENGUE NS1 ANTIGEN - SCREENING NEGATIVE (-ve) NEGATIVE (-ve) by ICT (IMMUNOCHROMATOGRAPHY) DENGUE ANTIBODY IgG - SCREENING NEGATIVE (-ve) NEGATIVE (-ve) by ICT (IMMUNOCHROMATOGRAPHY) NEGATIVE (-ve) NEGATIVE (-ve)

DENGUE ANTIBODY IgM - SCREENING by ICT (IMMUNOCHROMATOGRAPHY)

INTERPRETATION:-

- 1. This is a solid phase immunochromatographic ELISA test for the qualitative detection of the specific IgG and IgM antibodies against the Dengue virus.
- 2.The IgM antibodies take a minimum of 5-10 days in primary infection and 4-5 days in secondary infections to test positive and hence are suitable for the diagnosis of dengue fever only when the fever is approximately one week old.
- 3.The IgG antibodies develop at least two weeks after exposure to primary infection and subsequently remain positive for the rest of the life. A positive result is incapable of differentiating a current infection from a past infection.

4.The Dengue NS-1 antigen test is most suited for early diagnosis (within the first week of exposure).



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST





KOS Diagnostic Lab

(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Miss. BHAVIKA

AGE/ GENDER : 13 YRS/FEMALE **PATIENT ID** : 1667051

COLLECTED BY : REG. NO./LAB NO. : 012411090053

 REFERRED BY
 : 09/Nov/2024 05:50 PM

 BARCODE NO.
 : 01520442
 COLLECTION DATE
 : 09/Nov/2024 05:51 PM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 09/Nov/2024 06:39 PM

CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name	Value	Unit	Biological Reference interval

WIDAL SLIDE AGGLUTINATION TEST

SALMONELLA TYPHI O	NIL	TITRE	1:80
by SLIDE AGGLUTINATION			
SALMONELLA TYPHI H by SLIDE AGGLUTINATION	NIL	TITRE	1:160
SALMONELLA PARATYPHI AH by SLIDE AGGLUTINATION	NIL	TITRE	1:160
SALMONELLA PARATYPHI BH	NIL	TITRE	1:160

INTERPRETATION:

- 1. Titres of 1:80 or more for "O" agglutinin is considered significant.
- 2. Titres of 1:160 or more for "H" agglutinin is considered significant.

LIMITATIONS:

- 1.Agglutinins usually appear by 5th to 6th day of illness of enteric fever, hence a negative result in early stage is inconclusive. The titre then rises till 3rd or 4th week, after which it declines gradually.
- 2.Lower titres may be found in normal individuals.
- 3.A single positive result has less significance than the rising agglutination titre, since demonstration of rising titre four or more in 1st and 3rd week is considered as a definite evidence of infection.
- 4.A simultaneous rise in H agglutinins is suggestive of paratyphoid infection.

NOTE:

- 1. Individuals with prior infection or immunization with TAB vaccine may develop an ANAMNESTIC RESPONSE (False-Positive) during an unrelated fever i.e High titres of antibodies to various antigens. This may be differentiated by repitition of the test after a week.
- 2. The anamnestic response shows only a transient rise, while in enteric fever rise is sustained.
- 3.H agglutinins tend to persist for many months after vaccination but O agglutinins tend to disappear sooner i.e within 6 months. Therefore rise in Oagglutinins indicate recent infection.

*** End Of Report ***



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

