

TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



	MD (F	/inay Chopra Pathology & Microbiology) man & Consultant Pathologist	Dr. Yugan MD CEO & Consultant	(Pathology)
IAME	: Mr. VIJAY KUMAI	2		
GE/ GENDER	: 69 YRS/MALE	PA	TIENT ID	: 1590784
COLLECTED BY	:	RI	G. NO./LAB NO.	: 012411190003
REFERRED BY	:	RI	GISTRATION DATE	: 19/Nov/2024 07:25 AM
BARCODE NO.	:01521055	CO	LLECTION DATE	: 19/Nov/2024 10:47AM
LIENT CODE.	: KOS DIAGNOSTIC	LAB RI	PORTING DATE	: 19/Nov/2024 10:47AM
LIENT ADDRESS	: 6349/1, NICHOLS	ON ROAD, AMBALA CANTT		
Fest Name		Value	Unit	Biological Reference interval
by GLUCOSE OXIDAS ITERPRETATION	G (F): PLASMA SE - PEROXIDASE (GOD-P		mg/dL	NORMAL: < 100.0 PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0
by GLUCOSE OXIDAS <u>VTERPRETATION</u> I ACCORDANCE WIT . A fasting plasma g . A fasting plasma g . St (after consumpt	E - PEROXIDASE (GOD-P H AMERICAN DIABETE: lucose level below 100 lucose level between ion of 75 ams of alucos	S ASSOCIATION GUIDELINES: D mg/dl is considered normal. 100 - 125 mg/dl is considered a se) is recommended for all such	s glucose intolerant or patients.	PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0 prediabetic. A fasting and post-prandial blood
by GLUCOSE OXIDAS <u>VTERPRETATION</u> V ACCORDANCE WIT . A fasting plasma g . A fasting plasma g est (after consumpt	E - PEROXIDASE (GOD-P H AMERICAN DIABETE: lucose level below 100 lucose level between ion of 75 ams of alucos	S ASSOCIATION GUIDELINES: D mg/dl is considered normal. 100 - 125 mg/dl is considered a se) is recommended for all such	s glucose intolerant or patients. of diabetic state. A repe oth occasions is confirm	PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0
by GLUCOSE OXIDAS VTERPRETATION N ACCORDANCE WIT . A fasting plasma g est (after consumpt . A fasting plasma g uch patients. A fast	E - PEROXIDASE (GOD-P H AMERICAN DIABETE: lucose level below 100 lucose level between ion of 75 ams of alucos	SASSOCIATION GUIDELINES: D mg/dl is considered normal. 100 - 125 mg/dl is considered a se) is recommended for all such 125 mg/dl is highly suggestive o rel in excess of 125 mg/dl on bo	s glucose intolerant or patients. of diabetic state. A repe oth occasions is confirm	PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0 prediabetic. A fasting and post-prandial blood
by GLUCOSE OXIDAS ITERPRETATION I ACCORDANCE WIT A fasting plasma g est (after consumpt A fasting plasma g uch patients. A fast	E - PEROXIDASE (GOD-P TH AMERICAN DIABETES lucose level below 100 lucose level between ion of 75 gms of glucos lucose level of above 7 ing plasma glucose lev	SASSOCIATION GUIDELINES: D mg/dl is considered normal. 100 - 125 mg/dl is considered a se) is recommended for all such 125 mg/dl is highly suggestive o rel in excess of 125 mg/dl on bo	s glucose intolerant or patients. of diabetic state. A repe oth occasions is confirm	PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0 prediabetic. A fasting and post-prandial blood
by GLUCOSE OXIDAS ITERPRETATION I ACCORDANCE WIT A fasting plasma g est (after consumpt A fasting plasma g uch patients. A fast	E - PEROXIDASE (GOD-P TH AMERICAN DIABETES lucose level below 100 lucose level between ion of 75 gms of glucos lucose level of above 7 ing plasma glucose lev	SASSOCIATION GUIDELINES: D mg/dl is considered normal. 100 - 125 mg/dl is considered a se) is recommended for all such 125 mg/dl is highly suggestive o rel in excess of 125 mg/dl on bo	s glucose intolerant or patients. of diabetic state. A repe oth occasions is confirm	PREDIABETIC: 100.0 - 125.0 DIABETIC: > 0R = 126.0 prediabetic. A fasting and post-prandial blood

KOS Diagnostic Lab (A Unit of KOS Healthcare)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

V DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com

