

Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra
MD (Pathology)
CEO & Consultant Pathologist

NAME : Mrs. TANIYA
AGE/ GENDER : 29 YRS/FEMALE
COLLECTED BY :
REFERRED BY :
BARCODE NO. : 01521171
CLIENT CODE. : KOS DIAGNOSTIC LAB
CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

PATIENT ID : 1532633
REG. NO./LAB NO. : 012411200059
REGISTRATION DATE : 20/Nov/2024 10:31 PM
COLLECTION DATE : 20/Nov/2024 10:35PM
REPORTING DATE : 21/Nov/2024 12:17AM

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

CLINICAL CHEMISTRY/BIOCHEMISTRY

GLUCOSE RANDOM (R)

GLUCOSE RANDOM (R): PLASMA by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)	86.83	mg/dL	NORMAL: < 140.00 PREDIABETIC: 140.0 - 200.0 DIABETIC: > OR = 200.0
---	-------	-------	--

INTERPRETATION

IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:

1. A random plasma glucose level below 140 mg/dl is considered normal.
2. A random glucose level between 140 - 200 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
3. A random glucose level of above 200 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.



DR. VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR. YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY)



Dr. Vinay Chopra
 MD (Pathology & Microbiology)
 Chairman & Consultant Pathologist

Dr. Yugam Chopra
 MD (Pathology)
 CEO & Consultant Pathologist

NAME	: Mrs. TANIYA	PATIENT ID	: 1532633
AGE/ GENDER	: 29 YRS/FEMALE	REG. NO./LAB NO.	: 012411200059
COLLECTED BY	:	REGISTRATION DATE	: 20/Nov/2024 10:31 PM
REFERRED BY	:	COLLECTION DATE	: 20/Nov/2024 10:35PM
BARCODE NO.	: 01521171	REPORTING DATE	: 21/Nov/2024 04:54AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT		

Test Name	Value	Unit	Biological Reference interval
-----------	-------	------	-------------------------------

IMMUNOPATHOLOGY/SEROLOGY
URINE PREGNANCY TEST (UPT)

URINE PREGNANCY TEST (UPT)	NEGATIVE (-ve)	NEGATIVE (-)
----------------------------	----------------	--------------

by IMMUNOCHROMATOGRAPHY

INTERPRETATION:-

Urine Pregnancy test have 99% sensitivity, hence the result must be co-related with clinical findings and ultrasound report.

COMMENTS:

1. In addition to pregnancy elevated hCG levels have been reported with gestation and non-gestational trophoblastic disease.
2. Very early pregnancy containing low concentration of hormone in urine can give a negative result. In such cases urine should be retested after proper interval.
3. HCG level remain detectable for several weeks after normal delivery after casearean, spontaneous abortion or therapeutic abortion.
4. Even very high levels of hCG give test results as weak positive or negative. Ectopic pregnancy may also give weak positive results.
5. Urine sample with infections and samples with low specific gravity may not give satisfactory results.

*** End Of Report ***




 DR.VINAY CHOPRA

CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY & MICROBIOLOGY)


 DR.YUGAM CHOPRA

CONSULTANT PATHOLOGIST
 MBBS, MD (PATHOLOGY)

