



	MD (Patho	ay Chopra blogy & Microbiology) & Consultant Pathologist	Dr. Yugam MD CEO & Consultant	(Pathology)
NAME	: Mrs. KANTA DEVI			
AGE/ GENDER	: 53 YRS/FEMALE	PAT	IENT ID	: 1273397
COLLECTED BY	:	REG.	. NO./LAB NO.	: 012411210005
REFERRED BY	:	REG	ISTRATION DATE	: 21/Nov/2024 08:11 AM
BARCODE NO.	:01521176	COLI	LECTION DATE	: 21/Nov/2024 08:15AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REP	ORTING DATE	: 21/Nov/2024 11:20AM
CLIENT ADDRESS	: 6349/1, NICHOLSON F	ROAD, AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	CI	LINICAL CHEMISTRY	//BIOCHEMIST	'RY
		GLUCOSE FAS	TING (F)	
	GLUCOSE FASTING (F): PLASMA 70.44 by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)		mg/dL	NORMAL: < 100.0

KOS Diagnostic Lab (A Unit of KOS Healthcare)

IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:

A fasting plasma glucose level below 100 mg/dl is considered normal.
 A fasting plasma glucose level between 100 - 125 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.

test (after consumption of 75 gms of glucose) is recommended for all such patients. 3. A fasting plasma glucose level of above 125 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT





	Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist CEO & Consultant Pathologist						
NAME	: Mrs. KANTA DEVI						
AGE/ GENDER	: 53 YRS/FEMALE	PATIENT ID	: 1273397				
COLLECTED BY	:	REG. NO./LAB NO.	: 012411210005				
REFERRED BY	:	REGISTRATION DATE	: 21/Nov/2024 08:11 AM				
BARCODE NO.	: 01521176	COLLECTION DATE	: 21/Nov/2024 08:15AM				
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 23/Nov/2024 10:17AM				
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANTT						
Test Name		Value Unit	Biological Reference interval				
		MICROBIOLOGY					
CULTURE AEROBIC BACTERIA AND ANTIBIOTIC SENSITIVITY: URINE							
CULTURE AND SUSCEPTIBILITY: URINE							
DATE OF SAMPLE		21-11-2024					
SPECIMEN SOURCE		URINE					
INCUBATION PERIOD by automated broth culture		48 HOURS					
CULTURE by AUTOMATED BROTH CULTURE		STERILE					
ORGANISM by AUTOMATED BROTH CULTURE		NO AEROBIC PYOGENIC ORGANISM GROWN AFTER 48 HOURS OF INCUBATION AT 37*C					
AEROBIC SUSCEPT	TBILITY: URINE						

KOS Diagnostic Lab (A Unit of KOS Healthcare)

INTERPRETATION:

TEST PERFORMED AT KOS DIAGNOSTIC LAB. AMBALA CANTT

In urine culture and sensitivity, presence of more than 100,000 organism per mL in midstream sample of urine is considered clinically significant. However in symptomatic patients, a smaller number of bacteria (100 to 10000/mL) may signify infection.
 Colony count of 100 to 10000/ mL indicate infection, if isolate from specimen obtained by suprapubic aspiration or "in-and-out" catheterization or from patients with indwelling catheters.

SUSCEPTIBILITY:

 A test interpreted as SENSTITIVE implies that infection due to isolate may be appropriately treated with the dosage of an antimicrobial agent recommended for that type of infection and infecting species, unless otherwise indicated..
 A test interpreted as INTERMEDIATE implies that the" Infection due to the isolate may be appropriately treated in body sites where the drugs are

2. A test interpreted as **INTERMEDIATE** implies that the "Infection due to the isolate may be appropriately treated in body sites where the drugs are physiologically concentrated or when a high dosage of drug can be used". 3.A test interpreted as **RESISTANT** implies that the "isolates are not inhibited by the usually achievable concentration of the agents with normal

3.A test interpreted as **RESISTANT** implies that the "isolates" are not inhibited by the usually achievable concentration of the agents with normal dosage, schedule and/or fall in the range where specific microbial resistance mechanism are likely (e.g. beta-lactamases), and clinical efficacy has not been reliable in treatment studies.

CAUTION:

Conditions which can cause a false Negative culture:

1. Patient is on antibiotics. Please repeat culture post therapy.

2. Anaerobic bacterial infection.

- 3. Fastidious aerobic bacteria which are not able to grow on routine culture media
- 4. Besides all these factors, at least in 25-40 % of cases there is no direct correlation between in vivo clinical picture.
- 5. Renal tuberculosis to be confirmed by AFB studies.

*** End Of Report ***





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 care@koshealthcare.com www.koshealthcare.com

