

Dr. Vinay Chopra  
MD (Pathology & Microbiology)  
Chairman & Consultant Pathologist

Dr. Yugam Chopra  
MD (Pathology)  
CEO & Consultant Pathologist

NAME : Mr. KULTARAN SINGH  
AGE/ GENDER : 75 YRS/MALE  
COLLECTED BY :  
REFERRED BY :  
BARCODE NO. : 01521210  
CLIENT CODE. : KOS DIAGNOSTIC LAB  
CLIENT ADDRESS : 6349/1, NICHOLSON ROAD, AMBALA CANTT

PATIENT ID : 1523288  
REG. NO./LAB NO. : 012411210039  
REGISTRATION DATE : 21/Nov/2024 12:34 PM  
COLLECTION DATE : 21/Nov/2024 12:37PM  
REPORTING DATE : 21/Nov/2024 01:56PM

| Test Name | Value | Unit | Biological Reference interval |
|-----------|-------|------|-------------------------------|
|-----------|-------|------|-------------------------------|

CLINICAL CHEMISTRY/BIOCHEMISTRY

GLUCOSE POST PRANDIAL (PP)

|                                                                                 |                     |       |                                                                          |
|---------------------------------------------------------------------------------|---------------------|-------|--------------------------------------------------------------------------|
| GLUCOSE POST PRANDIAL (PP): PLASMA<br>by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD) | 183.56 <sup>H</sup> | mg/dL | NORMAL: < 140.00<br>PREDIABETIC: 140.0 - 200.0<br>DIABETIC: > OR = 200.0 |
|---------------------------------------------------------------------------------|---------------------|-------|--------------------------------------------------------------------------|

INTERPRETATION

IN ACCORDANCE WITH AMERICAN DIABETES ASSOCIATION GUIDELINES:

1. A post-prandial plasma glucose level below 140 mg/dl is considered normal.
2. A post-prandial glucose level between 140 - 200 mg/dl is considered as glucose intolerant or prediabetic. A fasting and post-prandial blood test (after consumption of 75 gms of glucose) is recommended for all such patients.
3. A post-prandial plasma glucose level of above 200 mg/dl is highly suggestive of diabetic state. A repeat post-prandial is strongly recommended for all such patients. A fasting plasma glucose level in excess of 125 mg/dl on both occasions is confirmatory for diabetic state.

\*\*\* End Of Report \*\*\*



DR.VINAY CHOPRA  
CONSULTANT PATHOLOGIST  
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA  
CONSULTANT PATHOLOGIST  
MBBS, MD (PATHOLOGY)

