



	Dr. Vinay Chopra MD (Pathology & Micr Chairman & Consultan	obiology)		(Pathology)
NAME	: Mrs. GEETA KHANNA			
AGE/ GENDER	: 91 YRS/FEMALE		PATIENT ID	: 1682477
COLLECTED BY	: SURJESH		REG. NO./LAB NO.	: 012411260029
REFERRED BY	:		REGISTRATION DATE	: 26/Nov/2024 11:09 AM
BARCODE NO.	: 01521478		COLLECTION DATE	: 26/Nov/2024 11:12AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	: 26/Nov/2024 11:36AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBA	ALA CANTT		
Test Name		Value	Unit	Biological Reference interval
		HAEM	ATOLOGY	
	COMP		OOD COUNT (CBC)	
RED BLOOD CELLS	S (RBCS) COUNT AND INDICES		,	
HAEMOGLOBIN (H	B)	6.5 ^L	gm/dL	12.0 - 16.0
by CALORIMETRIC RED BLOOD CELL (RBC) COUNT	2.39 ^L	Millions	/cmm 3.50 - 5.00
by HYDRO DYNAMIC F	OCUSING, ELECTRICAL IMPEDENCE			
PACKED CELL VOLUME (PCV) by CALCULATED BY AUTOMATED HEMATOLOGY ANALYZER		20.4 ^L	%	37.0 - 50.0
MEAN CORPUSCUL	AR VOLUME (MCV)	85.4	fL	80.0 - 100.0
	UTOMATED HEMATOLOGY ANALYZER AR HAEMOGLOBIN (MCH)	27.4	pg	27.0 - 34.0
by CALCULATED BY A	UTOMATED HEMATOLOGY ANALYZER			
	AR HEMOGLOBIN CONC. (MCHC) UTOMATED HEMATOLOGY ANALYZER	32.1	g/dL	32.0 - 36.0
	UTION WIDTH (RDW-CV)	14.7	%	11.00 - 16.00
	UTOMATED HEMATOLOGY ANALYZER UTION WIDTH (RDW-SD)	45.7	fL	35.0 - 56.0
by CALCULATED BY A	UTOMATED HEMATOLOGY ANALYZER		DATIO	
MENTZERS INDEX by CALCULATED		35.73	RATIO	BETA THALASSEMIA TRAIT: < 13.0
				IRON DEFICIENCY ANEMIA:
GREEN & KING INI)FY	52.92	RATIO	>13.0 BETA THALASSEMIA TRAIT:<=
by CALCULATED		32.32	KATIO	65.0
				IRON DEFICIENCY ANEMIA: >
WHITE BLOOD CE	LLS (WBCS)			65.0
TOTAL LEUCOCYTE	E COUNT (TLC)	3530 ^L	/cmm	4000 - 11000
	(BY SF CUBE & MICROSCOPY READD CFLES (nRBCS)	NIL		0.00 - 20.00
•		INIL		0.00 - 20.00
NUCLEATED RED E	RT HEMATOLOGY ANALYZER BLOOD CELLS (nRBCS) %	NIL	%	< 10 %





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, HaryanaKOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana0171-2643898, +91 99910 43898care@koshealthcare.comwww.koshealthcare.comwww.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.





Dr. Vinay Chopra



Dr. Yugam Chopra

MD (Pathology & Microbiology) MD (Pathology) Chairman & Consultant Pathologist **CEO & Consultant Pathologist** NAME : Mrs. GEETA KHANNA AGE/ GENDER : 91 YRS/FEMALE **PATIENT ID** :1682477 **COLLECTED BY** : SURJESH REG. NO./LAB NO. :012411260029 **REFERRED BY REGISTRATION DATE** : 26/Nov/2024 11:09 AM : **BARCODE NO.** :01521478 **COLLECTION DATE** : 26/Nov/2024 11:12AM CLIENT CODE. : KOS DIAGNOSTIC LAB **REPORTING DATE** : 26/Nov/2024 11:36AM **CLIENT ADDRESS** : 6349/1, NICHOLSON ROAD, AMBALA CANTT Test Name Value Unit **Biological Reference interval DIFFERENTIAL LEUCOCYTE COUNT (DLC)** NEUTROPHILS 50^L % 50 - 70 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY LYMPHOCYTES 33 % 20 - 40 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ЯH EOSINOPHILS % 1 - 6 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY MONOCYTES 9 % 2 - 12by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY BASOPHILS 0 % 0 - 1 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY **ABSOLUTE LEUKOCYTES (WBC) COUNT** ABSOLUTE NEUTROPHIL COUNT 2000 - 7500 1765^L /cmm by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE LYMPHOCYTE COUNT 1165 800 - 4900 /cmm by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE EOSINOPHIL COUNT 282 /cmm 40 - 440 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE MONOCYTE COUNT 318 /cmm 80 - 880 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY ABSOLUTE BASOPHIL COUNT 0 /cmm 0 - 110 by FLOW CYTOMETRY BY SF CUBE & MICROSCOPY PLATELETS AND OTHER PLATELET PREDICTIVE MARKERS. PLATELET COUNT (PLT) 150000 - 450000 105000^L /cmm by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE PLATELETCRIT (PCT) 0.1 % 0.10 - 0.36 by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE MEAN PLATELET VOLUME (MPV) 10 fL 6.50 - 12.0 by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE 30000 - 90000 PLATELET LARGE CELL COUNT (P-LCC) /cmm 26000^L by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE % PLATELET LARGE CELL RATIO (P-LCR) 25.211.0 - 45.0 by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE PLATELET DISTRIBUTION WIDTH (PDW) 15.0 - 17.0 16 % by HYDRO DYNAMIC FOCUSING, ELECTRICAL IMPEDENCE

ADVICE



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY) DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

KINDLY CORRELATE CLINICALLY

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com







	Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Patholog		(Pathology)
NAME	: Mrs. GEETA KHANNA		
AGE/ GENDER	: 91 YRS/FEMALE	PATIENT ID	: 1682477
COLLECTED BY	: SURJESH	REG. NO./LAB NO.	: 012411260029
REFERRED BY	:	REGISTRATION DATE	: 26/Nov/2024 11:09 AM
BARCODE NO.	: 01521478	COLLECTION DATE	: 26/Nov/2024 11:12AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE	: 26/Nov/2024 11:36AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AMBALA CANT	Т	
Test Name	Value	Unit	Biological Reference interval

NOTE: TEST CONDUCTED ON EDTA WHOLE BLOOD

RECHECKED.



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com





TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



	Dr. Vinay Chop MD (Pathology & M Chairman & Consul	icrobiology)	Dr. Yugan MD CEO & Consultant	(Pathology)	
NAME	: Mrs. GEETA KHANNA	tant Pathologist	CEO & Consultant	: Pathologist	
AGE/ GENDER	: 91 YRS/FEMALE	PATIE	NT ID	: 1682477	
COLLECTED BY	: SURJESH		O./LAB NO.	: 012411260029	
REFERRED BY	:		TRATION DATE	: 26/Nov/2024 11:09 AM	
BARCODE NO.	:01521478	COLLE	CTION DATE	: 26/Nov/2024 11:12AM	
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPOR	TING DATE	: 26/Nov/2024 12:38PM	
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, AM	ÍBALA CANTT			
Test Name		Value	Unit	Biological Reference interva	1
	CLINICA	L CHEMISTRY/ UREA	BIOCHEMIST	'RY	
UREA: SERUM		67.39 ^H	mg/dL	10.00 - 50.00	
	IATE DEHYDROGENASE (GLDH)	67.39**	ilig/ uL	10.00 - 50.00	
回和公司会议回		Λ			
250.00	Ot an	yhopr	24		
这时间的出	an	1			
	1	V			
STATISTICS IN	DR.VINAY CHOPRA CONSULTANT PATHOLOGIST	DR.YUGAM CHO CONSULTANT PA			
	MBBS, MD (PATHOLOGY & MICROBIC				
KOS Central Lab: 63/0/1	, Nicholson Road, Ambala Cantt -133 00				
	Floor, Parry Hotel, Staff Road, Opp. GPC		Harvana		
	43898 care@koshealthcare.com				

0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com





TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.



	Dr. Vinay (MD (Patholog Chairman & C	Chopra y & Microbiology) Consultant Pathologist	Dr. Yugan MD CEO & Consultant	(Pathology)
NAME	: Mrs. GEETA KHANNA			
AGE/ GENDER	: 91 YRS/FEMALE	PATI	ENT ID	: 1682477
COLLECTED BY	: SURJESH	REG. 1	NO./LAB NO.	: 012411260029
REFERRED BY	:	REGIS	STRATION DATE	: 26/Nov/2024 11:09 AM
BARCODE NO.	:01521478	COLL	ECTION DATE	: 26/Nov/2024 11:12AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPO	RTING DATE	: 26/Nov/2024 12:48PM
LIENT ADDRESS	: 6349/1, NICHOLSON ROA	D, AMBALA CANTT		
Fest Name		Value	Unit	Biological Reference interval
		CREATIN	NE	
REATININE: SERU	JM	1.79 ^H	mg/dL	0.40 - 1.20
by ENZYMATIC, SPEC	TROPHOTOMETRY		C	
		*** End Of Report	* * *	
		End of Report		

KOS Diagnostic Lab (A Unit of KOS Healthcare)



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

 KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana

 KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana

 0171-2643898, +91 99910 43898
 care@koshealthcare.com
 www.koshealthcare.com

