

## **KOS Diagnostic Lab**

(A Unit of KOS Healthcare)



Dr. Vinay Chopra
MD (Pathology & Microbiology)
Chairman & Consultant Pathologist

Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mr. RAVI KUMAR

AGE/ GENDER : 32 YRS/MALE PATIENT ID : 1683609

COLLECTED BY : REG. NO./LAB NO. : 012411270036

 REFERRED BY
 : 27/Nov/2024 11:26 AM

 BARCODE NO.
 : 01521538
 COLLECTION DATE
 : 27/Nov/2024 11:29 AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 27/Nov/2024 03:47 PM

**CLIENT ADDRESS**: 6349/1, NICHOLSON ROAD, AMBALA CANTT

Test Name Value Unit Biological Reference interval

### **HAEMATOLOGY**

### PROTHROMBIN TIME STUDIES (PT/INR)

| PT TEST (PATIENT) by PHOTO OPTICAL CLOT DETECTION                    | 19 <sup>H</sup>   | SECS | 11.5 - 14.5 |
|--|-------------------|------|-------------|
| PT (CONTROL) by PHOTO OPTICAL CLOT DETECTION                         | 12                | SECS |             |
| ISI by PHOTO OPTICAL CLOT DETECTION                                  | 1.1               |      |             |
| INTERNATIONAL NORMALISED RATIO (INR) by PHOTO OPTICAL CLOT DETECTION | 1.66 <sup>H</sup> |      | 0.80 - 1.20 |
| PT INDEX by PHOTO OPTICAL CLOT DETECTION                             | 63.16             | %    |             |

#### **INTERPRETATION:-**

- 1.INR is the parameter of choice in monitoring adequacy of oral anti-coagulant therapy. Appropriate therapeutic range varies with the disease and treatment intensity.
- 2. Prolonged INR suggests potential bleeding disorder /bleeding complications
- 3. Results should be clinically correlated.
- 4. Test conducted on Citrated Plasma

| RECOMMENDED THERAPEUTIC RANGE FOR ORAL ANTI-COAGULANT THERAPY (INR) |                |                                      |           |  |  |
|---|----------------|--------------------------------------|-----------|--|--|
| INDICATION  |                | INTERNATIONAL NORMALIZED RATIO (INR) |           |  |  |
| Treatment of venous thrombosis                                      |                |                                      |           |  |  |
| Treatment of pulmonary embolism                                     |                |                                      |           |  |  |
| Prevention of systemic embolism in tissue heart valves              |                |                                      |           |  |  |
| Valvular heart disease  | Low Intensity  |                                      | 2.0 - 3.0 |  |  |
| Acute myocardial infarction   |                | $A \setminus A$                      |           |  |  |
| Atrial fibrillation   |                |                                      |           |  |  |
| Bileaflet mechanical valve in aortic position                       |                |                                      |           |  |  |
| Recurrent embolism  |                |                                      |           |  |  |
| Mechanical heart valve  | High Intensity | /                                    | 2.5 - 3.5 |  |  |



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA
CONSULTANT PATHOLOGIST
MBBS . MD (PATHOLOGY)





# **KOS Diagnostic Lab**

(A Unit of KOS Healthcare)



Dr. Vinay Chopra MD (Pathology & Microbiology) Chairman & Consultant Pathologist Dr. Yugam Chopra MD (Pathology) CEO & Consultant Pathologist

NAME : Mr. RAVI KUMAR

AGE/ GENDER : 32 YRS/MALE PATIENT ID : 1683609

COLLECTED BY : REG. NO./LAB NO. : 012411270036

 REFERRED BY
 : 27/Nov/2024 11:26 AM

 BARCODE NO.
 : 01521538
 COLLECTION DATE
 : 27/Nov/2024 11:29 AM

 CLIENT CODE.
 : KOS DIAGNOSTIC LAB
 REPORTING DATE
 : 27/Nov/2024 03:47 PM

**CLIENT ADDRESS**: 6349/1, NICHOLSON ROAD, AMBALA CANTT

| Test Name                                | Value | Unit | Biological Reference interval |
|--|-------|------|-------------------------------|
| Antiphospholipid antibodies <sup>+</sup> |       |      |                               |

#### **COMMENTS:**

The prothrombin time (PT) and its derived measures of prothrombin ratio (PR) and international normalized ratio (INR) are measures of the efficacy of the extrinsic pathway of coagulation. PT test reflects the adequacy of factors I (fibrinogen), II (prothrombin), V, VII, and X. It is used in conjunction with the activated partial thromboplastin time (aPTT) which measures the intrinsic pathway.

The common causes of prolonged prothrombin time are:

1. Oral Anticoagulant therapy.

2.Liver disease.

3. Vit K. deficiency.

4. Disseminated intra vascular coagulation.

5. Factor 5, 7, 10 or Prothrombin dificiency

#### RECHECKED.

\*\*\* End Of Report \*\*\*



DR.VINAY CHOPRA
CONSULTANT PATHOLOGIST
MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)



KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana
KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana
0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com