



	Dr. Vinay Chc MD (Pathology & I Chairman & Const	Microbiology) MD (Pathology)			
NAME	: Mr. SURINDER PAL				
AGE/ GENDER	: 73 YRS/MALE		PATIENT ID	: 83200	
COLLECTED BY	:	REG. NO./LAB NO.		: 012411280002	
REFERRED BY	:	REGISTRATION DATE		: 28/Nov/2024 07:23 AM	
BARCODE NO.	:01521575	COLLECTION DATE		: 28/Nov/2024 07:25AM	
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING DATE		: 28/Nov/2024 09:00AM	
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	MBALA CANTT			
Test Name		Value	Unit	Biological Reference interval	
		HAEM	ATOLOGY		
	PROTH	IROMBIN TI	ME STUDIES (PT/IN	(R)	
PT TEST (PATIENT)		29 ^H	SECS	11.5 - 14.5	
by PHOTO OPTICAL CLOT DETECTION PT (CONTROL)		12	SECS		
by PHOTO OPTICAL C	CLOT DETECTION	12	5165		
ISI by PHOTO OPTICAL CLOT DETECTION		1.1			
INTERNATIONAL NORMALISED RATIO (INR) by PHOTO OPTICAL CLOT DETECTION		2.64 ^H		0.80 - 1.20	
PT INDEX by PHOTO OPTICAL CLOT DETECTION		41.38	%		

INTERPRETATION:-

1.INR is the parameter of choice in monitoring adequacy of oral anti-coagulant therapy. Appropriate therapeutic range varies with the disease and treatment intensity.

2. Prolonged INR suggests potential bleeding disorder /bleeding complications

3. Results should be clinically correlated.

4. Test conducted on Citrated Plasma

RECOMMENDED THERAPEUTIC RANGE FOR	ORAL ANTI-CO	_	、 <i>`</i>
INDICATION	INTERNATIONAL NORMALIZED RATIO (INR)		
Treatment of venous thrombosis			
Treatment of pulmonary embolism			
Prevention of systemic embolism in tissue heart valves			
Valvular heart disease	Low Intensity		2.0 - 3.0
Acute myocardial infarction		Á	
Atrial fibrillation			
Bileaflet mechanical valve in aortic position			
Recurrent embolism			
Mechanical heart valve	High Intensity		2.5 - 3.5

KOS Diagnostic Lab (A Unit of KOS Healthcare)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS , MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: Ilnd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com







	Dr. Vinay Che MD (Pathology & Chairman & Cons	Microbiology)	Dr. Yugam Ch MD (Path & Consultant Patho	ology)
NAME	: Mr. SURINDER PAL			
AGE/ GENDER	: 73 YRS/MALE	PATIENT ID	:8	3200
COLLECTED BY	:	REG. NO./LA	AB NO. : 0	12411280002
REFERRED BY	:	REGISTRAT	ION DATE : 2	8/Nov/2024 07:23 AM
BARCODE NO.	:01521575	COLLECTION	N DATE : 2	8/Nov/2024 07:25AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB	REPORTING	: 2	8/Nov/2024 09:00AM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD, A	AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
Antiphospholipid ar	ntibodies ⁺			

COMMENTS:

The prothrombin time (PT) and its derived measures of prothrombin ratio (PR) and international normalized ratio (INR) are measures of the efficacy of the extrinsic pathway of coagulation. PT test reflects the adequacy of factors I (fibrinogen), II (prothrombin), V, VII, and X. It is used in conjunction with the activated partial thromboplastin time (aPTT) which measures the intrinsic pathway. The common causes of prolonged prothrombin time are : 1.Oral Anticoagulant therapy.

2.Liver disease.

3.Vit K. deficiency.

4.Disseminated intra vascular coagulation. 5.Factor 5, 7, 10 or Prothrombin dificiency

RECHECKED

End Of Report



DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

