



		hopra & Microbiology) onsultant Pathologis		(Pathology)
NAME	: Mrs. AMARJEET KAUR BA	LIA		
AGE/ GENDER	: 70 YRS/FEMALE		PATIENT ID	: 1687528
COLLECTED BY	:		REG. NO./LAB NO.	: 012412010034
REFERRED BY	:		REGISTRATION DATE	: 01/Dec/2024 11:44 AM
BARCODE NO.	: 01521802		COLLECTION DATE	: 01/Dec/2024 11:45AM
CLIENT CODE.	: KOS DIAGNOSTIC LAB		REPORTING DATE	:01/Dec/2024 12:21PM
CLIENT ADDRESS	: 6349/1, NICHOLSON ROAD), AMBALA CANTT		
Test Name		Value	Unit	Biological Reference interval
	CLINI	ICAL CHEMIS	TRY/BIOCHEMIST	'RY
		GLUCOSE	RANDOM (R)	
GLUCOSE RANDOM (R): PLASMA by GLUCOSE OXIDASE - PEROXIDASE (GOD-POD)		217.53 ^H	mg/dL	NORMAL: < 140.00 PREDIABETIC: 140.0 - 200.0 DIABETIC: > 0R = 200.0
1. A random plasma 2. A random glucose (after consumption o	of 75 ams of alucose) is recomm	is considered norn is considered as gl ended for all such	nal. Jucose intolerant or prediat patients.	petic. A fasting and post-prnadial blood test -prandial is strongly recommended for all such for diabetic state.

KOS Diagnostic Lab (A Unit of KOS Healthcare)





DR.VINAY CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY & MICROBIOLOGY)

DR.YUGAM CHOPRA CONSULTANT PATHOLOGIST MBBS, MD (PATHOLOGY)

KOS Central Lab: 6349/1, Nicholson Road, Ambala Cantt -133 001, Haryana KOS Molecular Lab: IInd Floor, Parry Hotel, Staff Road, Opp. GPO, Ambala Cantt -133 001, Haryana 0171-2643898, +91 99910 43898 | care@koshealthcare.com | www.koshealthcare.com



TEST PERFORMED AT KOS DIAGNOSTIC LAB, AMBALA CANTT.

*** End Of Report ***